The Journal of THORACIC AND CARDIOVASCULAR SURGERY

Official organ, The American Association for Thoracic Surgery and The Samson Thoracic Surgical Society

Editor BRIAN BLADES, *Washington, D. C.*

Associate editors THOMAS H. BURFORD, *St. Louis*
PAUL ADKINS, *Washington, D. C.*

Advisory editorial board RALPH D. ALLEY, *Albany*
EDWARD J. BEATTIE, JR., *New York*
O. THERON CLAGETT, *Rochester, Minn.*
DONALD B. EFFLER, *Cleveland*
HERMES C. GRILLO, *Boston*
JOHN C. JONES, *Los Angeles*
JOHN W. KIRKLIN, *Birmingham*
HIRAM T. LANGSTON, *Chicago*
GEORGE G. LINDESMITH, *Los Angeles*
GEORGE J. MAGOVERN, *Pittsburgh*
HERBERT C. MAIER, *New York*
JAMES R. MALM, *New York*
DWIGHT C. McGOON, *Rochester, Minn.*
THOMAS F. NEALON, JR., *New York*
DONALD L. PAULSON, *Dallas*
FREDERICK G. PEARSON, *Toronto*
DAVID C. SABISTON, JR., *Durham, N. C.*
PAUL C. SAMSON, *Oakland*
FRANK C. SPENCER, *New York*

Editorial consultant LEO ELOESSER, *San Francisco*

EVARTS A. GRAHAM, *Editor, 1931-1957*
EMILE HOLMAN, *Editor, 1957-1962*

Volume 71, January-June, 1976
The C. V. Mosby Company
St. Louis, Mo.

Volume 71
Copyright © 1976 by The C. V. Mosby Company
All rights reserved
Printed in the United States of America

Author index*

A

ABEL, RONALD M., BUCKLEY, MORTIMER J., AUSTEN, W. GERALD, BARNETT, G. OCTO, BECK, CLYDE H., JR., and FISHER, JOSEF E. Etiology, incidence, and prognosis of renal failure following cardiac operations: results of a prospective analysis of 500 consecutive patients, 323

ACHTEL, ROBERT A. Correction of mislabeled illustration, 148 (Letter)

AHMAD, R., MANOHITHARAJAH, S. M., DEVERALL, P. B., and WATSON, D. A. Chronic hemolysis following mitral valve replacement: a comparative study of the Björk-Shiley, composite-seat Starr-Edwards, and frame-mounted aortic homograft valves, 212

AHUJA, SURAJ P. (*See* MALCOLM ET AL.), 134

AKINS, CARY W., BUCKLEY, MORTIMER J., SCANNELL, J. GORDON, and AUSTEN, W. GERALD. Pulmonary valve replacement: report of an operation performed for calcific pulmonic stenosis associated with total anomalous pulmonary venous drainage and atrial septal defect, 721

AKINS, CARY W., MCMILLAN, IAN K. R., SBOKOS, COSTAS, STEELE, RICHARD, and LEA, RICHARD D. The use of bronchoscopic sponge biopsy in the diagnosis of pulmonary neoplasms, 309

ALEGRE, CESAR A. (*See* MENTZER ET AL.), 807

ALEXANDER, JAMES A. (*See* MCCLELLAN ET AL.), 472

ALMOND, CARL H. (*See* UNGARO ET AL.), 566

ANDERSON, R. H. (*See* SHARRATT ET AL.), 853

ANDERSON, RICHARD P. Discussion of lung cancer, 167

ANDERSON, S. T., PITT, AUBREY, WHITFORD, J. A., and DAVIS, B. B. Interference with function of unipolar pacemaker due to muscle potentials, 698

ANDO, FUMITAKA (*See* MORI ET AL.), 750

ANDREWS, MICHAEL J. (*See* GUYTON ET AL.), 1

ANGELINI, PAOLO (*See* COOLEY ET AL.), 461

—. (*See* OGLIETTI ET AL.), 736

ANKENEY, JAY L. Reply to the scimitar syndrome, 150 (Letter)

APPELBAUM, AZAI, BARGERON, LIONEL M., JR., PACIFICO, ALBERT D., and KIRKLIN, JOHN W. Surgical treatment of truncus arteriosus, with emphasis on infants and small children, 436

—, KARP, ROBERT B., and KIRKLIN, JOHN W. Surgical treatment for closed thoracic aortic injuries, 458

ARBULU, AGUSTIN (*See* ASFAW ET AL.), 286

ARCILLA, RENE (*See* LAMBERTI ET AL.), 386

AROM, KIT V. (*See* SMITH ET AL.), 617

ASADA, SAKAE (*See* YAMAGUCHI ET AL.), 366

ASANO, KEN-ICHI (*See* EGUCHI ET AL.), 899

ASFAW, INGIDA, THOMS, NORMAN W., ITURREGUI, JUAN, and ARBULU, AGUSTIN. Fixation of Celestin tube to the anterior abdominal wall: a new technique, 286

AUER, JAMES E. (*See* KING ET AL.), 785

AUSTEN, W. GERALD (*See* ABEL ET AL.), 323

—. (*See* AKINS ET AL.), 721

AUSTIN, JOHN H. M., and CARSEN, GREGORY M. Acute traumatic hematoma of aorta, 321 (Letter)

AWAD, J. (*See* GUIDOIN ET AL.), 502

B

BABA, HISAMICHI, DJORDJEVIC, MILAN, KISO, ISSEI, HAMADA, OSAMI, MOSKOWITZ, MITCHELL S., VON RECUM, ANDREAS, and KANTROWITZ, ADRIAN. Hemodynamic effects of venous valves in aorto-coronary bypass grafts, 774

BAHNSON, HENRY T. (*See* NECHES ET AL.), 685

BAILEY, LEONARD L., FREEDOM, ROBERT M., FOWLER, RODNEY J., and TRUSLER, GEORGE A. Nonoperative management of late failure of a Glenn anastomosis: transvenous wafer occlusion of patent superior vena cava–right atrial junction, 371

—, and MUSTARD, WILLIAM T. Use of balloon-tipped vena caval cannulas during open cardiac surgery, 691

—, TAKEUCHI, YASUO, WILLIAMS, WILLIAM G., TRUSLER, GEORGE A., and MUSTARD, WILLIAM T. Surgical management of congenital cardiovascular anomalies with the use of profound hypothermia and circulatory arrest: analysis of 180 consecutive cases, 485

BAKER, NORMAN (*See* SMYTH ET AL.), 559

BARASH, PAUL (*See* MANDEL and BARASH), 376

BARBORIAK, JOSEPH J., VAN HORN, DIANE L., PINTAR, KARL, BATAYIAS, GEORGE E., and KORNS, MICHAEL E. Scanning electron microscope study of human veins and aorta–coronary artery vein grafts, 673

BARGERON, LIONEL M., JR. (*See* APPELBAUM ET AL.), 436

BARNER, HENDRICK B. (*See* MARCO ET AL.), 545

BARNETT, G. OCTO (*See* ABEL ET AL.), 323

BARNHORST, DONALD A., OXMAN, HERBERT A., CONNOLLY, DANIEL C., PLUTH, JAMES R., DANIELSON, GORDON K., WALLACE, ROBERT B., and MCGOON, DWIGHT C. Isolated replacement of the mitral valve with the Starr-Edwards prosthesis: an eleven-year review, 230

BARRATT-BOYES, BRIAN. Discussion of ascending aorta–right pulmonary artery shunt, 55

BARTLETT, ROBERT H. A procedure for management of acquired tracheoesophageal fistula in ventilator patients, 89, 95

—. Discussion of pulmonary pathology in acute respiratory insufficiency, 70

BATAYIAS, GEORGE E. (*See* BARBORIAK ET AL.), 673

BAUE, ARTHUR E. (*See* GEHA ET AL.), 348

BECK, CLYDE H., JR. (*See* ABEL ET AL.), 323

BECKER, RONALD M., VILORIA, JUAN, and CHIU, CHU-JENG. Multiple pulmonary leiomyomatous hamartomas in women, 631

BEER, P. (*See* KLEINERT ET AL.), 493

*January, pp. 1-160; February, pp. 161-332; March, pp. 323-484; April, pp. 485-642; May, pp. 643-806; June, pp. 807-966.

BEGG, FRANK R. (*See* LIEBLER ET AL.), 605
BEISER, G. DAVID (*See* NOLAN ET AL.), 148
BERK, GEORGE, KAPLITT, MARTIN, PADMANABHAN, VELLORE, FRANTZ, STEPHEN, MORRISON, JOHN, and GULOTTA, STEPHEN J. Management of preinfarction angina: evaluation and comparison of medical versus surgical therapy in 43 patients, 110
BERMAN, WILLIAM, JR. (*See* FISHMAN ET AL.), 35
BINET, S. P. Discussion of reconstruction of right ventricular outflow tract, 18
BLAISDELL, F. WILLIAM. Discussion of pulmonary pathology in acute respiratory insufficiency, 70
BLOCK, PETER C. Snaring of a Swan-Ganz catheter, 917
BLOCK, STEVEN (*See* WEEKS ET AL.), 250
BLOMBERG, DAVID J. (*See* PYLE ET AL.), 884
BONCHEK, L. I. (*See* LAWSON ET AL.), 334
BOND, M. G., HOSTETLER, J. R., KARAYANNACOS, P. E., GEER, J. C., and VASKO, J. S. Intimal changes in arteriovenous bypass grafts: effects of varying the angle of implantation at the proximal anastomosis and of producing stenosis in the distal runoff artery, 907
BORRIE, J., and GOLDWATER, L. Columnar cell–lined esophagus: assessment of etiology and treatment. A 22 year experience, 825
BOS, EGBERT (*See* PENN ET AL.), 526
BOWLEY, WALLACE W. (*See* HAMMOND and BOWLEY), 422
BOWMAN, FREDERICK O., JR. (*See* TRUCCONE ET AL.), 410
—. Discussion of reconstruction of right ventricular outflow tract, 18
—. Discussion of severe aortic coarctation and interrupted aortic arch, 47
BRAIMBRIDGE, M. V. (*See* ROSS ET AL.), 533
BRANTIGAN, C. O., and GROW, J. B., SR. Cricothyroidotomy: elective use in respiratory problems requiring tracheotomy, 72, 81
BREWER, LYMAN A., III. Discussion of epidural anesthesia after thoracotomy in patients with chronic obstructive airway disease, 87
BRONSTEIN, MERRILL H. (*See* FISHMAN ET AL.), 35
BROWER, RON W. (*See* PENN ET AL.), 526
BROWN, A. HEDLEY (*See* ROSS ET AL.), 533
BROWNLEE, R. R. (*See* TYERS and BROWNLEE), 253
BUCH, WALLY S. (*See* PIPKIN ET AL.), 179
BUCKLEY, MORTIMER J. (*See* ABEL ET AL.), 323
—. (*See* AKINS ET AL.), 721
BULKLEY, BERNADINE H. (*See* MCKIBBIN ET AL.), 741
BUIS-LIEM, TJIK N. (*See* MOULAERT ET AL.), 865
BURKE, M. DESMOND (*See* PYLE ET AL.), 884

C

CAREY, JOSEPH S. Long-term follow-up of cloth-covered Starr-Edwards prostheses, 694
CARSEN, GREGORY M. (*See* AUSTIN and CARSEN), 321
CASTANEDA, ALDO R. (*See* SADE ET AL.), 572
—. Discussion of ascending aorta–right pulmonary artery shunt, 57
—. Discussion of reconstruction of right ventricular outflow tract, 18
CAVALLO, CHARLES A. (*See* IDRISS ET AL.), 49
CERRUTI, MARCIAL M. (*See* GLADSTONE ET AL.), 835
CHAMBERLAIN, MICHAEL J. (*See* MALCOLM ET AL.), 134
CHANDRAMOULI, B. (*See* DOTY ET AL.), 787
CHARTRAND, CLAUDE, PAYOT, MAURICE, DAVIGNON, ANDRÉ, GUERIN, RONALD, and STANLEY, PAUL: A new surgical approach for correction of partial anomalous pulmonary venous drainage into the superior vena cava, 29, 34
CHATTERJEE, KANU (*See* WEEKS ET AL.), 250
CHEN, CHI-CHU (*See* WAKABAYASHI ET AL.), 648
CHERNOFF, EDWARD (*See* SMYTH ET AL.), 559
CHIARIELLO, LUIGI (*See* VIDNE ET AL.), 402
CHIU, CHU-JENG (*See* BECKER ET AL.), 631
CHU, SHU-HSUN, and LIEN, WEN-PIN. Resection of aortic arch aneurysm: a simplified technique, 846
CLAUSS, ROY H. Discussion of correction of partial anomalous pulmonary venous drainage into superior vena cava, 34
CODD, JOHN E. (*See* MARCO ET AL.), 545
COLEMAN, R. EDWARD (*See* KLEIN ET AL.), 934
CONNOLLY, DANIEL, C. (*See* BARNHORST ET AL.), 230
CONNOLLY, JOHN E. (*See* WAKABAYASHI ET AL.), 648
—. Discussion of aortic valve replacement with porcine xenograft, 186
CONWAY, N. (*See* SHARRATT ET AL.), 869
COOLEY, DENTON A. Technical considerations in cardiovascular surgery for neonates, 551
—, ANGELINI, PAOLO, LEACHMAN, ROBERT D., and KYGER, E. ROSS, III. Intraventricular repair of transposition complexes with ventricular septal defect, 461
—. (*See* OGLIETTI ET AL.), 736
—. (*See* SEYBOLD-EPTING ET AL.), 392
COOPER, J. D., DUFFIN, J., GLYNN, M. F. X., NELEMS, J. M., TEASDALE, S., and SCOTT, A. A. With the assistance of B. Martin. Combination of membrane oxygenator support and pulmonary lavage for acute respiratory failure, 304
—, and LOWENSTEIN, EDWARD. Reply to lung water accumulation, 321
—, TEASDALE, S., NELEMS, J. M., GLYNN, M. F. X., MACGREGOR, D. C., DUFFIN, J., and SOTTT, A. A. With the assistance of B. Martin. Cardiorespiratory failure secondary to peripheral pulmonary emboli: survival following a combination of prolonged extracorporeal membrane oxygenator support and pulmonary embolectomy, 872
COPELAND, JACK G. (*See* STINSON ET AL.), 659
COX, JIMMY L., PASS, HARVEY I., OLDHAM, H. NEWLAND, JR., WECHSLER, ANDREW S., and SABISTON, DAVID C., JR. Coronary collateral circulation during stress and the effects of aorta-coronary bypass grafts, 540
CUASAY, RAMON (*See* LEMOLE and CUASAY), 759
CUNNINGHAM, JOSEPH N. (*See* TICE ET AL.), 378
CUSHING, WILLIAM J. (*See* LIEBLER ET AL.), 605
—. (*See* SMYTH ET AL.), 262

D

DANIEL, FRED J. (*See* LIE ET AL.), 517
DANIELSON, GORDON K. (*See* BARNHORST ET AL.), 230
—. (*See* SANFELIPPO ET AL.), 441
—. (*See* SPANGLER ET AL.), 398
DANKNER, ELINOR (*See* NECHES ET AL.), 685
DAVIGNON, ANDRÉ (*See* CHARTRAND ET AL.), 29
DAVIS, B. B. (*See* ANDERSON ET AL.), 698
DELL, RALPH (*See* TRUCCONE ET AL.), 410
DEMLING, ROBERT H., HICKS, RICHARD E., and EDMUNDS, L. HENRY, JR. Changes in extravascular lung water during venovenous perfusion, 291
DEMOS, NICHOLAS J. Discussion of correction of partial anomalous pulmonary venous drainage into superior vena cava, 34
DERKS, C. M., JASPAR, N., DE FRANCQUEN, PH., and VANDERHOEFT, P. Extracorporeal oxygenation with various experimental venoarterial bypasses during prolonged apnea, 666
DEVERALL, P. B. (*See* AHMAD ET AL.), 212
DIBENEDETTO, GUISEPPE (*See* MOHRI ET AL.), 792
DIETRICH, H. P. (*See* HILBERMAN ET AL.), 711

Volume 71
Number 6
June, 1976

DILLARD, DAVID H. (*See* MOHRI ET AL.), 792
DIXON, MARTIN (*See* SMYTH ET AL.), 262
DJORDJEVIC, MILAN (*See* BABA ET AL.), 774
DOBELL, ANTHONY R. C. Discussion of severe aortic coarctation and interrupted aortic arch, 47
DOTY, DONALD B., CHANDRAMOULI, B., SCHIEKEN, RICHARD E., LAUER, RONALD M., and EHRENHAFT, J. L. Anomalous origin of the left coronary artery from the right pulmonary artery: surgical repair in a 10-month-old child, 787
—. (*See* RITTENHOUSE ET AL.), 187
DUFFIN, J. (*See* COOPER ET AL.), 304, 872
DUGAN, DAVID J. Discussion of cricothyroidotomy, 80
DWORKIN, PAUL (*See* MOSS ET AL.), 614

E

EDIE, RICHARD. Discussion of ascending aorta–right pulmonary artery shunt, 56
EDMUNDS, L. HENRY, JR. (*See* DEMLING ET AL.), 291
—. (*See* FISHMAN ET AL.), 35
—. (*See* FRIEDMAN ET AL.), 118
EFFLER, DONALD B. (*See* TAYLOR ET AL.), 255
EGUCHI, SHOJI, NAKAMURA, CHIHARU, ASANO, KEN-ICHI, and TANAKA, MAKOTO. Surgical treatment of floppy mitral valve syndrome in children, 899
EHRENHAFT, J. L. (*See* DOTY ET AL.), 787
—. (*See* RITTENHOUSE ET AL.), 187
EL-ETR, ADEL A. (*See* TAN ET AL.), 928
EMMANOUILIDES, GEORGE C. (*See* NELSON ET AL.), 169
ENGELMAN, RICHARD M. (*See* TICE ET AL.), 378
EPSTEIN, STEPHEN E. (*See* NOLAN ET AL.), 148
ESTAFANOUS, F. GEORGE (*See* VILJOEN ET AL.), 548

F

FALLAT, ROBERT J. (*See* HILL ET AL.), 64
FARNHAM, J. D. (*See* STEWART ET AL.), 129
FELDT, ROBERT H. (*See* SPANGLER ET AL.), 398
FERNANDEZ, JAVIER, MORSE, DRYDEN, SPAGNA, PASCHAL, LEMOLE, GERALD, GOOCH, ALDEN, YANG, SING SANG, and MARANHAO, VLADIR. Results of mitral valve replacement with the Beall prosthesis in 209 patients, 218
FIELDER, DARWIN L. (*See* NAZARIAN ET AL.), 880
FIGUERA AYMERICH, D. (*See* OTERO COTO ET AL.), 537
FISCHER, JOSEF E. (*See* ABEL ET AL.), 323
FISHMAN, NOEL H., BRONSTEIN, MERRILL H., BERMAN, WILLIAM, JR., ROE, BENSON B., EDMUNDS, L. HENRY, JR., ROBINSON, SAUL J., and RUDOLPH, ABRAHAM M. Surgical management of severe aortic coarctation and interrupted aortic arch in neonates, 35, 47
FITTERER, JOSEPH D. (*See* HEYDORN ET AL.), 839
FLOWERS, NANCY C. (*See* GRAY ET AL.), 429
FLOYD, GWYNNE D. (*See* HEYDORN ET AL.), 839
FOGARTY, THOMAS J. (*See* PIPKIN ET AL.), 179, 186
FOLKERTH, THEODORE L. (*See* HUMPHREY ET AL.), 643
FONTAN, FRANCIS. Discussion of reconstruction of right ventricular outflow tract, 19
FOSBURG, RICHARD G. (*See* HUMPHREY ET AL.), 643
FOWLER, RODNEY J. (*See* BAILEY ET AL.), 371
FOX, C. (*See* ROSS ET AL.), 533
DE FRANCQUEN, PH. (*See* DERKS ET AL.), 666
FRANTZ, STEPHEN (*See* BERK ET AL.), 110
FRATER, ROBERT W. M. Discussion of correction of Type C complete atrioventricular canal, 27
FREEDOM, ROBERT M. (*See* BAILEY ET AL.), 371
FRIEDMAN, SANDOR A. (*See* GLADSTONE ET AL.), 835
FRIEDMAN, SIDNEY, EDMUNDS, L. HENRY, SARACLAR, MUHSIN, and WEINSTEIN, ELLEN M. Mitral atresia with premature closure of foramen ovale: a rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve inadequate pulmonary blood flow, 118
DE LA FUENTE, DOMINGO (*See* LAMBERTI ET AL.), 386
FULTON, ROBERT L. (*See* GRAY ET AL.), 429

G

GALBRAITH, JO ETTA, MURPHY, MARVIN L., READ, RAYMOND C., WILLIAMS, G. DOYNE, and MORRIS, W. DALE. Left ventricular–right atrial shunt: an unusual cause of hemodynamic deterioration following aortic valve surgery, 383
GARCIA-RINALDI, R. (*See* GUINN ET AL.), 554
GEER, J. C. (*See* BOND ET AL.), 907
GEHA, ALEXANDER S., BAUE, ARTHUR E., KRONE, RONALD J., KLEIGER, ROBERT E., OLIVER, G. CHARLES, MCCORMICK, JOHN R., and SALIMI, ALI. Surgical treatment of unstable angina by saphenous vein and internal mammary artery bypass grafting, 348
GELDOF, WIM CH. (*See* MOULAERT ET AL.), 865
GENTRY, SCOTT (*See* STANLEY ET AL.), 704
GERBODE, FRANK (*See* KILLEBREW and GERBODE), 469
GERSONY, WELTON M. (*See* TRUCCONE ET AL.), 410
GIBBONS, JAMES A. (*See* HUMPHREY ET AL.), 643
GIRARDET, R. E., and WHEAT, M. W., JR. Technique of aortic valve replacement, 446
GIULIANI, EMILIO R. (*See* SANFELIPPO ET AL.), 441
GLADSTONE, JULES L., FRIEDMAN, SANDOR A., CERRUTI, MARCIAL M., and JOMAIN, SERGE L. Treatment of Candida endocarditis and arteritis, 835
GLISSON, SILAS N. (*See* TAN ET AL.), 928
GLYNN, M. F. X. (*See* COOPER ET AL.), 304, 872
GOEBERT, HERBERT W., III (*See* MCNAMARA ET AL.), 637
GOLDSMITH, RALPH S. (*See* WHITE ET AL.), 609
GOLDSTEIN, ROBERT E. (*See* NOLAN ET AL.), 148
GOLDWATER, L. (*See* BORRIE and GOLDWATER), 825
GOLUB, SIDNEY H. (*See* HOLMES and GOLUB), 161
GOOCH, ALDEN (*See* FERNANDEZ ET AL.), 218
GOODMAN, DANIEL J. (*See* HOROWITZ ET AL.), 450
GOTT, VINCENT L. (*See* MCKIBBIN ET AL.), 741
GOULD, K. LANCE (*See* LORCH ET AL.), 932
GRAY, GEORGE F. (*See* MAYER ET AL.), 592
GRAY, LAMAN A., JR., FULTON, ROBERT L., SRIVASTAVA, TRIBENI N., and FLOWERS, NANCY C. Surgical treatment of thrombosed Björk-Shiley aortic valve prosthesis, 429
GREEN, W. RICHARD (*See* MCKIBBIN ET AL.), 741
GRIEPP, RANDALL B. (*See* STINSON ET AL.), 659
GRILLO, HERMES C. (*See* KOTAKE and GRILLO), 600
GROVER, FREDERICK L. (*See* SMITH ET AL.), 617
GROVES, LAWRENCE K. (*See* TAYLOR ET AL.), 255
GROW, J. B., SR. (*See* BRANTIGAN and GROW), 72
—. (*See* SCHOONMAKER and GROW), 433
GUERIN, RONALD (*See* CHARTRAND ET AL.), 29
GUIDOIN, R., LAPERCHE, Y., MARTIN, L., AWAD, J., and WINCHESTER, J. Disposable filters for microaggregate removal from extracorporeal circulation, 502
GUINN, G. A., GARCIA-RINALDI, R., and WHISENNAND, H. H. Surgical management of the bleeding aortopulmonary fistula, 554
GULOTTA, STEPHEN J. (*See* BERK ET AL.), 110
GUTIERREZ, ALBERTO C. (*See* VINCENT ET AL.), 581

GUYTON, ROBERT, A., ANDREWS, MICHAEL J., HICKEY, PAUL R., MICHAELIS, LAWRENCE L., and MORROW, ANDREW G. The contribution of atrial contraction to right heart function before and after right ventriculotomy: experimental and clinical observations, 1

H

HALL, ALBERT D. Discussion of cricothyroidotomy, 81
HALLER, J. ALEX. Discussion of ascending aorta–right pulmonary artery shunt, 57
HALLMAN, GRADY L. (*See* SEYBOLD-EPTING ET AL.), 392
HAMADA, OSAMI (*See* BABA ET AL.), 774
HAMBY, ROBERT I. (*See* MEHTA ET AL.), 137
HAMILTON, JOHN D. (*See* MCCLELLAN ET AL.), 472
HAMMER, WILLIAM J., HEARNE, MICHAEL J., and ROBERTS, WILLIAM C. Cocking of a poppet-disc prosthesis in the aortic position: a cause of intermittent aortic regurgitation, 259
HAMMOND, GRAEME L., and BOWLEY, WALLACE W. Bubble mechanics and oxygen transfer, 422
HANCOCK, E. WILLIAM (*See* HOROWITZ ET AL.), 450
HANNA, ELIAS S. Discussion of coronary artery bypass with internal mammary artery, 62
HARLAFTIS, N. N. (*See* WALDO ET AL.), 96
HARTSTEIN, MARVIN L. (*See* MEHTA ET AL.), 137
HATCHER, C. R., JR. (*See* SYMBAS ET AL.), 245
HEARNE, MICHAEL J. (*See* HAMMER ET AL.), 259
HENDERSON, ROBERT D. Discussion of acquired tracheoesophageal fistula, 94
HESSEL, EUGENE A., II (*See* MOHRI ET AL.), 792
HEYDORN, WILLIAM H., NELSON, WILLIAM P., FITTERER, JOSEPH D., FLOYD, GWYNNE D., and STREVEY, TRACY E. Congenital aneurysm of the sinus of Valsalva protruding into the left ventricle: review of diagnosis and treatment of the unruptured aneurysm, 839
HICKEY, PAUL R. (*See* GUYTON ET AL.), 1
HICKEY, ROBERT F. (*See* HOAR ET AL.), 859
HICKS, RICHARD E. (*See* DEMLING ET AL.), 291
HILBERMAN, MARK, HOGAN, JAMES S., and PETERS, RICHARD M. The effects of carbon dioxide on pulmonary mechanics in hyperventilating, normal volunteers, 268
—, KAMM, B., LAMY, M., DIETRICH, H. P., MARTZ, K., and OSBORN, J. J. An analysis of potential physiological predictors of respiratory adequacy following cardiac surgery, 711
HILL, J. DONALD, RATLIFF, JACK L., PARROTT, JAMES C. W., LAMY, MAURICE, FALLAT, ROBERT J., KOENIGER, EMILY, YAGER, EDWARD MCGEE, and WHITMER, GEORGIA. Pulmonary pathology in acute respiratory insufficiency: lung biopsy as a diagnostic tool, 64
HILL, J. DONALD. Discussion of prolonged heparinless venoarterial bypass, 656
HOAR, PAUL F., HICKEY, ROBERT F., and ULLYOT, DANIEL J. Systemic hypertension following myocardial revascularization: a method of treatment using epidural anesthesia, 859
HOFFMAN, IRWIN (*See* MEHTA ET AL.), 137
HOGAN, JAMES S. (*See* HILBERMAN ET AL.), 268
HOLMES, E. CARMACK, and GOLUB, SIDNEY H. Immunologic defects in lung cancer patients, 161, 168
HORIKOSHI, KAZUHIKO (*See* YAMAGUCHI ET AL.), 366
HOROWITZ, MICHAEL S., GOODMAN, DANIEL J., HANCOCK, E. WILLIAM, and POPP, RICHARD L. Noninvasive diagnosis of complications of the mitral bioprosthesis, 450
HOSTETLER, J. R. (*See* BOND ET AL.), 907
HOUSMAN, LELAND B. Discussion of aortic valve replacement with porcine xenograft, 185
HUGHES, HOWARD C. (*See* LIEDTKE ET AL.), 195, 726
HUMPHREY, CHESTER B., OURY, JAMES H., VIRGILIO, RICHARD W., GIBBONS, JAMES A., FOLKERTH, THEODORE L., SHAPIRO, ALAN R., and FOSBURG, RICHARD G. An analysis of direct and indirect measurements of left atrial filling pressure, 643
HUTCHINS, GROVER M. (*See* MCKIBBIN ET AL.), 741
HUTCHINSON, CLYDE M., and MILLS, NOEL L. The selection of patients with bronchogenic carcinoma for mediastinoscopy, 768

I

IDRISS, F. S., CAVALLO, CHARLES A., NIKAIDOH, H., PAUL, MILTON H., KOOPOT, R., and MUSTER, ALEXANDER J. Ascending aorta–right pulmonary artery shunt, 49
IONESCU, MARIAN I. (*See* MARY ET AL.), 520
ISERN-AMARAL, JESUS (*See* STANLEY ET AL.), 704
ISHIKAWA, SHICHIRO (*See* NARUKE ET AL.), 279
ISHITOYA, TAKESHI (*See* MOHRI ET AL.), 792
ISOM, O. WAYNE (*See* TICE ET AL.), 378
ITURREGUI, JUAN (*See* ASFAW ET AL.), 286

J

JACKSON, DAVID (*See* SHEARIN and JACKSON), 621
JAHNKE, EDWARD J., and LOVE, JACK W. Bypass of the right and circumflex coronary arteries with the internal mammary artery, 58
JASPAR, N. (*See* DERKS ET AL.), 666
JOHNSON, A. M. (*See* SHARRATT ET AL.), 853
JOMAIN, SERGE L. (*See* GLADSTONE ET AL.), 835
JOYCE, LYLE D., LINDSAY, WILLIAM G., and NICOLOFF, DEMETRE M. Chylothorax after median sternotomy for intrapericardial cardiac surgery, 476
JOYNER, CLAUDE R. (*See* LIEBLER ET AL.), 605
JUFFE, A. (*See* OTERO COTO ET AL.), 537

K

KAHN, DONALD R. Discussion of ascending aorta–right pulmonary artery shunt, 57
—. Discussion of correction of Type C complete atrioventricular canal, 27
KAHN, ROBERT E. (*See* SENDEROFF ET AL.), 142
KAISER, GEORGE C. (*See* MARCO ET AL.), 545
KAMM, B. (*See* HILBERMAN ET AL.), 711
KANEDA, HYOE (*See* YAMAGUCHI ET AL.), 366
KANTROWITZ, ADRIAN (*See* BABA ET AL.), 774
KANZAKI, YOSHIO (*See* MORI ET AL.), 750
KAPLITT, MARTIN (*See* BERK ET AL.), 110
KARAYANNACOS, P. E. (*See* BOND ET AL.), 907
KARP, ROBERT B. (*See* APPELBAUM ET AL.), 458
KAWAI, JUN (*See* MORI ET AL.), 750
KAY, JEROME HAROLD (*See* ZUBIATE and KAY), 415
KELLY, LEO C. (*See* SMYTH ET AL.), 262
KENNARD, LEE (*See* STANLEY ET AL.), 704
KENNEDY, J. WARD (*See* LORCH ET AL.), 932
KERR, J. H. (*See* THEMAN ET AL.), 314
KESHISHIAN, JOHN M. (*See* SMYTH ET AL.), 262
KIKUCHI, YUTAKA (*See* RODBARD and KIKUCHI), 891
KILLEBREW, ELLEN, and GERBODE, FRANK. Leiomyosarcoma of the pulmonary artery diagnosed preoperatively by angiocardiography: replacement with composite graft, 469
KIMURA, KEN (*See* YAMAGUCHI ET AL.), 366

KING, JAMES F., MANLEY, JACK C., ZEFT, HOWARD J., and AUER, JAMES E. Nonsurgical removal of foreign body from right heart: a new percutaneous approach, 785
KING, TERRY D. (*See* MILLS ET AL.), 20
KIRKLIN, JOHN W. (*See* APPELBAUM ET AL.), 436, 458
KIRSH, MARVIN M. Reply to acute traumatic hematoma of aorta, 321
KISO, ISSEI (*See* BABA ET AL.), 774
KLEIGER, ROBERT E. (*See* GEHA ET AL.), 348
KLEIN, MILTON S., COLEMAN, R. EDWARD, WELDON, CLARENCE S., SOBEL, BURTON E., and ROBERTS, ROBERT. Concordance of electrocardiographic and scintigraphic criteria of myocardial injury after cardiac surgery, 934
KLEINERT, M., BEER, P., and NAHRSTEDT, J. Special pacemaker catheter techniques: the transmediastinal placement of sensing electrodes, 493
KLOSTER, FRANK E. (*See* STEIN ET AL.), 680
KOENIGER, EMILY (*See* HILL ET AL.), 64
KONCZ, J. (*See* RASTAN and KONCZ), 920
KOOPOT, R. (*See* IDRISS ET AL.), 49
KORNS, MICHAEL E. (*See* BARBORIAK ET AL.), 673
KOTAKE, YAHIRO, and GRILLO, HERMES C. Reduction of tension at the anastomosis following tracheal resection in puppies, 600
KRONE, RONALD J. (*See* GEHA ET AL.), 348
KUMAR, SURENDRA (*See* UNGARO ET AL.), 566
KYGER, E. ROSS, III (*See* COOLEY ET AL.), 461

L

LAMBERTI, JOHN J., THILENIUS, OTTO, DE LA FUENTE, DOMINGO, LIN, CHUNG-YUAN, ARCILLA, RENE, and REPLOGLE, ROBERT L. Right atrial partition and right ventricular exclusion: another surgical approach for complex cyanotic congenital heart disease, 386
LAMY, M. (*See* HILBERMAN ET AL.), 711
—. (*See* HILL ET AL.), 64
LANE, WARREN W. (*See* VINCENT ET AL.), 581
LAPERCHE, Y. (*See* GUIDOIN ET AL.), 502
LAUER, RONALD M. (*See* DOTY ET AL.), 787
—. (*See* RITTENHOUSE ET AL.), 187
LAWRENCE, GEORGE H. Discussion of tracheoesophageal fistula, 95
LAWSON, NOEL W., MILLS, NOEL L., and OCHSNER, JOHN L. Occipital alopecia following cardiopulmonary bypass, 342
LAWSON, R. M., BONCHEK, L. I., MENASHE, V., and STARR, A. Late results of surgery for left ventricular outflow tract obstruction in children, 334
LEA, RICHARD D. (*See* AKINS ET AL.), 309
LEACHMAN, ROBERT D. (*See* COOLEY ET AL.), 461
—. (*See* OGLIETTI ET AL.), 736
LEICHER, FRANS (*See* PENN ET AL.), 526
LEMOLE, GERALD M., and CUASAY, RAMON. Improved technique of double valve replacement, 759
—, and PINDER, GODFREY C. A method of preventing air embolus in open-heart surgery, 557
—. (*See* FERNANDEZ ET AL.), 218
LENOX, CORA C. (*See* NECHES ET AL.), 685
—. (*See* PARK ET AL.), 779
LETSKY, E. A. (*See* SINGH ET AL.), 226
LEVITSKY, SIDNEY (*See* NOLAN ET AL.), 148
—. Discussion of ascending aorta–right pulmonary artery shunt, 56
LIE, J. T., DANIEL, FRED J., and MULLERWORTH, MICHAEL H. Epicardial tumor-like angiofibromatous proliferative lesion: an unusual complication of coronary bypass surgery, 517
LIEBLER, GEORGE A., MAGOVERN, GEORGE J., PARK, SANG B., CUSHING, WILLIAM J., BEGG, FRANK R., and JOYNER, CLAUDE R. Familial myxomas in four siblings, 605
LIEDTKE, A. JAMES, HUGHES, HOWARD C., and NEELY, JAMES R. Effects of coronary perfusion during myocardial hypoxia: comparison of metabolic and hemodynamic events with global ischemia and hypoxemia, 726
—, —, and ZELIS, ROBERT. Functional reductions in left ventricular volume: minimum chamber size consonant with effective hemodynamic performance, 195
LIEN, WEN-PIN (*See* CHU and LIEN), 846
LIN, CHUNG-YUAN (*See* LAMBERTI ET AL.), 386
LINDSAY, WILLIAM G. (*See* JOYCE ET AL.), 476
—. (*See* PYLE ET AL.), 884
LIPPMANN, MAURICE (*See* NELSON ET AL.), 169
LITWIN, S. BERTRAND. Discussion of correction of Type C complete atrioventricular canal, 26
LIU, WEN-SHIN (*See* STANLEY ET AL.), 704
LOOP, FLOYD D. (*See* TAYLOR ET AL.), 255
LORCH, GERALD, KENNEDY, J. WARD, and GOULD, K. LANCE. Severe stenosis of a viable homograft aortic valve, 932
LOVE, JACK W. (*See* JAHNKE and LOVE), 58, 62
LOWENSTEIN, EDWARD (*See* COOPER and LOWENSTEIN), 321
LUNN, JUDD (*See* STANLEY ET AL.), 704

M

MCCLELLAN, JOSEPH R., HAMILTON, JOHN D., ALEXANDER, JAMES A., WOLFE, WALTER G., and REED, JOHN B. *Paecilomyces varioti* endocarditis on a prosthetic aortic valve, 472
MCCLENATHAN, JAMES E. (*See* OKOROMA ET AL.), 238
MCCORMICK, JOHN R. (*See* GEHA ET AL.), 348
MCCULLOUGH, GEORGE H. (*See* NAZARIAN ET AL.), 880
MCGOON, DWIGHT C. (*See* BARNHORST ET AL.), 230
—. (*See* MARCELLETTI and MCGOON), 746
—. (*See* SANFELIPPO ET AL.), 441
MCGOUGH, EDWIN C. Discussion of ligation of patent ductus arteriosus in preterm infants, 177
MACGREGOR, D. C. (*See* COOPER ET AL.), 872
MCKIBBIN, DOUGLAS W., BULKLEY, BERNADINE H., GREEN, W. RICHARD, GOTT, VINCENT L., and HUTCHINS, GROVER M. Fatal cerebral atheromatous embolization after cardiopulmonary bypass, 741
MCMILLAN, IAN K. R. (*See* AKINS ET AL.), 309
MCNAMARA, J. JUDSON, NORENBERG, RICHARD G., GOEBERT, HERBERT W., III, and SOETER, JOHN R. Distribution and severity of atherosclerosis in the coronary arteries, 637
MAGOVERN, GEORGE J. (*See* LIEBLER ET AL.), 605
—. (*See* SMYTH ET AL.), 262
MAKINO, SEIICHIRO (*See* MORI ET AL.), 750
MALCOLM, ALASDAIR D., AHUJA, SURAJ P., and CHAMBERLAIN, MICHAEL J. Malfunction of tricuspid valve prosthesis shown by isotope angiocardiography, 134
MALM, JAMES R. (*See* TRUCCONE ET AL.), 410
MANDEL, SAMUEL, and BARASH, PAUL. The proximal basilic vein: a new approach for introduction of a flow-guided catheter into the pulmonary artery, 376
MANLEY, JACK C. (*See* KING ET AL.), 785
MANNING, J. (*See* STEWART ET AL.), 129
MANOHITHARAJAH, S. M. (*See* AHMAD ET AL.), 212
MARANHAO, VLADIR (*See* FERNANDEZ ET AL.), 218
MARCELLETTI, CARLO, and MCGOON, DWIGHT C. Pulmonary infarction following ligation of terminally shunted pulmonary artery, 746

MARCO, JOSEPH D., BARNER, HENDRICK B., KAISER, GEORGE C., CODD, JOHN E., MUDD, J. GERARD, and WILLMAN, VALLEE. Operative flow measurements and coronary bypass graft patency, 545

MARCOS, JAVIER J. (*See* SMITH ET AL.), 617

MARK, JAMES B. D. Disucssion of epidural anesthesia, 87

MAROÑAS, J. (*See* OTERO COTO ET AL.), 537

MARTELLI, VALENTINO (*See* MOORE ET AL.), 11

MARTIN, B. (*See* COOPER ET AL.), 304, 872

MARTIN L. (*See* GUIDOIN ET AL.), 502

MARTIN JUDEZ, V. (*See* OTERO COTO ET AL.), 537

MARTY, ALAN T. Lung water accumulation, 321 (Letter)

MARTZ, K. (*See* HILBERMAN ET AL.), 711

MARY, DAVID A. S., PAKRASHI, BROJESH C., and IONESCU, MARIAN I. Hemodynamic effects of pacing-induced heart rate augmentation: a study in patients early after mitral and aortic valve operations, 520

MATLOFF, JACK M. (*See* WEEKS ET AL.), 250

MAY, IVAN A. Discussion of prolonged heparinless venoarterial bypass, 657

MAYER, DAVID A., GRAY, GEORGE F., TEIXIDOR, HIND S., and THORBJARNARSON, BJORN. Carcinoma of the gastric cardia and hiatal hernia, 592

MEESTER, GEERT T. (*See* PENN ET AL.), 526

MEHTA, JAWAHAR, HAMBY, ROBERT I., HOFFMAN, IRWIN, HARTSTEIN, MARVIN L., and WISOFF, B. GEORGE. Medical-surgical aspects of left main coronary artery disease, 137

MENASHE, V. (*See* LAWSON ET AL.), 334

MENTZER, ROBERT, M., JR., ALEGRE, CESAR A., and NOLAN, STANTON P. The effects of dopamine and isoproterenol on the pulmonary circulation, 807

MERENDINO, K. ALVIN (*See* MOHRI ET AL.), 792

MEYER, BERTRAND W. Discussion of ligation of patent ductus arteriosus in preterm infants, 177

MICHAELIS, LAWRENCE L. (*See* GUYTON ET AL.), 1

MILLS, NOEL L., and OCHSNER, JOHN L. Valvulotomy of valves in the saphenous vein graft before coronary artery bypass, 878

—, —, and KING, TERRY D. Correction of Type C complete atrioventricular canal: surgical considerations, 20, 27

—. (*See* HUTCHINSON and MILLS), 768

—. (*See* LAWSON ET AL.), 342

MITO, HISASHI (*See* YAMAGUCHI ET AL.), 366

MOALLEM, ANITA (*See* SENDEROFF ET AL.), 142

MOFFITT, EMERSON A. (*See* WHITE ET AL.), 609

MOHRI, HITOSHI, ISHITOYA, TAKESHI, DIBENEDETTO, GUISEPPE, HESSEL, EUGENE A., II, MERENDINO, K. ALVIN, and DILLARD, DAVID H. Heparinless, oxygenatorless perfusion rewarming following surface-induced deep hypothermia for open-heart surgery, 792

MONRO, J. L. (*See* SHARRATT ET AL.), 853

MONTOYA, ALVARO, SULLIVAN, HENRY J., and PIFARRÉ, ROQUE. Disc variance: a potentially lethal complication of the Beall valve prosthesis, 904

MOORE, CHARLES H., MARTELLI, VALENTINO, and ROSS, DONALD N. Reconstruction of right ventricular outflow tract with a valved conduit in 75 cases of congenital heart disease, 11

MORI, ATSUMI, ANDO, FUMITAKA, SETSUIE, NAOKI, YAMAGUCHI, KATSUO, OKU, HIDETAKA, KANZAKI, YOSHIO, KAWAI, JUN, SHIROTANI, HITOSHI, MAKINO, SEIICHIRO, and YOKOYAMA, TATSUO. Operative indication for corrective surgery in cases of complete transposition of the great arteries associated with large ventricular septal defect, 750

MORRIS, W. DALE (*See* GALBRAITH ET AL.), 383

MORRISON, JOHN (*See* BERK ET AL.), 110

MORROW, ANDREW G. (*See* GUYTON ET AL.), 1

MORSE, DRYDEN (*See* FERNANDEZ ET AL.), 218

MOSKOWITZ, MITCHELL S. (*See* BABA ET AL.), 774

MOSS, GERALD, DWORKIN, PAUL, and STEIN, ARTHUR A. The centineurogenic etiology of the respiratory distress syndrome: protection afforded by anemia and pulmonary denervation against lung lesions of oxygen toxicity, 614

MOULAERT, ANDRÉ J., BUIS-LIEM, TJIK N., GELDOF, WIM CH., and ROHMER, JOHN. The postvalvulotomy propranolol test to determine reversibility of the residual gradient in pulmonary stenosis, 865

MUDD, J. GERARD (*See* MARCO ET AL.), 545

MULLERWORTH, MICHAEL H. (*See* LIE ET AL.), 517

MULLIN, PAUL J. (*See* WAKABAYASHI ET AL.), 648

MURPHY, MARVIN L. (*See* GALBRAITH ET AL.), 383

MURRAY, G. F. (*See* STAREK ET AL.), 123

MUSTARD, WILLIAM T. (*See* BAILEY and MUSTARD), 691

—. (*See* BAILEY ET AL.), 485

MUSTER, ALEXANDER J. (*See* IDRISS ET AL.), 49

N

NAHRSTEDT, J. (*See* KLEINERT ET AL.), 493

NAIR, K. K. False aneurysm of the ascending aorta after surgery for Marfan's syndrome: report of a case and review of the literature, 765

NAKAMURA, CHIHARU (*See* EGUCHI ET AL.), 899

NAKAMURA, YOSHIMASA (*See* WAKABAYASHI ET AL.), 648

NARUKE, TSUGUO, SUEMASU, KEIICHI, and ISHIKAWA, SHICHIRO. Surgical treatment for lung cancer with metastasis to mediastinal lymph nodes, 279

NAZARIAN, MANUCHER, MCCULLOUGH, GEORGE H., and FIELDER, DARWIN L. Bacterial endocarditis in pregnancy: successful surgical correction, 880

NECHES, WILLIAM H., DANKNER, ELINOR, PARK, SANG C., LENOX, CORA C., ZUBERBUHLER, JAMES R., and BAHNSON, HENRY T. Double-outlet right ventricle with tunnel from left ventricle to aorta, 685

—. (*See* PARK ET AL.), 779

NEELY, JAMES R. (*See* LIEDTKE ET AL.), 726

NELEMS, J. M. (*See* COOPER ET AL.), 304, 872

—. (*See* THEMAN ET AL.), 314

NELSON, RONALD J., THIBEAULT, DONALD W., EMMANOUILIDES, GEORGE C., and LIPPMANN, MAURICE. Improving the results of ligation of patent ductus arteriosus in small preterm infants, 169, 178

—. Discussion of severe aortic coarctation and interrupted aortic arch, 47

NELSON, RUSSELL M. Discussion of coronary artery bypass with internal mammary artery, 61

NELSON, WILLIAM P. (*See* HEYDORN ET AL.), 839

NICOLOFF, DEMETRE M. (*See* JOYCE ET AL.), 476

—. (*See* PYLE ET AL.), 884

NIKAIDOH, H. (*See* IDRISS ET AL.), 49

NOLAN, STANTON P., EPSTEIN, STEPHEN E., LEVITSKY, SIDNEY, BEISER, G. DAVID, GOLDSTEIN, ROBERT E., and STAMPFER, MORRIS. Does pectus excavatum cause functional disability? 148 (Letter)

—. (*See* MENTZER ET AL.), 807

NORENBERG, RICHARD G. (*See* MCNAMARA ET AL.), 637

O

OCHSNER, JOHN L. (*See* LAWSON ET AL.), 342

—. (*See* MILLS and OCHSNER), 878

—. (*See* MILLS ET AL.), 20
OGAWA, KYOICHI (*See* YAMAGUCHI ET AL.), 366
OGLIETTI, JORGE, ANGELINI, PAOLO, LEACHMAN, ROBERT D., and COOLEY, DENTON A. Myocardial revascularization: early and late results after reoperation, 736
OKOROMA, EDWIN O., PERRY, LOWELL W., SCOTT, LEWIS P., III, and MCCLENATHAN, JAMES E. Aortico–left ventricular tunnel: clinical profile, diagnostic features, and surgical considerations, 238
OKU, HIDETAKA (*See* MORI ET AL.), 750
OLDHAM, H. NEWLAND, JR. (*See* COX ET AL.), 540
OLIVER, G. CHARLES (*See* GEHA ET AL.), 348
OLSEN, DON (*See* STANLEY ET AL.), 704
ORRINGER, MARK B., and SLOAN, HERBERT. Collis-Belsey reconstruction of the esophagogastric junction: indications, physiology, and technical considerations, 295
OSBORN, J. J. (*See* HILBERMAN ET AL.), 711
OTERO COTO, E., MARTIN JUDEZ, V., JUFFE, A., RUFILANCHAS, J. J., TELLEZ, G., MAROÑAS, J., and FIGUERA AYMERICH, D. Supravalvular stenotic mitral ring: a new case with surgical correction, 537
OURY, JAMES H. (*See* HUMPHREY ET AL.), 643
OXMAN, HERBER A. (*See* BARNHORST ET AL.), 230

P

PACIFICO, ALBERT D. (*See* APPELBAUM ET AL.), 436
PADMANABHAN, VELLORE (*See* BERK ET AL.), 110
PAKRASHI, BROJESH C. (*See* MARY ET AL.), 520
PARK, SANG B. (*See* LIEBLER ET AL.), 605
PARK, SANG C., SIEWERS, RALPH D., NECHES, WILLIAM H., LENOX, CORA C., and ZUBERBUHLER, JAMES R. Left aortic arch with right descending aorta and right ligamentum arteriosum: a rare form of vascular ring, 779
—. (*See* NECHES ET AL.), 685
PARROTT, JAMES C. W. (*See* HILL ET AL.), 64
PASS, HARVEY I. (*See* COX ET AL.), 540
PAUL, MILTON H. (*See* IDRISS ET AL.), 49
PAYOT, MAURICE (*See* CHARTRAND ET AL.), 29
PEARSON, F. G. (*See* THEMAN ET AL.), 314
PENN, OLAF C., BROWER, RON W., LEICHER, FRANS, MEESTER, GEERT T., and BOS, EGBERT. Orthotopic canine heart transplantation: left ventricular contractility during chronic rejection, 526
PERRY, LOWELL W. (*See* OKOROMA ET AL.), 238
PETERS, JEFFREY L. Myocardial oxygen consumption, 149 (Letter)
PETERS, RICHARD M. (*See* HILBERMAN ET AL.), 268
—. (*See* SHUMAN and PETERS), 82, 88
PICKREN, JOHN W. (*See* VINCENT ET AL.), 581
PIFARRÉ, ROQUE (*See* MONTOYA ET AL.), 904
PINDER, GODFREY C. (*See* LEMOLE and PINDER), 557
PINTAR, KARL (*See* BARBORIAK ET AL.), 673
PIPKIN, ROBERT D., BUCH, WALLY S., and FOGARTY, THOMAS J. Evaluation of aortic valve replacement with a porcine xenograft without long-term anticoagulation, 179
PITT, AUBREY (*See* ANDERSON ET AL.), 698
PLUTH, JAMES R. (*See* BARNHORST ET AL.), 230
—. (*See* SANFELIPPO ET AL.), 441
—. (*See* WHITE ET AL.), 609
POPP, RICHARD L. (*See* HOROWITZ ET AL.), 450
POPPE, JOHN K. Discussion of cricothyroidotomy, 81
PRINTUP, CARTER A., JR. Discussion of ligation of patent ductus arteriosus in preterm infants, 178
PYLE, R. BRADFORD, BLOMBERG, DAVID J., BURKE, M. DESMOND, LINDSAY, WILLIAM G., and NICOLOFF, DEMETRE M. CPK-MB isoenzyme: use in diagnosis of acute myocardial infarction in the early postoperative period, 884

R

RABINOVICH, J. J. Function of external respiration after experimental lung autotransplantation, 815
—. Function of lower lung lobe autograft in experimental animals, 102
RAHIMTOOLA, SHAHBUDIN H. (*See* STEIN ET AL.), 680
RAINER, W. GERALD. Discussion of prolonged heparinless venoarterial bypass, 656
RAMAKRISHNAIAH, KENKERE B. (*See* TAN ET AL.), 928
RASTAN, H., and KONCZ, J. Aortoventriculoplasty: a new technique for the treatment of left ventricular outflow tract obstruction, 920
RATLIFF, JACK L. (*See* HILL ET AL.), 64, 70
READ, RAYMOND C. (*See* GALBRAITH ET AL.), 383
REED, JOHN B. (*See* MCCLELLAN ET AL.), 472
REES, P. (*See* SHARRATT ET AL.), 869
REPLOGLE, ROBERT L. (*See* LAMBERTI ET AL.), 386
REUL, GEORGE J., JR. (*See* SEYBOLD-EPTING ET AL.), 392
—. Discussion of ascending aorta–right pulmonary artery shunt, 56
RICHARDS, VICTOR. Discussion of immunologic defects in lung cancer patients, 167
RIESTER, WALTER H., and SERRANO, ALFONSO. Infrarenal mycotic pseudoaneurysm: a late complication of coronary bypass surgery with proximal aortic dissection, 633
RITTENHOUSE, EDWARD A., DOTY, DONALD B., LAUER, RONALD M., and EHRENHAFT, JOHANN L. Patent ductus arteriosus in premature infants: indications for surgery, 187
ROBERTS, ROBERT (*See* KLEIN ET AL.), 934
ROBERTS, WILLIAM C. (*See* HAMMER ET AL.), 259
ROBINSON, SAUL J. (*See* FISHMAN ET AL.), 35
RODBARD, SIMON, and KIKUCHI, YUTAKA. Arterial stenosis, pressure, and flow, 891
RODRIGUEZ, RAMON (*See* WHITE ET AL.), 609
ROE, BENSON B. Prevention of air embolism with intravascular carbon dioxide washout, 628
—. (*See* FISHMAN ET AL.), 35
—. Discussion of cricothyroidotomy, 80
ROHMER, JOHN (*See* MOULAERT ET AL.), 865
ROSS, B. A., FOX, C., BROWN, A. HEDLEY, WEBB-PEPLOE, M., and BRAIMBRIDGE, M. V. Late results of valvoplasty for mitral regurgitation due to rupture of chordae of the posterior (mural) cusp, 533
ROSS, DONALD N. (*See* MOORE ET AL.), 11, 19
ROWLES, DONALD F. Discussion of epidural anesthesia after thoracotomy in chronic obstructive airway disease, 87
RUDOLPH, ABRAHAM M. (*See* FISHMAN ET AL.), 35
RUFILANCHAS, J. J. (*See* OTERO COTO ET AL.), 537

S

SAAB, SALIM (*See* UNGARO ET AL.), 566
SABISTON, DAVID C., JR. (*See* COX ET AL.), 540
SADE, ROBERT M., WILLIAMS, ROBERTA G., CASTANEDA, ALDO R., and TREVES, SALVADOR. Abnormalities of regional lung function associated with ventricular septal defect and pulmonary artery band, 572
SALIMI ALI (*See* GEHA ET AL.), 348
SANFELIPPO, PETER M., GIULIANI, EMILIO R., DANIELSON, GORDON K., WALLACE, ROBERT B., PLUTH, JAMES R., and MCGOON, DWIGHT C. Tricuspid valve prosthetic replacement: early and late results with the Starr-Edwards prosthesis, 441

SARACLAR, MUHSIN (*See* FRIEDMAN ET AL.), 118
SAUVAGE, LESTER R. Smooth-walled arterial prostheses, 147 (Letter)
SBOKOS, COSTAS (*See* AKINS ET AL.), 309
—. (*See* SHARRATT ET AL.), 853
SCANNELL, J. GORDON (*See* AKINS ET AL.), 721
SCHIEKEN, RICHARD E. (*See* DOTY ET AL.), 787
SCHOONMAKER, FRED W., and GROW, JOHN B., SR. Myocardial infarction complicated by rheumatic heart disease, 433
SCHREINER, B. (*See* STEWART ET AL.), 129
SCOTT, A. A. (*See* COOPER ET AL.), 304, 872
SCOTT, LEWIS P., III (*See* OKOROMA ET AL.), 238
SELDEN, RICHARD (*See* STEIN ET AL.), 680
SENDEROFF, ELLIOTT, SLOVIS, ARNOLD J., MOALLEM, ANITA, and KAHN, ROBERT E. Subclavian–coronary artery anastomosis: a technique for definitive correction of anomalous origin of left coronary artery, 142
SERRANO, ALFONSO (*See* RIESTER and SERRANO), 633
SETSUIE, NAOKI (*See* MORI ET AL.), 750
SEYBOLD-EPTING, WALTER, REUL, GEORGE J., JR., HALLMAN, GRADY L., and COOLEY, DENTON A. Repair of ventricular septal defect after pulmonary artery banding, 392
SHAPIRO, ALAN R. (*See* HUMPHREY ET AL.), 643
SHARRATT, G. P., SBOKOS, C. G., JOHNSON, A. M., ANDERSON, R. H., and MONRO, J. L. Surgical "correction" of solitus-concordant, double-outlet left ventricle with L-malposition and tricuspid stenosis with hypoplastic right ventricle, 853
—, REES, P., and CONWAY, N. Myocardial infarction complicating aortic valve replacement, 869
SHEARIN, J. CONNELL, JR., and JACKSON, DAVID. Malignant pleural mesothelioma: report of 19 cases, 621
SHIROTANI, HITOSHI (*See* MORI ET AL.), 750
SHUMAN, ROBERT L., and PETERS, RICHARD M. Epidural anesthesia following thoracotomy in patients with chronic obstructive airway disease, 82
SHUMWAY, NORMAN E. (*See* STINSON ET AL.), 659
SIEWERS, RALPH D. Beall mitral valve prosthesis, 147 (Letter)
—. (*See* PARK ET AL.), 779
SINGH, A., LETSKY, E. A., and STARK, J. Hemolysis following correction of double-outlet right ventricle, 226
SLADEN, ARNOLD. Methylprednisolone: pharmacologic doses in shock lung syndrome, 800
SLOAN, HERBERT (*See* ORRINGER and SLOAN), 295
SLOVIS, ARNOLD J. (*See* SENDEROFF ET AL.), 142
SMELOFF, EDWARD A. Discussion of aortic valve replacement with porcine xenograft, 185
SMITH, J. MARVIN, III, GROVER, FREDERICK L., MARCOS, JAVIER J., AROM, KIT V., and TRINKLE, J. KENT. Blunt traumatic rupture of the atria, 617
SMYTH, NICHOLAS P. D., MAGOVERN, GEORGE J., CUSHING, WILLIAM J., KESHISHIAN, JOHN M., KELLY, LEO C., and DIXON, MARTIN. Preliminary clinical experience with a new radioisotope-powered cardiac pacemaker, 262
—, TARJAN, PETER P., CHERNOFF, EDWARD, and BAKER, NORMAN. The significance of electrode surface area and stimulating thresholds in permanent cardiac pacing, 559
SOBEL, BURTON E. (*See* KLEIN ET AL.), 934
SOETER, JOHN R. (*See* MCNAMARA ET AL.), 637
SPAGNA, PASCHAL (*See* FERNANDEZ ET AL.), 218
SPANGLER, JOHN G., FELDT, ROBERT H., and DANIELSON, GORDON K. Secundum atrial septal defect encountered in infancy, 398
SPOTNITZ, HENRY M. (*See* TRUCCONE ET AL.), 410
SPRATT, JOHN ARTHUR (*See* SPRATT and SPRATT), 274
SPRATT, JOHN S., JR., and SPRATT, JOHN ARTHUR. The prognostic value of measuring the gross linear radial growth of pulmonary metastases and primary pulmonary cancers, 274
SRIVASTAVA, TRIBENI N. (*See* GRAY ET AL.), 429
STAMPFER, MORRIS (*See* NOLAN ET AL.), 148
STANLEY, PAUL (*See* CHARTRAND ET AL.), 29
STANLEY, THEODORE H., LIU, WEN-SHIN, GENTRY, SCOTT, KENNARD, LEE, ISERN-AMARAL, JESUS, OLSEN, DON, and LUNN, JUDD. Blood and urine catecholamine concentrations after implantation of artificial heart, 704
STAREK, P. J. K., WILCOX, B. R., and MURRAY, G. F. Hemodynamic evaluation of the Lillehei-Kaster pivoting disc valve in patients, 123
STARK, J. (*See* SINGH ET AL.), 226
STARR, ALBERT (*See* LAWSON ET AL.), 334
—. (*See* STEIN ET AL.), 680
STEELE, RICHARD (*See* AKINS ET AL.), 309
STEELE, T. W. (*See* WILLIAMS and STEELE), 207
STEIN, ARTHUR A. (*See* MOSS ET AL.), 614
STEIN, DAVID W., RAHIMTOOLA, SHAHBUDIN H., KLOSTER, FRANK E., SELDEN, RICHARD, and STARR, ALBERT. Thrombotic phenomena with nonanticoagulated, composite-strut aortic prostheses, 680
STEWART, SCOTT. Double-outlet right ventricle: a collective review with a surgical viewpoint, 355
—, FARNHAM, J. D., SCHREINER, B., and MANNING, J. Complete correction of double-outlet right ventricle with situs inversus, l-loop, and l-malposition (I, L, L) with subaortic VSD and pulmonary stenosis, 129
STILES, QUENTIN R. Discussion of coronary artery bypass with internal mammary artery, 62
STINSON, EDWARD B., GRIEPP, RANDALL B., VOSTI, KENNETH, COPELAND, JACK G., and SHUMWAY, NORMAN E. Operative treatment of active endocarditis, 659
STREVEY, TRACY E. (*See* HEYDORN ET AL.), 839
SUBRAMANIAN, S. (*See* VIDNE ET AL.), 402
SUEMASU, KEIICHI (*See* NARUKE ET AL.), 279
SULLIVAN, HENRY J. (*See* MONTOYA ET AL.), 904
SWAN, H. J. C. (*See* WEEKS ET AL.), 250
SYMBAS, P. N., WARE, R. E., HATCHER, C. R., JR., and TEMESY-ARMOS, P. N. An operation for relief of severe left ventricular outflow tract obstruction, 245
—. (*See* WALDO ET AL.), 96
SZALAY, GLENN C. The scimitar syndrome, 150 (Letter)

T

TAKEUCHI, YASUO (*See* BAILEY ET AL.), 485
TAKITA, HIROSHI (*See* VINCENT ET AL.), 581
TAN, CHEE-KEN, GLISSON, SILAS N., EL-ETR, ADEL A., and RAMAKRISHNAIAH, KENKERE B. Levels of circulating norepinephrine and epinephrine before, during, and after cardiopulmonary bypass in man, 928
TANAKA, MAKOTO (*See* EGUCHI ET AL.), 899
TARAZI, ROBERT C. (*See* VILJOEN ET AL.), 548
TARJAN, PETER P. (*See* SMYTH ET AL.), 559
TAYLOR, PAUL C., GROVES, LAWRENCE K., LOOP, FLOYD D., and EFFLER, DONALD B. Cannulation of the ascending aorta for cardiopulmonary bypass: experience with 9,000 cases, 255
TEASDALE, S. (*See* COOPER ET AL.), 304, 872
TEI, GENKI (*See* YAMAGUCHI ET AL.), 366
TEIXIDOR, HIND S. (*See* MAYER ET AL.), 592
TELLEZ, G. (*See* OTERO COTO ET AL.), 537

TEMESY-ARMOS, P. N. (*See* SYMBAS ET AL.), 245
THEMAN, T. E., KERR, J. H., NELEMS, J. M., and PEARSON, F. G. Carinal resection: a report of two cases and a description of the anesthetic technique, 314
THIBEAULT, DONALD W. (*See* NELSON ET AL.), 169
THILENIUS, OTTO (*See* LAMBERTI ET AL.), 386
THOMAS, ARTHUR N. Discussion of acquired tracheoesophageal fistula, 95
THOMS, NORMAN W. (*See* ASFAW ET AL.), 286
THORBJARNARSON, BJORN (*See* MAYER ET AL.), 592
THURER, RICHARD J. Chylothorax: a complication of subclavian vein catheterization and parenteral hyperalimentation, 465
TICE, DAVID A., ZERBINO, VICTOR R., ISOM, O. WAYNE, CUNNINGHAM, JOSEPH N., and ENGELMAN, RICHARD M. Coronary artery bypass with freeze-preserved saphenous vein allografts, 378
TORIYAMA, AKIRA (*See* YAMAGUCHI ET AL.), 366
TREVES, SALVADOR (*See* SADE ET AL.), 572
TRINKLE, J. KENT (*See* SMITH ET AL.), 617
TRUCCONE, NESTOR J., SPOTNITZ, HENRY M., GERSONY, WELTON M., DELL, RALPH, BOWMAN, FREDERICK O., JR., and MALM, JAMES R. Cardiac output in infants and children after open-heart surgery, 410
TRUSLER, GEORGE A. (*See* BAILEY ET AL.), 371, 485
—. Discussion of correction of Type C complete atrioventricular canal, 27
TYERS, G. FRANK O., and BROWNLEE, R. R. The non-hermetically sealed pacemaker myth, or, Navy-Ribicoff 22,000—FDA-Weinberger 0, 253

U

ULLYOT, DANIEL J. (*See* HOAR ET AL.), 859
UNGARO, RUBEN, SAAB, SALIM, ALMOND, CARL H., and KUMAR, SURENDRA. Solitary peripheral pulmonary artery aneurysms: pathogenesis and surgical treatment, 566

V

VAN HORN, DIANE L. (*See* BARBORIAK ET AL.), 673
VANDERHOEFT, P. (*See* DERKS ET AL.), 666
VASKO, J. S. (*See* BOND ET AL.), 907
VIDNE, BERNARDO A., CHIARIELLO, LUIGI, WAGNER, HENRY, and SUBRAMANIAN, S. Aneurysm of the membranous ventricular septum: surgical consideration and experience in 29 cases, 402
VILJOEN, JOHN F., ESTAFANOUS, F. GEORGE, and TARAZI, ROBERT C. Acute hypertension immediately after coronary artery surgery, 548
VILORIA, JUAN (*See* BECKER ET AL.), 631
VINCENT, RONALD G., TAKITA, HIROSHI, LANE, WARREN W., GUTIERREZ, ALBERTO C., and PICKREN, JOHN W. Surgical therapy of lung cancer, 581
VIRGILIO, RICHARD W. (*See* HUMPHREY ET AL.), 643
VOGEL, JOHN H. K. Discussion of coronary artery bypass with internal mammary artery, 61
VON RECUM, ANDREAS (*See* BABA ET AL.), 774
VOSTI, KENNETH (*See* STINSON ET AL.), 659

W

WAGNER, HENRY (*See* VIDNE ET AL.), 402
WAKABAYASHI, AKIO, NAKAMURA, YOSHIMASA, WOOLLEY, TELFORD, CHEN, CHI-CHU, MULLIN, PAUL J., and CONNOLLY, JOHN E. Successful prolonged heparinless veno-arterial bypass in sheep, 648, 657
—. Reply to myocardial oxygen consumption, 149 (Letter)
WALDO, W. J., HARLAFTIS, N. N., and SYMBAS, P. N. Systemic air embolism: Does it occur after experimental penetrating lung injury? 96
WALLACE, ROBERT B. (*See* BARNHORST ET AL.), 230
—. (*See* SANFELIPPO ET AL.), 441
WARE, R. E. (*See* SYMBAS ET AL.), 245
WATSON, D. A. (*See* AHMAD ET AL.), 212
WEBB-PEPLOE, M. (*See* ROSS ET AL.), 533
WECHSLER, ANDREW S. (*See* COX ET AL.), 540
WEEKS, KEITH R., CHATTERJEE, KANU, BLOCK, STEVEN, MATLOFF, JACK M., and SWAN, H. J. C. Bedside hemodynamic monitoring: its value in the diagnosis of tamponade complicating cardiac surgery, 250
WEINSTEIN, ELLEN M. (*See* FRIEDMAN ET AL.), 118
WELDON, CLARENCE S. (*See* KLEIN ET AL.), 934
—. Discussion of ascending aorta–right pulmonary artery shunt, 55
WHEAT, M. W., JR. (*See* GIRARDET and WHEAT), 446
WHISENNAND, H. H. (*See* GUINN ET AL.), 554
WHITE, ROGER D., GOLDSMITH, RALPH S., RODRIGUEZ, RAMON, MOFFITT, EMERSON A., and PLUTH, JAMES R. Plasma ionic calcium levels following injection of chloride, gluconate, and gluceptate salts of calcium, 609
WHITFORD, J. A. (*See* ANDERSON ET AL.), 698
WHITMER, GEORGIA (*See* HILL ET AL.), 64
WILCOX, B. R. (*See* STAREK ET AL.), 123
WILLIAMS, D. J., and STEELE, T. W. Cephalothin prophylaxis assay during cardiopulmonary bypass, 207
WILLIAMS, G. DOYNE (*See* GALBRAITH ET AL.), 383
WILLIAMS, ROBERTA G. (*See* SADE ET AL.), 572
WILLIAMS, THOMAS E. Discussion of ascending aorta–right pulmonary artery shunt, 55
WILLIAMS, WILLIAM G. (*See* BAILEY ET AL.), 485
WILLMAN, VALLEE (*See* MARCO ET AL.), 545
WINCHESTER, J. (*See* GUIDOIN ET AL.), 502
WISOFF, B. GEORGE (*See* MEHTA ET AL.), 137
WOLFE, WALTER G. (*See* MCCLELLAN ET AL.), 472
WOOLLEY, TELFORD (*See* WAKABAYASHI ET AL.), 648

Y

YAEGER, EDWARD MCGEE (*See* HILL ET AL.), 64
YAMAGUCHI, KATSUO (*See* MORI ET AL.), 750
YAMAGUCHI, MASAHIRO, HORIKOSHI, KAZUHIKO, TORIYAMA, AKIRA, KIMURA, KEN, MITO, HISASHI, TEI, GENKI, KANEDA, HYOE, OGAWA, KYOICHI, and ASADA, SAKAE. Successful repair of double-outlet right ventricle with bilateral conus, l-transposition of great arteries (S,D,L), and subpulmonary ventricular septal defect, 366
YANG, SING SANG (*See* FERNANDEZ ET AL.), 218
YOKOYAMA, TATSUO (*See* MORI ET AL.), 750

Z

ZEFT, HOWARD J. (*See* KING ET AL.), 785
ZELIS, ROBERT (*See* LIEDTKE ET AL.), 195
ZERBINO, VICTOR R. (*See* TICE ET AL.), 378
ZUBERBUHLER, JAMES R. (*See* NECHES ET AL.), 685
—. (*See* PARK ET AL.), 779
ZUBIATE, PABLO, and KAY, JEROME HAROLD. Surgical treatment of aneurysm of the ascending aorta with aortic insufficiency and marked displacement of the coronary ostia, 415

Subject index*

A

Abdominal wall, anterior, fixation of Celestin tube to: new technique (Asfaw et al.), 286

Abnormalities of regional lung function associated with ventricular septal defect and pulmonary artery band (Sade et al.), 572

Acquired tracheoesophageal fistula in ventilator patients, procedure for management of (Bartlett), 89

Active endocarditis, operative treatment of (Stinson et al.), 659

Adequacy, respiratory, following cardiac surgery, analysis of potential physiological predictors of (Hilberman et al.), 711

Air embolism with intravascular carbon dioxide washout, prevention of (Roe), 628

systemic: Does it occur after experimental penetrating lung injury? (Waldo et al.), 96

embolus in open-heart surgery, method of preventing (Lemole and Pinder), 557

Airway disease, obstructive, chronic, epidural anesthesia following thoracotomy in patients with (Shuman and Peters), 82

Allografts, saphenous vein, freeze-preserved, coronary artery bypass with (Tice et al.), 378

Alopecia, occipital, following cardiopulmonary bypass (Lawson et al.), 342

American Association for Thoracic Surgery: Announcement of 1976 Annual Meeting, 151

Announcement of 1977 Annual Meeting, 938

Graham Traveling Fellowship, 940

Program of 1976 Annual Meeting, 481

Board of Thoracic Surgery: Announcement of 1976 examination, 154, 322, 484

Announcement of 1977 examination, 806, 940

Notice of availability of 1974 Self-Assessment Examination for Thoracic Surgery, 154

Anastomosis, Blalock-Taussig, to relieve inadequate pulmonary blood flow, rare hemodynamic cause for failure of: mitral atresia with premature closure of foramen ovale (Friedman et al.), 118

Glenn, nonoperative management of late failure of: transvenous wafer occlusion of patent superior vena cava–right atrial junction (Bailey et al.), 371

proximal, and of producing stenosis in distal runoff artery, effects of varying angle of implantation at: intimal changes in arteriovenous bypass grafts (Bond et al.), 907

subclavian–coronary artery: technique for definitive correction of anomalous origin of left coronary artery (Senderoff et al.), 142

following tracheal resection in puppies, reduction of tension at (Kotake and Grillo), 600

Anemia and pulmonary denervation against lung lesions of oxygen toxicity, protection afforded by: centineurogenic etiology of respiratory distress syndrome (Moss et al.), 614

Anesthesia, epidural, method of treatment using: systemic hypertension following myocardial revascularization (Hoar et al.), 859

following thoracotomy in patients with chronic obstructive airway disease (Shuman and Peters), 82

Anesthetic technique, report of two cases and description of: carinal resection (Theman et al.), 314

Aneurysm(s), arch, aortic, resection of (Chu and Lien), 846

artery, pulmonary, peripheral, solitary: pathogenesis and surgical treatment (Ungaro et al.), 566

of ascending aorta with aortic insufficiency and marked displacement of coronary ostia, surgical treatment of (Zubiate and Kay), 415

congenital, of sinus of Valsalva protruding into left ventricle: review of diagnosis and treatment of unruptured aneurysm (Heydorn et al.), 839

false, of ascending aorta after surgery for Marfan's syndrome: report of case and review of literature (Nair), 765

of membranous ventricular septum: surgical consideration and experience in 29 cases (Vidne et al.), 402

Angina, preinfarction, management of: evaluation and comparison of medical versus surgical therapy in 43 patients (Berk et al.), 110

unstable, by saphenous vein and internal mammary artery bypass grafting, surgical treatment of (Geha et al.), 348

Angiocardiography, isotope, malfunction of tricuspid valve prosthesis shown by (Malcolm et al.), 134

leiomyosarcoma of pulmonary artery diagnosed preoperatively by: replacement with composite graft (Killebrew and Gerbode), 469

Angiofibromatous proliferative lesion, tumor-like, epicardial: unusual complication of coronary bypass surgery (Lie et al.), 517

Anomalies, cardiovascular, congenital, with use of profound hypothermia and circulatory arrest, surgical management of: analysis of 180 consecutive cases (Bailey et al.), 485

Anomalous origin of left coronary artery from right pulmonary artery: surgical repair in 10-month-old child (Doty et al.), 787

technique for definitive correction of: subclavian–coronary artery anastomosis (Senderoff et al.), 142

pulmonary venous drainage, partial, into superior vena cava, new surgical approach for correction of (Chartrand et al.), 29

total, and atrial septal defect, report of operation performed for calcific pulmonic stenosis associated with: pulmonary valve replacement (Akins et al.), 721

Anticoagulation, long-term, aortic valve replacement with porcine xenograft without (Pipkin et al.), 179

Aorta, acute traumatic hematoma of (Austin and Carsen), 321 (Letter); Reply (Kirsh), 321

ascending, aneurysm of, with aortic insufficiency and marked displacement of coronary ostia, surgical treatment of (Zubiate and Kay), 415

*January, pp. 1-160; February, pp. 161-332; March, pp. 323-484; April, pp. 485-642; May, pp. 643-806; June, pp. 807-966.

Aorta, ascending—Cont'd
for cardiopulmonary bypass, cannulation of: experience with 9,000 cases (Taylor et al.), 255
false aneurysm of, after surgery for Marfan's syndrome: report of case and review of literature (Nair), 765
–coronary artery vein grafts and human veins, scanning electron microscope study of (Barboriak et al.), 673
bypass grafts, effects of, coronary collateral circulation during stress and (Cox et al.), 540
descending, right, and right ligamentum arteriosum, left aortic arch with: rare form of vascular ring (Park et al.), 779
double-outlet right ventricle with tunnel from left ventricle to (Neches et al.), 685
–right pulmonary artery shunt, ascending (Idriss et al.), 49
Aortic arch aneurysm, resection of: simplified technique (Chu and Lien), 846
coarctation, severe, and interrupted aortic arch in neonates, surgical management of (Fishman et al.), 35
dissection, proximal, late complication of coronary bypass surgery with: infrarenal mycotic pseudoaneurysm (Riester and Serrano), 633
homograft, frame-mounted, Björk-Shiley, and composite-seat Starr-Edwards valves, comparative study of: chronic hemolysis following mitral valve replacement (Ahmad et al.), 212
injuries, thoracic, closed, surgical treatment for (Appelbaum et al.), 458
and mitral valve operations, study in patients early after: hemodynamic effects of heart rate augmentation (Mary et al.), 520
position, cocking of poppet-disc prosthesis in: cause of intermittent aortic regurgitation (Hammer et al.), 259
prostheses, composite-strut, nonanticoagulated, thrombotic phenomena with (Stein et al.), 680
valve, homograft, viable, severe stenosis of (Lorch et al.), 932
prosthesis, Björk-Shiley, thrombosed, surgical treatment of (Gray et al.), 429
prosthetic, *Paecilomyces varioti* endocarditis on (McClellan et al.), 472
replacement, myocardial infarction complicating (Sharratt et al.), 869
with porcine xenograft without long-term anticoagulation, evaluation of (Pipkin et al.), 179
technique of (Girardet and Wheat), 446
surgery, unusual cause of hemodynamic deterioration following: left ventricular–right atrial shunt (Galbraith et al.), 383
Aortico–left ventricular tunnel: clinical profile, diagnostic features, and surgical considerations (Okoroma et al.), 238
Aorto-coronary bypass grafts, hemodynamic effects of venous valves in (Baba et al.), 774
Aortopulmonary fistula, bleeding, surgical management of (Guinn et al.), 554
Aortoventriculoplasty: new technique for treatment of left ventricular outflow tract obstruction (Rastan and Koncz), 920
Apnea, prolonged, extracorporeal oxygenation with various experimental venoarterial bypasses during (Derks et al.), 666
Arch aneurysm, aortic, resection of: simplified technique (Chu and Lien), 846
aortic, interrupted, in neonates, surgical management of severe aortic coarctation and (Fishman et al.), 35
left, with right descending aorta and right ligamentum arteriosum: rare form of vascular ring (Park et al.), 779
Arrest, circulatory, and profound hypothermia, surgical management of congenital cardiovascular anomalies with use of: analysis of 180 consecutive cases (Bailey et al.), 485
Arterial prostheses, smooth-walled (Sauvage), 147 (Letter)
stenosis, pressure, and flow (Rodbard and Kikuchi), 891
Arteriosus, truncus, surgical treatment of, with emphasis of infants and small children (Appelbaum et al.), 436
Arteriovenous bypass grafts, intimal changes in: effects of varying angle of implantation at proximal anastomosis and of producing stenosis in distal runoff artery (Bond et al.), 907
Arteritis and endocarditis, Candida, treatment of (Gladstone et al.), 835
Artery(ies) anastomosis, subclavian–coronary: technique for definitive correction of anomalous origin of left coronary artery (Senderoff et al.), 142
aneurysms, pulmonary, peripheral, solitary (Ungaro et al.), 566
–ascending aorta shunt, right pulmonary (Idriss et al.), 49
band, pulmonary, and ventricular septal defect, abnormalities of regional lung function associated with (Sade et al.), 572
banding, pulmonary, repair of ventricular septal defect after (Seybold-Epting et al.), 392
bypass, coronary, with freeze-preserved saphenous vein allografts (Tice et al.), 378
valvulotomy of valves in saphenous vein graft before (Mills and Ochsner), 878
coronary, distribution and severity of atherosclerosis in (McNamara et al.), 637
left, from right pulmonary artery, anomalous origin of: surgical repair in 10-month-old child (Doty et al.), 787
right and circumflex, with internal mammary artery, bypass of (Jahnke and Love), 58
disease, coronary, main, left, medical-surgical aspects of (Mehta et al.), 137
great, transposition of, complete, associated with large ventricular septal defect, operative indication for corrective surgery in cases of (Mori et al.), 750
mammary, internal, and saphenous vein bypass grafting, surgical treatment of unstable angina by (Geha et al.), 348
pulmonary, diagnosed preoperatively by angiocardiography, leiomyosarcoma of: replacement with composite graft (Killebrew and Gerbode), 469
new approach for introduction of flow-guided catheter into: proximal basilic vein (Mandel and Barash), 376
terminally shunted, pulmonary infarction following ligation of (Marcelletti and McGoon), 746
runoff, distal, effects of varying angle of implantation at proximal anastomosis and of producing stenosis in: intimal changes in arteriovenous bypass grafts (Bond et al.), 907
surgery, coronary, acute hypertension immediately after (Viljoen et al.), 548
vein grafts, aorta–coronary, and human veins, scanning electron microscope study of (Barboriak et al.), 673
Artificial heart, blood and urine catecholamine concentrations after implantation of (Stanley et al.), 704
Ascending aorta–right pulmonary artery shunt (Idriss et al.), 49
Assay, cephalothin prophylaxis, during cardiopulmonary bypass (Williams and Steele), 207
Atheromatous embolization, cerebral, fatal, after cardiopulmonary bypass (McKibbin et al.), 741
Atherosclerosis in coronary arteries, distribution and severity of (McNamara et al.), 637

Atresia, mitral, with premature closure of foramen ovale: rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve inadequate pulmonary blood flow (Friedman et al.), 118
Atria, blunt traumatic rupture of (Smith et al.), 617
Atrial contraction to right heart function before and after right ventriculotomy, contribution of (Guyton et al.), 1
filling pressure, left, analysis of direct and indirect measurements of (Humphrey et al.), 643
–left ventricular shunt, right: unusual cause of hemodynamic deterioration following aortic valve surgery (Galbraith et al.), 383
partition, right, and right ventricular exclusion: another surgical approach for complex cyanotic congenital heart disease (Lamberti et al.), 386
septal defect, secundum, encountered in infancy (Spangler et al.), 398
and total anomalous pulmonary venous drainage, report of operation performed for calcific pulmonic stenosis associated with: pulmonary valve replacement (Akins et al.), 721
–superior vena cava junction, right, patent, transvenous wafer occlusion of: nonoperative management of late failure of Glenn anastomosis (Bailey et al.), 371
Atrioventricular canal, complete, Type C, correction of: surgical considerations (Mills et al.), 20
Autograft, lobe, lung, lower, in experimental animals, function of (Rabinovich) 102
Autotransplantation, lung, experimental, function of external respiration after (Rabinovich), 815

B

Bacterial endocarditis in pregnancy: successful surgical correction (Nazarian et al.), 880
Balloon-tipped vena caval cannulas during open cardiac surgery, use of (Bailey et al.), 691
Band, artery, pulmonary, and ventricular septal defect, abnormalities of regional lung function associated with (Sade et al.), 572
Banding, artery, pulmonary, repair of ventricular septal defect after (Seybold-Epting et al.), 392
Basilic vein, proximal: new approach for introduction of flow-guided catheter into pulmonary artery (Mandel and Barash), 376
Beall mitral valve prosthesis (Siewers), 147 (Letter)
prosthesis in 209 patients, results of mitral valve replacement with (Fernandez et al.), 218
valve prosthesis, potentially lethal complication of: disc variance (Montoya et al.), 904
Bedside hemodynamic monitoring: its value in diagnosis of tamponade complicating cardiac surgery (Weeks et al.), 250
Bioprosthesis, mitral, noninvasive diagnosis of complications of (Horowitz et al.), 450
Biopsy, lung, as diagnostic tool: pulmonary pathology in acute respiratory insufficiency (Hill et al.), 64
sponge, bronchoscopic, in diagnosis of pulmonary neoplasms, use of (Akins et al.), 309
Björk-Shiley aortic valve prosthesis, thrombosed, surgical treatment of (Gray et al.), 429
composite-seat Starr-Edwards, and frame-mounted aortic homograft valves, comparative study of: chronic hemolysis following mitral valve replacement (Ahmad et al.), 212
Blalock-Taussig anastomosis to relieve inadequate pulmonary blood flow, rare hemodynamic cause for failure of: mitral atresia with premature closure of foramen ovale (Friedman et al.), 118
Bleeding aortopulmonary fistula, surgical management of (Guinn et al.), 554
Blood flow, pulmonary, inadequate, rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve: mitral atresia with premature closure of foramen ovale (Friedman et al.), 118
and urine catecholamine concentrations after implantation of artificial heart (Stanley et al.), 704
Blunt traumatic rupture of atria (Smith et al.), 617
Body, foreign, from right heart, nonsurgical removal of: new percutaneous approach (King et al.), 785
Bronchogenic carcinoma for mediastinoscopy, selection of patients with (Hutchinson and Mills), 768
Bronchoscopic sponge biopsy in diagnosis of pulmonary neoplasms, use of (Akins et al.), 309
Bubble mechanics and oxygen transfer (Hammond and Bowley), 422
Bypass(es), artery, coronary, with freeze-preserved saphenous vein allografts (Tice et al.), 378
valvulotomy of valves in saphenous vein graft before (Mills and Ochsner), 878
cardiopulmonary, cannulation of ascending aorta for: experience with 9,000 cases (Taylor et al.), 255
cephalothin prophylaxis assay during (Williams and Steele), 207
fatal cerebral atheromatous embolization after (McKibbin et al.), 741
in man, levels of circulating norepinephrine and epinephrine before, during, and after (Tan et al.), 928
occipital alopecia following (Lawson et al.), 342
graft(s), aorta-coronary, effects of, coronary collateral circulation during stress and (Cox et al.), 540
hemodynamic effects of venous valves in (Baba et al.), 774
arteriovenous, intimal changes in: effects of varying angle of implantation at proximal anastomosis and of producing stenosis in distal runoff artery (Bond et al.), 907
patency, coronary, and operative flow measurements (Marco et al.), 545
grafting, saphenous vein and internal mammary artery, surgical treatment of unstable angina by (Geha et al.), 348
of right and circumflex coronary arteries with internal mammary artery (Jahnke and Love), 58
surgery, coronary, with proximal aortic dissection, late complication of: infrarenal mycotic pseudoaneurysm (Riester and Serrano), 633
unusual complication of: epicardial tumor-like angiofibromatous proliferative lesion (Lie et al.), 517
venoarterial, experimental, various, during prolonged apnea, extracorporeal oxygenation with (Derks et al.), 666
heparinless, prolonged, successful, in sheep (Wakabayashi et al.), 648

C

Calcium levels, ionic, plasma, following injection of chloride, gluconate, and gluceptate salts of calcium (White et al.), 609
Canal, atrioventricular, complete, Type C, correction of: surgical considerations (Mills et al.), 20
Cancer(s), lung, with metastasis to mediastinal lymph nodes, surgical treatment for (Naruke et al.), 279
surgical therapy of (Vincent et al.), 581
patients, lung, immunologic defects in (Holmes and Golub), 161

Cancer(s)—Cont'd
pulmonary, primary, and pulmonary metastases, prognostic value of measuring gross linear radial growth of (Spratt and Spratt), 274
Candida endocarditis and arteritis, treatment of (Gladstone et al.), 835
Cannulas, vena caval, balloon-tipped, during open cardiac surgery, use of (Bailey et al.), 691
Cannulation of ascending aorta for cardiopulmonary bypass: experience with 9,000 cases (Taylor et al.), 255
Carbon dioxide on pulmonary mechanics in hyperventilating, normal volunteers, effects of (Hilberman et al.), 268
washout, intravascular, prevention of air embolism with (Roe), 628
Carcinoma, bronchogenic, for mediastinoscopy, selection of patients with (Hutchinson and Mills), 768
of gastric cardia and hiatal hernia (Mayer et al.), 592
Cardia, gastric, carcinoma of, and hiatal hernia (Mayer et al.), 592
Cardiac operations, etiology, incidence, and prognosis of renal failure following: results of prospective analysis of 500 consecutive patients (Abel et al.), 323
output in infants and children after open-heart surgery (Truccone et al.), 410
pacemaker, radioisotope-powered, new, preliminary clinical experience with (Smyth et al.), 262
pacing, permanent, significance of electrode surface area and stimulating thresholds in (Smyth et al.), 559
surgery, analysis of potential physiological predictors of respiratory adequacy following (Hilberman et al.), 711
concordance of electrocardiographic and scintigraphic criteria of myocardial injury after (Klein et al.), 934
intrapericardial, chylothorax after median sternotomy for (Joyce et al.), 476
open, use of balloon-tipped vena caval cannulas during (Bailey et al.), 691
its value in diagnosis of tamponade complicating: bedside hemodynamic monitoring (Weeks et al.), 250
Cardiopulmonary bypass, cannulation of ascending aorta for: experience with 9,000 cases (Taylor et al.), 255
cephalothin prophylaxis assay during (Williams and Steele), 207
fatal cerebral atheromatous embolization after (McKibbin et al.), 741
in man, levels of circulating norepinephrine and epinephrine before, during, and after (Tan et al.), 928
occipital alopecia following (Lawson et al.), 342
Cardiorespiratory failure secondary to peripheral pulmonary emboli: survival following combination of prolonged extracorporeal membrane oxygenator support and pulmonary embolectomy (Cooper et al.), 872
Cardiovascular anomalies, congenital, with use of profound hypothermia and circulatory arrest, surgical management of: analysis of 180 consecutive cases (Bailey et al.), 485
surgery for neonates, technical considerations in (Cooley), 551
Carinal resection: report of two cases and description of anesthetic technique (Theman et al.), 314
Catecholamine concentrations, blood and urine, after implantation of artificial heart (Stanley et al.), 704
Catheter, flow-guided, into pulmonary artery, new approach for introduction of: proximal basilic vein (Mandel and Barash), 376
Swan-Ganz, snaring of (Block), 917
techniques, pacemaker, special: transmediastinal placement of sensing electrodes (Kleinert et al.), 493
Catheterization, vein, subclavian, and parenteral hyperalimentation, complication of: chylothorax (Thurer), 465
Célestin tube to anterior abdominal wall, fixation of: new technique (Asfaw et al.), 286
Cell–lined esophagus, columnar: assessment of etiology and treatment. A 22 year experience (Borrie and Goldwater), 825
Centineurogenic etiology of respiratory distress syndrome: protection afforded by anemia and pulmonary denervation against lung lesions of oxygen toxicity (Moss et al.), 614
Cephalothin prophylaxis assay during cardiopulmonary bypass (Williams and Steele), 207
Cerebral atheromatous embolization, fatal, after cardiopulmonary bypass (McKibbin et al.), 741
Child, 10-month-old, surgical repair in: anomalous origin of left coronary artery from right pulmonary artery (Doty et al.), 787
Children and infants after open-heart surgery, cardiac output in (Truccone et al.), 410
late results of surgery for left ventricular outflow tract obstruction in (Lawson et al.), 334
small, and infants, surgical treatment of truncus arteriosus, with emphasis on (Appelbaum et al.), 436
surgical treatment of floppy mitral valve syndrome in (Eguchi et al.), 899
Chloride, gluconate, and gluceptate salts of calcium, plasma ionic calcium levels following injection of (White et al.), 609
Chordae of posterior (mural) cusp, late results of valvoplasty for mitral regurgitation due to rupture of (Ross et al.), 533
Chylothorax: complication of subclavian vein catheterization and parenteral hyperalimentation (Thurer), 465
after median sternotomy for intrapericardial cardiac surgery (Joyce et al.), 476
Circulating norepinephrine and epinephrine before, during, and after cardiopulmonary bypass in man (Tan et al.), 928
Circulation, collateral, coronary, during stress and effects of aorta-coronary bypass grafts (Cox et al.), 540
extracorporeal, disposable filters for microaggregate removal from (Guidoin et al.), 502
pulmonary, effects of isoproterenol and dopamine on (Mentzer et al.), 807
Circulatory arrest and profound hypothermia, surgical management of congenital cardiovascular anomalies with use of: analysis of 180 consecutive cases (Bailey et al.), 485
Closed thoracic aortic injuries, surgical treatment for (Appelbaum et al.), 458
Closure, premature, of foramen ovale, mitral atresia with: rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve inadequate pulmonary blood flow (Friedman et al.), 118
Cloth-covered Starr-Edwards prostheses, long-term follow-up of (Carey), 694
Coarctation, aortic, severe, and interrupted aortic arch in neonates, surgical management of (Fishman et al.), 35
Cocking of poppet-disc prosthesis in aortic position: cause of intermittent aortic regurgitation (Hammer et al.), 259
Collis-Belsey reconstruction of esophagogastric junction: indications, physiology, and technical considerations (Orringer and Sloan), 295
Columnar cell–lined esophagus: assessment of etiology and treatment. A 22 year experience (Borrie and Goldwater), 825

Complexes, transposition, with ventricular septal defect, intraventricular repair of (Cooley et al.), 461
Composite-strut aortic prostheses, nonanticoagulated, thrombotic phenomena with (Stein et al.), 680
Conduit, valved, in 75 cases of congenital heart disease, reconstruction of right ventricular outflow tract with (Moore et al.), 11
Congenital aneurysm of sinus of Valsalva protruding into left ventricle: review of diagnosis and treatment of unruptured aneurysm (Heydorn et al.), 839
cardiovascular anomalies with use of profound hypothermia and circulatory arrest, surgical management of: analysis of 180 consecutive cases (Bailey et al.), 485
heart disease, cyanotic, complex, another surgical approach for: right atrial partition and right ventricular exclusion (Lamberti et al.), 386
reconstruction of right ventricular outflow tract with valved conduit in 75 cases of (Moore et al.), 11
Consumption, oxygen, myocardial (Peters), 149 (Letter)
Contractility, left ventricular, during chronic rejection: orthotopic canine heart transplantation (Penn et al.), 526
Contraction, atrial, to right heart function before and after right ventriculotomy, contribution of: experimental and clinical observations (Guyton et al.), 1
Conus, bilateral, l-transposition of great arteries (S, D, L), and subpulmonary ventricular septal defect, successful repair of double-outlet right ventricle with (Yamaguchi et al.), 366
Coronary artery(ies) bypass with freeze-preserved saphenous vein allografts (Tice et al.), 378
valvulotomy of valves in saphenous vein graft before (Mills and Ochsner), 878
disease, main, left, medical-surgical aspects of (Mehta et al.), 137
distribution and severity of atherosclerosis in (McNamara et al.), 637
left, from right pulmonary artery, anomalous origin of: surgical repair in 10-month-old child (Doty et al.), 787
right and circumflex, with internal mammary artery, bypass of (Jahnke and Love), 58
surgery, acute hypertension immediately after (Viljoen et al.), 548
vein grafts, aorta–, and human veins, scanning electron microscope study of (Barboriak et al.), 673
bypass graft(s), aorto-, hemodynamic effects of venous valves in (Baba et al.), 774
patency and operative flow measurements (Marco et al.), 545
surgery with proximal aortic dissection, late complication of: infrarenal mycotic pseudoaneurysm (Riester and Serrano), 633
unusual complication of: epicardial tumor-like angiofibromatous proliferative lesion (Lie et al.), 517
collateral circulation during stress and effects of aorta-coronary bypass grafts (Cox et al.), 540
ostia, surgical treatment of aneurysm of ascending aorta with aortic insufficiency and marked displacement of (Zubiate and Kay), 415
perfusion during myocardial hypoxia, effects of: comparison of metabolic and hemodynamic events with global ischemia and hypoxemia (Liedtke et al.), 726
–subclavian artery anastomosis: technique for definitive correction of anomalous origin of left coronary artery (Senderoff et al.), 142
Correction, complete, of double-outlet right ventricle with situs inversus, l-loop, and l-malposition (I, L, L) with subaortic VSD and pulmonary stenosis (Stewart et al.), 129
definitive, of anomalous origin of left coronary artery, technique for: subclavian–coronary artery anastomosis (Senderoff et al.), 142
of double-outlet right ventricle, hemolysis following (Singh et al.), 226
of mislabeled illustration (Achtel), 148 (Letter)
of partial anomalous pulmonary venous drainage into superior vena cava, new surgical approach for (Chartrand et al.), 29
of Type C complete atrioventricular canal: surgical considerations (Mills et al.), 20
Corrective surgery in cases of complete transposition of great arteries associated with large ventricular septal defect, operative indication for (Mori et al.), 750
Correspondence
Acute traumatic hematoma of aorta (Austin and Carsen), 321
Reply (Kirsh), 321
Beall mitral valve prosthesis (Siewers), 147
Correction of mislabeled illustration (Achtel), 148
Does pectus excavatum cause functional disability? (Nolan et al.), 148
Lung water accumulation (Marty), 321
Reply (Cooper and Lowenstein), 322
Myocardial oxygen consumption (Peters), 149
Reply (Wakabayashi), 149
The scimitar syndrome (Szalay), 150
Reply (Ankeney), 150
Smooth-walled arterial prostheses (Sauvage), 147
CPK-MB isoenzyme: use in diagnosis of acute myocardial infarction in early postoperative period (Pyle et al.), 884
Cricothyroidotomy: elective use in respiratory problems requiring tracheotomy (Brantigan and Grow), 72
Cusp, posterior (mural), late results of valvoplasty for mitral regurgitation due to rupture of chordae of (Ross et al.), 533
Cyanotic congenital heart disease, complex, another surgical approach for: right atrial partition and right ventricular exclusion (Lamberti et al.), 386

D

Defect(s) immunologic, in lung cancer patients (Holmes and Golub), 161
septal, atrial, secundum, encountered in infancy (Spangler et al.), 398
and total anomalous pulmonary venous drainage, report of operation performed for calcific pulmonic stenosis associated with: pulmonary valve replacement (Akins et al.), 721
intraventricular repair of transposition complexes with (Cooley et al.), 461
large, operative indication for corrective surgery in cases of complete transposition of great arteries associated with (Mori et al.), 750
and pulmonary artery band, abnormalities of regional lung function associated with (Sade et al.), 572
banding, repair of (Seybold-Epting et al.), 392
subpulmonary, bilateral conus, and l-transposition of great arteries (S, D, L), successful repair of double-outlet right ventricle with (Yamaguchi et al.), 366

Denervation, pulmonary, and anemia against lung lesions of oxygen toxicity, protection afforded by: centineurogenic etiology of respiratory distress syndrome (Moss et al.), 614
Diagnosis of acute myocardial infarction in early postoperative period, use in: CPK-MB isoenzyme (Pyle et al.), 884
noninvasive, of complications of mitral bioprosthesis (Horowitz et al.), 450
Disability, functional, does pectus excavatum cause (Nolan et al.), 148 (Letter)
Disc valve, pivoting, Lillehei-Kaster, in patients, hemodynamic evaluation of (Starek et al.), 123
variance: potentially lethal complication of Beall valve prosthesis (Montoya et al.), 904
Disease, airway, obstructive, chronic, epidural anesthesia following thoracotomy in patients with (Shuman and Peters), 82
artery, coronary, main, left, medical-surgical aspects of (Mehta et al.), 137
heart, congenital, cyanotic, complex, another surgical approach for: right atrial partition and right ventricular exclusion (Lamberti et al.), 386
reconstruction of right ventricular outflow tract with valved conduit in 75 cases of (Moore et al.), 11
rheumatic, myocardial infarction complicated by (Schoonmaker and Grow), 433
Dissection, aortic, proximal, late complication of coronary bypass surgery with: infrarenal mycotic pseudoaneurysm (Riester and Serrano), 633
Distress syndrome, respiratory, centineurogenic etiology of: protection afforded by anemia and pulmonary denervation against lung lesions of oxygen toxicity (Moss et al.), 614
Dopamine and isoproterenol on pulmonary circulation, effects of (Mentzer et al.), 807
Double-outlet left ventricle, solitus-concordant, with L-malposition and tricuspid stenosis with hypoplastic right ventricle, surgical "correction" of (Sharratt et al.), 853
right ventricle with bilateral conus, l-transposition of great arteries (S, D, L), and subpulmonary ventricular septal defect, successful repair of (Yamaguchi et al.), 366
collective review with surgical viewpoint (Stewart), 355
hemolysis following correction of (Singh et al.), 226
with situs inversus, l-loop, and l-malposition (I, L, L) with subaortic VSD and pulmonary stenosis, complete correction of (Stewart et al.), 129
with tunnel from left ventricle to aorta (Neches et al.), 685
replacement, improved technique of (Lemole and Cuasay), 759
Drainage, venous, pulmonary, anomalous, partial, into superior vena cava, new surgical approach for correction of (Chartrand et al.), 29
total, and atrial septal defect, report of operation performed for calcific pulmonic stenosis associated with: pulmonary valve replacement (Akins et al.), 721
Ductus arteriosus, patent, in premature infants: indications for surgery (Rittenhouse et al.), 187
in small preterm infants, improving results of ligation of (Nelson et al.), 169

E

Electrocardiographic and scintigraphic criteria of myocardial injury after cardiac surgery, concordance of (Klein et al.), 934
Electrode(s), sensing, transmediastinal placement of: special pacemaker catheter techniques (Kleinert et al.), 493
Electrode—Cont'd
surface area and stimulating thresholds in permanent cardiac pacing, significance of (Smyth et al.), 559
Electron microscope study, scanning, of human veins and aorta–coronary artery vein grafts (Barboriak et al.), 673
Embolism, air, with intravascular carbon dioxide washout, prevention of (Roe), 628
systemic: Does it occur after experimental penetrating lung injury? (Waldo et al.), 96
Embolization, atheromatous, cerebral, fatal, after cardiopulmonary bypass (McKibbin et al.), 741
Embolus(i), air, in open-heart surgery, method of preventing (Lemole and Pinder) 557
pulmonary, peripheral, cardiorespiratory failure secondary to: survival following combination of prolonged extracorporeal membrane oxygenator support and pulmonary embolectomy (Cooper et al.), 872
Endocarditis, active, operative treatment of (Stinson et al.), 659
and arteritis, Candida, treatment of (Gladstone et al.), 835
bacterial, in pregnancy, successful surgical correction (Nazarian et al.), 880
Paecilomyces varioti, on prosthetic aortic valve (McClellan et al.), 472
Epicardial tumor-like angiofibromatous proliferative lesion: unusual complication of coronary bypass surgery (Lie et al.), 517
Epidural anesthesia following thoracotomy in patients with chronic obstructive airway disease (Shuman and Peters), 82
method of treatment using: systemic hypertension following myocardial revascularization (Hoar et al.), 859
Epinephrine and norepinephrine, circulating, before, during, and after cardiopulmonary bypass in man, levels of (Tan et al.), 928
Esophagogastric junction, Collis-Belsey reconstruction of: indications, physiology, and technical considerations (Orringer and Sloan), 295
Esophagus, columnar cell–lined: assessment of etiology and treatment. A 22 year experience (Borrie and Goldwater), 825
Extracorporeal circulation, disposable filters for microaggregate removal from (Guidoin et al.), 502
membrane oxygenator support, prolonged, and pulmonary embolectomy, survival following combination of: cardiorespiratory failure secondary to peripheral pulmonary emboli (Cooper et al.), 872
oxygenation with various experimental venoarterial bypasses during prolonged apnea (Derks et al.), 666
Extravascular lung water during venovenous perfusion, changes in (Demling et al.), 291

F

Failure, cardiorespiratory, secondary to peripheral pulmonary emboli: survival following combination of prolonged extracorporeal membrane oxygenator support and pulmonary embolectomy (Cooper et al.), 872
late, of Glenn anastomosis, nonoperative management of: transvenous wafer occlusion of patent superior vena cava–right atrial junction (Bailey et al.), 371
renal, following cardiac operations, etiology, incidence, and prognosis of: results of prospective analysis of 500 consecutive patients (Abel et al.), 323
respiratory, acute, combination of membrane oxygenator support and pulmonary lavage for (Cooper et al.), 304

False aneurysm of ascending aorta after surgery for Marfan's syndrome: report of case and review of literature (Nair), 765
Familial myxomas in four siblings (Liebler et al.), 605
Filling pressure, atrial, left, analysis of direct and indirect measurements of (Humphrey et al.), 643
Filters, disposable, for microaggregate removal from extracorporeal circulation (Guidoin et al.), 502
Fistula, aortopulmonary, bleeding, surgical management of (Guinn et al.), 554
tracheoesophageal, acquired, in ventilator patients, procedure for management of (Bartlett), 89
Fixation of Celestin tube to anterior abdominal wall: new technique (Asfaw et al.), 286
Floppy mitral valve syndrome in children, surgical treatment of (Eguchi et al.), 899
Flow, blood, pulmonary, inadequate, rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve: mitral atresia with premature closure of foramen ovale (Friedman et al.), 118
guided catheter into pulmonary artery, new approach for introduction of: proximal basilic vein (Mandel and Barash), 376
measurements, operative, and coronary bypass graft patency (Marco et al.), 545
stenosis, and pressure, arterial (Rodbard and Kikuchi), 891
Foramen ovale, mitral atresia with premature closure of: rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve inadequate pulmonary blood flow (Friedman et al.), 118
Foreign body from right heart, nonsurgical removal of: new percutaneous approach (King et al.), 785
Freeze-preserved saphenous vein allografts, coronary artery bypass with (Tice et al.), 378
Function of external respiration after experimental lung autotransplantation (Rabinovich), 815
heart, right, before and after right ventriculotomy, contribution of atrial contraction to: experimental and clinical observations (Guyton et al.), 1
of lower lung lobe autograft in experimental animals (Rabinovich), 102
lung, regional, associated with ventricular septal defect and pulmonary artery band, abnormalities of (Sade et al.), 572
of unipolar pacemaker due to muscle potentials, interference with (Anderson et al.), 698
Functional disability, does pectus excavatum cause (Nolan et al.), 148 (Letter)
reductions in left ventricular volume: minimum chamber size consonant with effective hemodynamic performance (Liedtke et al.), 195

G

Gastric cardia, carcinoma of, and hiatal hernia (Mayer et al.), 592
Glenn anastomosis, nonoperative management of late failure of: transvenous wafer occlusion of patent superior vena cava–right atrial junction (Bailey et al.), 371
Gluceptate, chloride, and gluconate salts of calcium, plasma ionic calcium levels following injection of (White et al.), 609
Gluconate, chloride, and gluceptate salts of calcium, plasma ionic calcium levels following injection of (White et al.), 609
Gradient, residual, in pulmonary stenosis, postvalvulotomy propranolol test to determine reversibility of (Moulaert et al.), 865
Graft(s), bypass, aorta-coronary, effects of, coronary collateral circulation during stress and (Cox et al.), 540
hemodynamic effects of venous valves in (Baba et al.), 774
arteriovenous, intimal changes in: effects of varying angle of implantation at proximal anastomosis and of producing stenosis in distal runoff artery (Bond et al.), 907
composite, replacement with: leiomyosarcoma of pulmonary artery diagnosed preoperatively by angiocardiography (Killebrew and Gerbode), 469
patency, bypass, coronary, and operative flow measurements (Marco et al.), 545
vein, aorta–coronary artery, and human veins, scanning electron microscope study of (Barboriak et al.), 673
saphenous, before coronary artery bypass, valvulotomy of valves in (Mills and Ochsner), 878
Grafting, bypass, saphenous vein and internal mammary artery, surgical treatment of unstable angina by (Geha et al.), 348

H

Hamartomas, leiomyomatous, pulmonary, multiple, in women (Becker et al.), 631
Heart, artificial, blood and urine catecholamine concentrations after implantation of (Stanley et al.), 704
disease, congenital, cyanotic, complex, another surgical approach for: right atrial partition and right ventricular exclusion (Lamberti et al.), 386
reconstruction of right ventricular outflow tract with valved conduit in 75 cases of (Moore et al.), 11
rheumatic, myocardial infarction complicated by (Schoonmaker and Grow), 433
function, right, before and after right ventriculotomy, contribution of atrial contraction to (Guyton et al.), 1
rate augmentation, pacing-induced, hemodynamic effects of: study in patients early after mitral and aortic valve operations (Mary et al.), 520
right, nonsurgical removal of foreign body from: new percutaneous approach (King et al.), 785
transplantation, canine, orthotopic: left ventricular contractility during chronic rejection (Penn et al.), 526
Hematoma, traumatic, acute, of aorta (Austin and Carsen), 321 (Letter); Reply (Kirsh), 321
Hemodynamic effects of pacing-induced heart rate augmentation: study in patients early after mitral and aortic valve operations (Mary et al.), 520
of venous valves in aorto-coronary bypass grafts (Baba et al.), 774
evaluation of Lillehei-Kaster pivoting disc valve in patients (Starek et al.), 123
and metabolic events with global ischemia and hypoxemia, comparison of: effects of coronary perfusion during myocardial hypoxia (Liedtke et al.), 726
monitoring, bedside: its value in diagnosis of tamponade complicating cardiac surgery (Weeks et al.), 250
performance, effective, minimum chamber size consonant with: functional reductions in left ventricular volume (Liedtke et al.), 195
Hemolysis, chronic, following mitral valve replacement: comparative study of Björk-Shiley, composite-seat Starr-Edwards, and frame-mounted aortic homograft valves (Ahmad et al.), 212

Volume 71
Number 6
June, 1976

Hemolysis—Cont'd
following correction of double-outlet right ventricle (Singh et al.), 226
Heparinless, oxygenatorless perfusion rewarming following surface-induced deep hypothermia for open-heart surgery (Mohri et al.), 792
venoarterial bypass, prolonged, successful, in sheep (Wakabayashi et al.), 648
Hermetically sealed, non–, pacemaker myth, or, Navy-Ribicoff 22,000—FDA-Weinberger 0 (Tyers and Brownlee), 253
Hernia, hiatal, and carcinoma of gastric cardia (Mayer et al.), 592
Hiatal hernia and carcinoma of gastric cardia (Mayer et al.), 592
Homograft, aortic, frame-mounted, Björk-Shiley, and composite-seat Starr-Edwards valves, comparative study of: chronic hemolysis following mitral valve replacement (Ahmad et al.), 212
valve, viable, severe stenosis of (Lorch et al.), 932
Hyperalimentation, parenteral, and subclavian vein catheterization, complication of, chylothorax (Thurer), 465
Hypertension, acute, immediately after coronary artery surgery (Viljoen et al.), 548
systemic, following myocardial revascularization: method of treatment using epidural anesthesia (Hoar et al.), 859
Hyperventilating, normal volunteers, effects of carbon dioxide on pulmonary mechanics in (Hilberman et al.), 268
Hypoplastic right ventricle, surgical "correction" of solitus-concordant, double-outlet left ventricle with L-malposition and tricuspid stenosis with (Sharratt et al.), 853
Hypothermia, deep, surface-induced, for open-heart surgery, heparinless, oxygenatorless perfusion rewarming following (Mohri et al.), 792
profound, and circulatory arrest, surgical management of congenital cardiovascular anomalies with use of: analysis of 180 consecutive cases (Bailey et al.), 485
Hypoxemia and ischemia, global, comparison of metabolic and hemodynamic events with: effects of coronary perfusion during myocardial hypoxia (Liedtke et al.), 726
Hypoxia, myocardial, effects of coronary perfusion during: comparison of metabolic and hemodynamic events with global ischemia and hypoxemia (Liedtke et al.), 726

I

Immunologic defects in lung cancer patients (Holmes and Golub), 161
Implantation of artificial heart, blood and urine catecholamine concentrations after (Stanley et al.), 704
Infancy, secundum atrial septal defect encountered in (Spangler et al.), 398
Infants and children after open-heart surgery, cardiac output in (Truccone et al.), 410
premature, patent ductus arteriosus in: indications for surgery (Rittenhouse et al.), 187
preterm, small, improving results of ligation of patent ductus arteriosus in (Nelson et al.), 169
and small children, surgical treatment of truncus arteriosus, with emphasis on (Appelbaum et al.), 436
Infarction, myocardial, acute, in early postoperative period, use in diagnosis of: CPK-MB isoenzyme (Pyle et al.), 884
complicated by rheumatic heart disease (Schoonmaker and Grow), 433
complicating aortic valve replacement (Sharratt et al.), 869
Infarction—Cont'd
pulmonary, following ligation of terminally shunted pulmonary artery (Marcelletti and McGoon), 746
Injection of chloride, gluconate, and gluceptate salts of calcium, plasma ionic calcium levels following (White et al.), 609
Injury(ies), aortic, thoracic, closed, surgical treatment for (Appelbaum et al.), 458
lung, penetrating, experimental, does it occur after: systemic air embolism (Waldo et al.), 96
Insufficiency, aortic, and marked displacement of coronary ostia, surgical treatment of aneurysm of ascending aorta with (Zubiate and Kay), 415
respiratory, acute, pulmonary pathology in: lung biopsy as diagnostic tool (Hill et al.), 64
Intimal changes in arteriovenous bypass grafts: effects of varying angle of implantation at proximal anastomosis and of producing stenosis in distal runoff artery (Bond et al.), 907
Ischemia and hypoxemia, global, comparison of metabolic and hemodynamic events with: effects of coronary perfusion during myocardial hypoxia (Liedtke et al.), 726
Isoenzyme, CPK-MB: use in diagnosis of acute myocardial infarction in early postoperative period (Pyle et al.), 884
Isoproterenol and dopamine on pulmonary circulation, effects of (Mentzer et al.), 807
Isotope angiocardiography, malfunction of tricuspid valve prosthesis shown by (Malcolm et al.), 134

J

Junction, esophagogastric, Collis-Belsey reconstruction of: indications, physiology, and technical considerations (Orringer and Sloan), 295
superior vena cava–right atrial, patent, transvenous wafer occlusion of: nonoperative management of late failure of Glenn anastomosis (Bailey et al.), 371

L

Lavage, pulmonary, and membrane oxygenator support for acute respiratory failure, combination of (Cooper et al.), 304
Leiomyomatous hamartomas, pulmonary, multiple, in women (Becker et al.), 631
Leiomyosarcoma of pulmonary artery diagnosed preoperatively by angiocardiography: replacement with composite graft (Killebrew and Gerbode), 469
Ligamentum arteriosum, right, and right descending aorta, left aortic arch with: rare form of vascular ring (Park et al.), 779
Ligation of patent ductus arteriosus in small preterm infants, improving results of (Nelson et al.), 169
of terminally shunted pulmonary artery, pulmonary infarction following (Marcelletti and McGoon), 746
Lillehei-Kaster pivoting disc valve in patients, hemodynamic evaluation of (Starek et al.), 123
Lobe autograft, lung, lower, in experimental animals, function of (Rabinovich), 102
Lung autotransplantation, experimental, function of external respiration after (Rabinovich), 815
biopsy as diagnostic tool: pulmonary pathology in acute respiratory insufficiency (Hill et al.), 64
cancer with metastasis to mediastinal lymph nodes, surgical treatment for (Naruke et al.), 279
patients, immunologic defects in (Holmes and Golub), 161
surgical therapy of (Vincent et al.), 581

Lung—Cont'd
function, regional, associated with ventricular septal defect and pulmonary artery band, abnormalities of (Sade et al.), 572
injury, penetrating, experimental, does it occur after: systemic air embolism (Waldo et al.), 96
lobe autograft, lower, in experimental animals, function of (Rabinovich), 102
syndrome, shock, pharmacologic doses in: methylprednisolone (Sladen), 800
water accumulation (Marty), 321 (Letter); Reply (Cooper and Lowenstein), 322
extravascular, during venovenous perfusion, changes in (Demling et al.), 291
Lymph nodes, mediastinal, surgical treatment for lung cancer with metastasis to (Naruke et al.), 279

M

Malfunction of tricuspid valve prosthesis shown by isotope angiocardiography (Malcolm et al.), 134
Malignant pleural mesothelioma: report of 19 cases (Shearin and Jackson), 621
Mammary artery, internal, bypass of right and circumflex coronary arteries with (Jahnke and Love), 58
and saphenous vein bypass grafting, surgical treatment of unstable angina by (Geha et al.), 348
Marfan's syndrome, false aneurysm of ascending aorta after surgery for: report of case and review of literature (Nair), 765
Measurements, direct and indirect, of left atrial filling pressure, analysis of (Humphrey et al.), 643
Mechanics, bubble, and oxygen transfer (Hammond and Bowley), 422
pulmonary, in hyperventilating, normal volunteers, effects of carbon dioxide on (Hilberman et al.), 268
Mediastinal lymph nodes, surgical treatment for lung cancer with metastasis to (Naruke et al.), 279
trans-, placement of sensing electrodes: special pacemaker catheter techniques (Kleinert et al.), 493
Mediastinoscopy, selection of patients with bronchogenic carcinoma for (Hutchinson and Mills), 768
Medical-surgical aspects of left main coronary artery disease (Mehta et al.), 137
versus surgical therapy in 43 patients, evaluation and comparison of: management of preinfarction angina (Berk et al.), 110
Membrane oxygenator support and pulmonary lavage for acute respiratory failure, combination of (Cooper et al.), 304
Membranous ventricular septum, aneurysm of: surgical consideration and experience in 29 cases (Vidne et al.), 402
Mesothelioma, pleural, malignant: report of 19 cases (Shearin and Jackson), 621
Metabolic and hemodynamic events with global ischemia and hypoxemia, comparison of: effects of coronary perfusion during myocardial hypoxia (Liedtke et al.), 726
Metastasis(es) to mediastinal lymph nodes, surgical treatment for lung cancer with (Naruke et al.), 279
pulmonary, and primary pulmonary cancers, prognostic value of measuring gross linear radial growth of (Spratt and Spratt), 274
Methylprednisolone: pharmacologic doses in shock lung syndrome (Sladen), 800
Microaggregate removal from extracorporeal circulation, disposable filters for (Guidoin et al.), 502
Microscope study, electron, scanning, of human veins and aorta–coronary artery vein grafts (Barboriak et al.), 673
Mislabeled illustration, correction of (Achtel), 148 (Letter)
Mitral and aortic valve operations, study in patients early after: hemodynamic effects of heart rate augmentation (Mary et al.), 520
atresia with premature closure of foramen ovale: rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve inadequate pulmonary blood flow (Friedman et al.), 118
bioprosthesis, noninvasive diagnosis of complications of (Horowitz et al.), 450
regurgitation due to rupture of chordae of posterior (mural) cusp, late results of valvoplasty for (Ross et al.), 533
ring, stenotic, supravalvular: new case with surgical correction (Otero Coto et al.), 537
valve, isolated replacement of, with Starr-Edwards prosthesis: eleven-year review (Barnhorst et al.), 230
prosthesis, Beall (Siewers), 147 (Letter)
replacement with Beall prosthesis in 209 patients, results of (Fernandez et al.), 218
chronic hemolysis following: comparative study of Björk-Shiley, composite-seat Starr-Edwards, and frame-mounted aortic homograft valves (Ahmad et al.), 212
syndrome, floppy, in children, surgical treatment of (Eguchi et al.), 899
Monitoring, hemodynamic, bedside: its value in diagnosis of tamponade complicating cardiac surgery (Weeks et al.), 250
Muscle potentials, interference with function of unipolar pacemaker due to (Anderson et al.), 698
Mycotic pseudoaneurysm, infrarenal: late complication of coronary bypass surgery with proximal aortic dissection (Riester and Serrano), 633
Myocardial hypoxia, effects of coronary perfusion during: comparison of metabolic and hemodynamic events with global ischemia and hypoxemia (Liedtke et al.), 726
infarction, acute, in early postoperative period, use in diagnosis of: CPK-MB isoenzyme (Pyle et al.), 884
complicated by rheumatic heart disease (Schoonmaker and Grow), 433
complicating aortic valve replacement (Sharratt et al.), 869
injury after cardiac surgery, concordance of electrocardiographic and scintigraphic criteria of (Klein et al.), 934
oxygen consumption (Peters), 149 (Letter)
revascularization: early and late results after reoperation (Oglietti et al.), 736
systemic hypertension following: method of treatment using epidural anesthesia (Hoar et al.), 859
Myxomas, familial, in four siblings (Liebler et al.), 605

N

Neonates, surgical management of severe aortic coarctation and interrupted aortic arch in (Fishman et al.), 35
technical considerations in cardiovascular surgery for (Cooley), 551
Neoplasms, pulmonary, use of bronchoscopic sponge biopsy in diagnosis of (Akins et al.), 309
Nodes, lymph, mediastinal, surgical treatment for lung cancer with metastasis to (Naruke et al.), 279
Noninvasive diagnosis of complications of mitral bioprosthesis (Horowitz et al.), 450

Norepinephrine and epinephrine, circulating, before, during, and after cardiopulmonary bypass in man, levels of (Tan et al.), 928

O

Obstruction, outflow tract, left ventricular, in children, late results of surgery for (Lawson et al.), 334
new technique for treatment of: aortoventriculoplasty (Rastan and Koncz), 920
severe, operation for relief of (Symbas et al.), 245
Obstructive airway disease, chronic, epidural anesthesia following thoracotomy in patients with (Shuman and Peters), 82
Occipital alopecia following cardiopulmonary bypass (Lawson et al.), 342
Occlusion, wafer, transvenous, of patent superior vena cava–right atrial junction: nonoperative management of late failure of Glenn anastomosis (Bailey et al.), 371
Open cardiac surgery, use of balloon-tipped vena caval cannulas during (Bailey et al.), 691
-heart surgery, cardiac output in infants and children after (Truccone et al.), 410
heparinless, oxygenatorless perfusion rewarming following surface-induced deep hypothermia for (Mohri et al.), 792
method of preventing air embolus in (Lemole and Pinder), 557
Operative treatment of active endocarditis (Stinson et al.), 659
Origin, anomalous, of left coronary artery from right pulmonary artery: surgical repair in 10-month-old child (Doty et al.), 787
technique for definitive correction of: subclavian–coronary artery anastomosis (Senderoff et al.), 142
Orthotopic canine heart transplantation: left ventricular contractility during chronic rejection (Penn et al.), 526
Ostia, coronary, surgical treatment of aneurysm of ascending aorta with aortic insufficiency and marked displacement of (Zubiate and Kay), 415
Outflow tract obstruction, left ventricular, in children, late results of surgery for (Lawson et al.), 334
new technique for treatment of: aortoventriculoplasty (Rastan and Koncz), 920
severe, operation for relief of (Symbas et al.), 245
right ventricular, with valved conduit in 75 cases of congenital heart disease, reconstruction of (Moore et al.), 11
Outlet, double-, left ventricle, solitus-concordant, with L-malposition and tricuspid stenosis with hypoplastic right ventricle, surgical "correction" of (Sharratt et al.), 853
right ventricle with bilateral conus, l-transposition of great arteries (S,D,L), and subpulmonary ventricular septal defect, successful repair of (Yamaguchi et al.), 366
collective review with surgical viewpoint (Stewart), 355
hemolysis following correction of (Singh et al.), 226
with tunnel from left ventricle to aorta (Neches et al.), 685
Output, cardiac, in infants and children after open-heart surgery (Truccone et al.), 410
Oxygen consumption, myocardial (Peters), 149 (Letter)
toxicity, protection afforded by anemia and pulmonary denervation against lung lesions of: centineurogenic etiology of respiratory distress syndrome (Moss et al.), 614
transfer and bubble mechanics (Hammond and Bowley), 422
Oxygenation, extracorporeal, with various experimental venoarterial bypasses during prolonged apnea (Derks et al.), 666
Oxygenator support, membrane, and pulmonary lavage for acute respiratory failure, combination of (Cooper et al.), 304
extracorporeal, prolonged, and pulmonary embolectomy, survival following combination of: cardiorespiratory failure secondary to peripheral pulmonary emboli (Cooper et al.), 872
Oxygenatorless, heparinless perfusion rewarming following surface-induced deep hypothermia for open-heart surgery (Mohri et al.), 792

P

Pacemaker, cardiac, radioisotope-powered, new, preliminary clinical experience with (Smyth et al.), 262
catheter techniques, special: transmediastinal placement of sensing electrodes (Kleinert et al.), 493
myth, non–hermeticaly sealed, or, Navy-Ribicoff 22,000—FDA-Weinberger 0 (Tyers and Brownlee), 253
unipolar, due to muscle potentials, interference with function of (Anderson et al.), 698
Pacing, cardiac, permanent, significance of electrode surface area and stimulating thresholds in (Smyth et al.), 559
-induced heart rate augmentation, hemodynamic effects of: study in patients early after mitral and aortic valve operations (Mary et al.), 520
Paecilomyces varioti endocarditis on prosthetic aortic valve (McClellan et al.), 472
Parenteral hyperalimentation and subclavian vein catheterization, complication of: chylothorax (Thurer), 465
Patency, graft, bypass, coronary, and operative flow measurements (Marco et al.), 545
Patent ductus arteriosus in premature infants: indications for surgery (Rittenhouse et al.), 187
in small preterm infants, improving results of ligation of (Nelson et al.), 169
Pathogenesis and surgical treatment: solitary peripheral pulmonary artery aneurysms (Ungaro et al.), 566
Pectus excavatum, does it cause functional disability? (Nolan et al.), 148 (Letter)
Penetrating lung injury, experimental, does it occur after: systemic air embolism (Waldo et al.), 96
Perfusion, coronary, during myocardial hypoxia, effects of: comparison of metabolic and hemodynamic events with global ischemia and hypoxemia (Liedtke et al.), 726
rewarming, oxygenatorless, heparinless, following surface-induced deep hypothermia for open-heart surgery (Mohri et al.), 792
venovenous, changes in extravascular lung water during (Demling et al.), 291
Pericardial, intra-, cardiac surgery, chylothorax after median sternotomy for (Joyce et al.), 476
Plasma ionic calcium levels following injection of chloride, gluconate, and gluceptate salts of calcium (White et al.), 609
Pleural mesothelioma, malignant: report of 19 cases (Shearin and Jackson), 621
Poppet-disc prosthesis in aortic position, cocking of: cause of intermittent aortic regurgitation (Hammer et al.), 259
Porcine xenograft without long-term anticoagulation, aortic valve replacement with (Pipkin et al.), 179
Potentials, muscle, interference with function of unipolar pacemaker due to (Anderson et al.), 698

Predictors, physiological, potential, of respiratory adequacy following cardiac surgery, analysis of (Hilberman et al.), 711
Pregnancy, bacterial endocarditis in: successful surgical correction (Nazarian et al.), 880
Preinfarction angina, management of: evaluation and comparison of medical versus surgical therapy in 43 patients (Berk et al.), 110
Premature infants, patent ductus arteriosus in: indications for surgery (Rittenhouse et al.), 187
Pressure, filling, left atrial, analysis of direct and indirect measurements of (Humphrey et al.), 643
stenosis, and flow, arterial (Rodbard and Kikuchi), 891
Preterm infants, small, improving results of ligation of patent ductus arteriosus in (Nelson et al.), 169
Primary pulmonary cancers and pulmonary metastases, prognostic value of measuring gross linear radial growth of (Spratt and Spratt), 274
Prophylaxis assay, cephalothin, during cardiopulmonary bypass (Williams and Steele), 207
Propranolol test, postvalvulotomy, to determine reversibility of residual gradient in pulmonary stenosis (Moulaert et al.), 865
Prosthesis(es), aortic, composite-strut, nonanticoagulated, thrombotic phenomena with (Stein et al.), 680
arterial, smooth-walled (Sauvage), 147 (Letter)
Beall, in 209 patients, results of mitral valve replacement with (Fernandez et al.), 218
poppet-disc, in aortic position, cocking of: cause of intermittent aortic regurgitation (Hammer et al.), 259
Starr-Edwards, cloth-covered, long-term follow-up of (Carey), 694
early and late results with: tricuspid valve prosthetic replacement (Sanfelippo et al.), 441
isolated replacement of mitral valve with: eleven-year review (Barnhorst et al.), 230
valve, aortic, Björk-Shiley, thrombosed, surgical treatment of (Gray et al.), 429
Beall, potentially lethal complication of: disc variance (Montoya et al.), 904
mitral, Beall (Siewers), 147 (Letter)
tricuspid, shown by isotope angiocardiography, malfunction of (Malcolm et al.), 134
Prosthetic aortic valve, *Paecilomyces varioti* endocarditis on (McClellan et al.), 472
Pseudoaneurysm, mycotic, infrarenal: late complication of coronary bypass surgery with proximal aortic dissection (Riester and Serrano), 633
Pulmonary, aorto-, fistula, bleeding, surgical management of (Guinn et al.), 554
artery aneurysms, peripheral, solitary: pathogenesis and surgical treatment (Ungaro et al.), 566
–ascending aorta shunt, right (Idriss et al.), 49
band and ventricular septal defect, abnormalities of regional lung function associated with (Sade et al.), 572
banding, repair of ventricular septal defect after (Seybold-Epting et al.), 392
diagnosed preoperatively by angiocardiography, leiomyosarcoma of: replacement with composite graft (Killebrew and Gerbode), 469
new approach for introduction of flow-guided catheter into: proximal basilic vein (Mandel and Barash), 376
right, anomalous origin of left coronary artery from: surgical repair in 10-month-old child (Doty et al.), 787
Pulmonary—Cont'd
blood flow, inadequate, rare hemodynamic cause for failure of Blalock-Taussig anastomosis to relieve: mitral atresia with premature closure of foramen ovale (Friedman et al.), 118
circulation, effects of isoproterenol and dopamine on (Mentzer et al.), 807
denervation and anemia against lung lesions of oxygen toxicity, protection afforded by: centineurogenic etiology of respiratory distress syndrome (Moss et al.), 614
emboli, peripheral, cardiorespiratory failure secondary to: survival following combination of prolonged extracorporeal membrane oxygenator support and pulmonary embolectomy (Cooper et al.), 872
infarction following ligation of terminally shunted pulmonary artery (Marcelletti and McGoon), 746
lavage and membrane oxygenator support for acute respiratory failure, combination of (Cooper et al.), 304
leiomyomatous hamartomas, multiple, in women (Becker et al.), 631
mechanics in hyperventilating, normal volunteers, effects of carbon dioxide on (Hilberman et al.), 268
metastases and primary pulmonary cancers, prognostic value of measuring gross linear radial growth of (Spratt and Spratt), 274
neoplasms, use of bronchoscopic sponge biopsy in diagnosis of (Akins et al.), 309
pathology in acute respiratory insufficiency: lung biopsy as diagnostic tool (Hill et al.), 64
stenosis, postvalvulotomy propranolol test to determine reversibility of residual gradient in (Moulaert et al.), 865
and subaortic VSD, complete correction of double-outlet right ventricle with situs inversus, l-loop, and l-malposition (I,L,L) with (Stewart et al.), 129
valve replacement: report of operation performed for calcific pulmonic stenosis associated with total anomalous pulmonary venous drainage and atrial septal defect (Akins et al.), 721
venous drainage, anomalous, partial, into superior vena cava, new surgical approach for correction of (Chartrand et al.), 29

R

Radioisotope-powered cardiac pacemaker, new, preliminary clinical experience with (Smyth et al.), 262
Reconstruction, Collis-Belsey, of esophagogastric junction: indications, physiology, and technical considerations (Orringer and Sloan), 295
of right ventricular outflow tract with valved conduit in 75 cases of congenital heart disease (Moore et al.), 11
Regurgitation, aortic, intermittent, cause of: cocking of poppet-disc prosthesis in aortic position (Hammer et al.), 259
mitral, due to rupture of chordae of posterior (mural) cusp, late results of valvoplasty for (Ross et al.), 533
Rejection, chronic, left ventricular contractility during: orthotopic canine heart transplantation (Penn et al.), 526
Removal, microaggregate, from extracorporeal circulation, disposable filters for (Guidoin et al.), 502
nonsurgical, of foreign body from right heart: new percutaneous approach (King et al.), 785
Renal failure following cardiac operations, etiology, incidence, and prognosis of: results of prospective analysis of 500 consecutive patients (Abel et al.), 323

Renal—Cont'd
infra-, mycotic pseudoaneurysm: late complication of coronary bypass surgery with proximal aortic dissection (Riester and Serrano), 633
intraventricular, of transposition complexes with ventricular septal defect (Cooley et al.), 461
successful, of double-outlet right ventricle with bilateral conus, l-transposition of great arteries (S,D,L), and subpulmonary ventricular septal defect (Yamaguchi et al.), 366
after pulmonary artery banding (Seybold-Epting et al.), 392
Replacement with composite graft: leiomyosarcoma of pulmonary artery diagnosed preoperatively by angiocardiography (Killebrew and Gerbode), 469
isolated, of mitral valve with Starr-Edwards prosthesis: eleven-year review (Barnhorst et al.), 230
prosthetic, valve, tricuspid: early and late results with Starr-Edwards prosthesis (Sanfelippo et al.), 441
valve, aortic, myocardial infarction complicating (Sharratt et al.), 869
with porcine xenograft without long-term anticoagulation, evaluation of (Pipkin et al.), 179
technique of (Girardet and Wheat), 446
double, improved technique of (Lemole and Cuasay), 759
mitral, with Beall prosthesis in 209 patients, results of (Fernandez et al.), 218
chronic hemolysis following: comparative study of Björk-Shiley, composite-seat Starr-Edwards, and frame-mounted aortic homograft valves (Ahmad et al.), 212
pulmonary: report of operation performed for calcific pulmonic stenosis associated with total anomalous pulmonary venous drainage and atrial septal defect (Akins et al.), 721
Resection of aortic arch aneurysm: simplified technique (Chu and Lien), 846
carinal: report of two cases and description of anesthetic technique (Theman et al.), 314
tracheal, in puppies, reduction of tension at anastomosis following (Kotake and Grillo), 600
Respiration, external, after experimental lung autotransplantation, function of (Rabinovich), 815
Respiratory adequacy following cardiac surgery, analysis of potential physiological predictors of (Hilberman et al.), 711
distress syndrome, centineurogenic etiology of: protection afforded by anemia and pulmonary denervation against lung lesions of oxygen toxicity (Moss et al.), 614
failure, acute, combination of membrane oxygenator support and pulmonary lavage for (Cooper et al.), 304
insufficiency, acute, pulmonary pathology in: lung biopsy as diagnostic tool (Hill et al.), 64
problems requiring tracheotomy, elective use in: cricothyroidotomy (Brantigan and Grow), 72
Revascularization, myocardial: early and late results after reoperation (Oglietti et al.), 736
systemic hypertension following: method of treatment using epidural anesthesia (Hoar et al.), 859
Rheumatic heart disease, myocardial infarction complicated by (Schoonmaker and Grow), 433
Ring, mitral, stenotic, supravalvular: new case with surgical correction (Otero Coto et al.), 537
vascular, rare form of: left aortic arch with right descending aorta and right ligamentum arteriosum (Park et al.), 779
Rupture of atria, traumatic, blunt (Smith et al.), 617
of chordae of posterior (mural) cusp, late results of valvoplasty for mitral regurgitation due to (Ross et al.), 533

S

Samson Thoracic Surgical Society: Announcement of 1976 Annual Meeting, 153
Announcement and Program of 1976 Annual Meeting, 641
List of Officers and Members, 1975-1976, 155
Saphenous vein and internal mammary artery bypass grafting, surgical treatment of unstable angina by (Geha et al.), 348
Scanning electron microsope study of human veins and aorta–coronary artery vein grafts (Barboriak et al.), 673
Scimitar syndrome (Szalay), 150 (Letter)
Scintigraphic and electrocardiographic criteria of myocardial injury after cardiac surgery, concordance of (Klein et al.), 934
Sealed, non–hermetically, pacemaker myth, or, Navy-Ribicoff 22,000—FDA-Weinberger 0 (Tyers and Brownlee), 253
Secundum atrial septal defect encountered in infancy (Spangler et al.), 398
Sensing electrodes, transmediastinal placement of: special pacemaker catheter techniques (Kleinert et al.), 493
Septum, ventricular, membranous, aneurysm of: surgical consideration and experience in 29 cases (Vidne et al.), 402
Shock lung syndrome, pharmacologic doses in: methylprednisolone (Sladen), 800
Shunt, ascending aorta–right pulmonary artery (Idriss et al.), 49
left ventricular–right atrial: unusual cause of hemodynamic deterioration following aortic valve surgery (Galbraith et al.), 383
Siblings, four, familial myxomas in (Liebler et al.), 605
Sinus of Valsalva, congenital aneurysm of, protruding into left ventricle: review of diagnosis and treatment of unruptured aneurysm (Heydorn et al.), 839
Snaring of Swan-Ganz catheter (Block), 917
Sponge biopsy, bronchoscopic, in diagnosis of pulmonary neoplasms, use of (Akins et al.), 309
Starr-Edwards, composite-seat, Björk-Shiley, and frame-mounted aortic homograft valves, comparative study of: chronic hemolysis following mitral valve replacement (Ahmad et al.), 212
prosthesis(es), cloth-covered, long-term follow-up of (Carey), 694
early and late results with: tricuspid valve prosthetic replacement (Sanfelippo et al.), 441
isolated replacement of mitral valve with: eleven-year review (Barnhorst et al.), 230
Stenosis in distal runoff artery, effects of varying angle of implantation at proximal anastomosis and of producing: intimal changes in arteriovenous bypass grafts (Bond et al.), 907
pressure, and flow, arterial (Rodbard and Kikuchi), 891
pulmonary, postvalvulotomy propranolol test to determine reversibility of residual gradient in (Moulaert et al.), 865
and subaortic VSD, complete correction of double-outlet right ventricle with situs inversus, l-loop, and l-malposition (I,L,L) with (Stewart et al.), 129

Stenosis—Cont'd
pulmonic, calcific, associated with total anomalous pulmonary venous drainage and atrial septal defect, report of operation performed for: pulmonary valve replacement (Akins et al.), 721
severe, of viable homograft aortic valve (Lorch et al.), 932
tricuspid, with hypoplastic right ventricle, surgical "correction" of solitus-concordant, double-outlet left ventricle with L-malposition and (Sharratt et al.), 853
Stenotic mitral ring, supravalvular: new case with surgical correction (Otero Coto et al.), 537
Sternotomy, median, for intrapericardial cardiac surgery, chylothorax after (Joyce et al.), 476
Stimulating thresholds and electrode surface area in permanent cardiac pacing, significance of (Smyth et al.), 559
Stress, coronary collateral circulation during, and effects of aorta-coronary bypass grafts (Cox et al.), 540
Subaortic VSD and pulmonary stenosis, complete correction of double-outlet right ventricle with situs inversus, l-loop, and l-malposition (I,L,L) with (Stewart et al.), 129
Subclavian–coronary artery anastomosis: technique for definitive correction of anomalous origin of left coronary artery (Senderoff et al.), 142
vein catheterization and parenteral hyperalimentation, complication of: chylothorax (Thurer), 465
Surgery, artery, coronary, acute hypertension immediately after (Viljoen et al.), 548
cardiac, analysis of potential physiological predictors of respiratory adequacy following (Hilberman et al.), 711
concordance of electrocardiographic and scintigraphic criteria of myocardial injury after (Klein et al.), 934
open, use of balloon-tipped vena caval cannulas during (Bailey et al.), 691
cardiovascular, for neonates, technical considerations in (Cooley), 551
open-heart, cardiac output in infants and children after (Truccone et al.), 410
heparinless, oxygenatorless perfusion rewarming following surface-induced deep hypothermia for (Mohri et al.), 792
method of preventing air embolus in (Lemole and Pinder), 557
Surgical-medical aspects of left main coronary artery disease (Mehta et al.), 137
versus medical therapy in 43 patients, evaluation and comparison of: management of preinfarction angina (Berk et al.), 110
therapy of lung cancer (Vincent et al.), 581
treatment for lung cancer with metastasis to mediastinal lymph nodes (Naruke et al.), 279
Swan-Ganz catheter, snaring of (Block), 917
Syndrome, distress, respiratory, centineurogenic etiology of: protection afforded by anemia and pulmonary denervation against lung lesions of oxygen toxicity (Moss et al.), 614
lung, shock, pharmacologic doses in: methylprednisolone (Sladen), 800
Marfan's, false aneurysm of ascending aorta after surgery for: report of case and review of literature (Nair), 765
scimitar (Szalay), 150 (Letter)
valve, mitral, floppy, in children, surgical treatment of (Eguchi et al.), 899
Systemic air embolism: Does it occur after experimental penetrating lung injury? (Waldo et al.), 96

T

Tamponade complicating cardiac surgery, its value in diagnosis of: bedside hemodynamic monitoring (Weeks et al.), 250
Techniques, catheter, pacemaker, special: transmediastinal placement of sensing electrodes (Kleinert et al.), 493
Tension at anastomosis following tracheal resection in puppies, reduction of (Kotake and Grillo), 600
Thoracic aortic injuries, closed, surgical treatment for (Applebaum et al.), 458
Thoracotomy in patients with chronic obstructive airway disease, epidural anesthesia following (Shuman and Peters), 82
Thresholds, stimulating, and electrode surface area in permanent cardiac pacing, significance of (Smyth et al.), 559
Thrombosed Björk-Shiley aortic valve prosthesis, surgical treatment of (Gray et al.), 429
Thrombotic phenomena with nonanticoagulated, composite-strut aortic prostheses (Stein et al.), 680
Toxicity, oxygen, protection afforded by anemia and pulmonary denervation against lung lesions of: centineurogenic etiology of respiratory distress syndrome (Moss et al.), 614
Tracheal resection in puppies, reduction of tension at anastomosis following (Kotake and Grillo), 600
Tracheoesophageal fistula, acquired, in ventilator patients, procedure for management of (Bartlett), 89
Tracheotomy, elective use in respiratory problems requiring: cricothyroidotomy (Brantigan and Grow), 72
Tract obstruction, outflow, left ventricular, in children, late results of surgery for (Lawson et al.), 334
severe, operation for relief of (Symbas et al.), 245
outflow, ventricular, right, with valved conduit in 75 cases of congenital heart disease, reconstruction of (Moore et al.), 11
Transfer, oxygen, and bubble mechanics (Hammond and Bowley), 422
Transplantation, heart, canine, orthotopic: left ventricular contractility during chronic rejection (Penn et al.), 526
Transposition complexes with ventricular septal defect, intraventricular repair of (Cooley et al.), 461
of great arteries, complete, associated with large ventricular septal defect, operative indication for corrective surgery in cases of (Mori et al.), 750
(S,D,L), bilateral conus, and subpulmonary ventricular septal defect, successful repair of double-outlet right ventricle with (Yamaguchi et al.), 366
Traumatic hematoma, acute, of aorta (Austin and Carsen), 321 (Letter); Reply (Kirsh), 321
rupture of atria, blunt (Smith et al.), 617
Tricuspid stenosis with hypoplastic right ventricle, surgical "correction" of solitus-concordant, double-outlet left ventricle with L-malposition and (Sharratt et al.), 853
valve prosthesis shown by isotope angiocardiography, malfunction of (Malcolm et al.), 134
prosthetic replacement: early and late results with Starr-Edwards prosthesis (Sanfelippo et al.), 441
Truncus arteriosus, surgical treatment of, with emphasis on infants and small children (Appelbaum et al.), 436
Tube, Celestin, to anterior abdominal wall, fixation of: new technique (Asfaw et al.), 286

Tumor-like angiofibromatous proliferative lesion, epicardial: unusual complication of coronary bypass surgery (Lie et al.), 517
Tunnel, aortico–left ventricular: clinical profile, diagnostic features, and surgical considerations (Okoroma et al.), 238
from left ventricle to aorta, double-outlet right ventricle with (Neches et al.), 685

U

Unipolar pacemaker due to muscle potentials, interference with function of (Anderson et al.), 698
Urine and blood catecholamine concentrations after implantation of artificial heart (Stanley et al.), 704

V

Valsalva, congenital aneurysm of sinus of, protruding into left ventricle: review of diagnosis and treatment of unruptured aneurysm (Heydorn et al.), 839
Valve(s), aortic, homograft, viable, severe stenosis of (Lorch et al.), 932
prosthetic, *Paecilomyces varioti* endocarditis on (McClellan et al.), 472
mitral, isolated replacement of, with Starr-Edwards prosthesis: eleven-year review (Barnhorst et al.), 230
operations, mitral and aortic, study in patients early after: hemodynamic effects of heart rate augmentation (Mary et al.), 520
pivoting disc, Lillehei-Kaster, in patients, hemodynamic evaluation of (Starek et al.), 123
prosthesis, aortic, Björk-Shiley, thrombosed, surgical treatment of (Gray et al.), 429
Beall, potentially lethal complication of: disc variance (Montoya et al.), 904
mitral, Beall (Siewers), 147 (Letter)
tricuspid, shown by isotope angiocardiography, malfunction of (Malcolm et al.), 134
prosthetic replacement, tricuspid: early and late results with Starr-Edwards prosthesis (Sanfelippo et al.), 441
replacement, aortic, myocardial infarction complicating (Sharratt et al.), 869
with porcine xenograft without long-term anticoagulation, evaluation of (Pipkin et al.), 179
technique of (Girardet and Wheat), 446
double, improved technique of (Lemole and Cuasay), 759
mitral, with Beall prosthesis in 209 patients, results of (Fernandez et al.), 218
chronic hemolysis following: comparative study of Björk-Shiley, composite-seat Starr-Edwards, and frame-mounted aortic homograft valves (Ahmad et al.), 212
pulmonary: report of operation performed for calcific pulmonic stenosis associated with total anomalous pulmonary venous drainage and atrial septal defect (Akins et al.), 721
in saphenous vein graft before coronary artery bypass, valvulotomy of (Mills and Ochsner), 878
surgery, aortic, unusual cause of hemodynamic deterioration following: left ventricular–right atrial shunt (Galbraith et al.), 383
syndrome, mitral, floppy, in children, surgical treatment of (Eguchi et al.), 899
venous, in aorto-coronary bypass grafts, hemodynamic effects of (Baba et al.), 774
Valved conduit in 75 cases of congenital heart disease, reconstruction of right ventricular outflow tract with (Moore et al.), 11
Valvoplasty for mitral regurgitation due to rupture of chordae of posterior (mural) cusp, late results of (Ross et al.), 533
Valvular, supra-, stenotic mitral ring: new case with surgical correction (Otero Coto et al.), 537
Valvulotomy, post-, propranolol test to determine reversibility of residual gradient in pulmonary stenosis (Moulaert et al.), 865
of values in saphenous vein graft before coronary artery bypass (Mills and Ochsner), 878
Vascular, intra-, carbon dioxide washout, prevention of air embolism with (Roe), 628
ring, rare form of: left aortic arch with right descending aorta and right ligamentum arteriosum (Park et al.), 779
Vein(s), basilic, proximal: new approach for introduction of flow-guided catheter into pulmonary artery (Mandel and Barash), 376
catheterization, subclavian, and parenteral hyperalimentation, complication of: chylothorax (Thurer), 465
human, and aorta–coronary artery vein grafts, scanning electron microscope study of (Barboriak et al.), 673
saphenous, and internal mammary artery bypass grafting, surgical treatment of unstable angina by (Geha et al.), 348
Vena cava–right atrial junction, superior, patent, transvenous wafer occlusion of: nonoperative management of late failure of Glenn anastomosis (Bailey et al.), 371
superior, new surgical approach for correction of partial anomalous pulmonary venous drainage into (Chartrand et al.), 29
caval cannulas, balloon-tipped, during open cardiac surgery, use of (Bailey et al.), 691
Venoarterial bypass(es), experimental, various, during prolonged apnea, extracorporeal oxygenation with (Derks et al.), 666
heparinless, prolonged, successful, in sheep (Wakabayashi et al.), 648
Venovenous perfusion, changes in extravascular lung water during (Demling et al.), 291
Ventilator patients, procedure for management of acquired tracheoesophageal fistula in (Bartlett), 89
Ventricle, left, double-outlet, solitus-concordant, with L-malposition and tricuspid stenosis with hypoplastic right ventricle, surgical "correction" of (Sharratt et al.), 853
right, double-outlet, with bilateral conus, l-transposition of great arteries (S,D,L), and subpulmonary ventricular septal defect, successful repair of (Yamaguchi et al.), 366
collective review with surgical viewpoint (Stewart), 355
hemolysis following correction of (Singh et al.), 226
with situs inversus, l-loop, and l-malposition (I,L,L) with subaortic VSD and pulmonary stenosis, complete correction of (Stewart et al.), 129
with tunnel from left ventricle to aorta (Neches et al.), 685
Ventricular contractility, left, during chronic rejection: orthotopic canine heart transplantation (Penn et al.), 526
exclusion, right, and right atrial partition: another surgical approach for complex cyanotic congenital heart disease (Lamberti et al.), 386
outflow tract obstruction, left, in children, late results of surgery for (Lawson et al.), 334

Ventricular outflow tract obstruction, left—Cont'd
new technique for treatment of: aortoventriculoplasty (Rastan and Koncz), 920
severe, operation for relief of (Symbas et al.), 245
right, with valved conduit in 75 cases of congenital heart disease, reconstruction of (Moore et al.), 11
–right atrial shunt, left: unusual cause of hemodynamic deterioration following aortic valve surgery (Galbraith et al.), 383
septal defect, intraventricular repair of transposition complexes with (Cooley et al.), 461
large, operative indication for corrective surgery in cases of complete transposition of great arteries associated with (Mori et al.), 750
and pulmonary artery band, abnormalities of regional lung function associated with (Sade et al.), 572
after pulmonary artery banding, repair of (Seybold-Epting et al.), 392
septum, membranous, aneurysm of: surgical consideration and experience in 29 cases (Vidne et al.), 402
tunnel, aortico–left: clinical profile, diagnostic features, and surgical considerations (Okoroma et al.), 238
volume, left, functional reductions in: minimum chamber size consonant with effective hemodynamic performance (Liedtke et al.), 195
Ventriculotomy, right, contribution of atrial contraction to right heart function before and after: experimental and clinical observations (Guyton et al.), 1
Volume, ventricular, left, functional reductions in: minimum chamber size consonant with effective hemodynamic performance (Liedtke et al.), 195
VSD, subaortic, and pulmonary stenosis, complete correction of double-outlet right ventricle with situs inversus, l-loop, and l-malposition (I,L,L) with (Stewart et al.), 129

W

Wall, abdominal, anterior, fixation of Celestin tube to: new technique (Asfaw et al.), 286
Washout, carbon dioxide, intravascular, prevention of air embolism with (Roe), 628
Water accumulation, lung (Marty), 321 (Letter); Reply (Cooper and Lowenstein), 322
lung, extravascular, during venovenous perfusion, changes in (Demling et al.), 291
Women, multiple pulmonary leiomyomatous hamartomas in (Becker et al.), 631

X

Xenograft, porcine, without long-term anticoagulation, aortic valve replacement with (Pipkin et al.), 179

The Journal of THORACIC AND CARDIOVASCULAR SURGERY

Official organ, The American Association for Thoracic Surgery and The Samson Thoracic Surgical Society

Editor BRIAN BLADES, *Washington, D. C.*

Associate editors THOMAS H. BURFORD, *St. Louis*
PAUL ADKINS, *Washington, D. C.*

Advisory editorial board
RALPH D. ALLEY, *Albany*
EDWARD J. BEATTIE, JR., *New York*
O. THERON CLAGETT, *Rochester, Minn.*
DONALD B. EFFLER, *Cleveland*
HERMES C. GRILLO, *Boston*
JOHN C. JONES, *Los Angeles*
JOHN W. KIRKLIN, *Birmingham*
HIRAM T. LANGSTON, *Chicago*
GEORGE G. LINDESMITH, *Los Angeles*
GEORGE J. MAGOVERN, *Pittsburgh*
HERBERT C. MAIER, *New York*
JAMES R. MALM, *New York*
DWIGHT C. McGOON, *Rochester, Minn.*
THOMAS F. NEALON, JR., *New York*
DONALD L. PAULSON, *Dallas*
FREDERICK G. PEARSON, *Toronto*
DAVID C. SABISTON, JR., *Durham, N. C.*
PAUL C. SAMSON, *Oakland*
FRANK C. SPENCER, *New York*

Editorial consultant LEO ELOESSER, *San Francisco*

EVARTS A. GRAHAM, *Editor, 1931-1957*
EMILE HOLMAN, *Editor, 1957-1962*

Volume 72, July-December, 1976
The C. V. Mosby Company
St. Louis, Mo.

Volume 72
Copyright © 1976 by The C. V. Mosby Company
All rights reserved
Printed in the United States of America

Author index*

A

AGOSTI, JULIO (*See* CHIARIELLO ET AL.), 182
AGUSTSSON, MAGNUS H. (*See* KLINT ET AL.), 89
ALONSO-LEJ, FERNANDO. Discussion of effects of coronary perfusion on left ventricle, 754
—.Discussion of tricuspid regurgitation, 871
ALEXANDER, JAMES A. (*See* FELDTMAN ET AL.), 288
—. (*See* STANFORD ET AL.), 441
ALLEY, RALPH D. (*See* MCKNEALLY ET AL.), 333
ALLMENDINGER, PHILIP D. (*See* LOOSER ET AL.), 280
ALMOND, CARL H. (*See* ELKADI ET AL.), 435
—. (*See* JUNG ET AL.), 291
ALTMAN, RAÚL, BOULLON, FERNANDO, ROUVIER, JORGE, RACA, RAÚL, DE LA FUENTE, LUIS, and FAVALORO, RENE. Aspirin and prophylaxis of thromboembolic complications in patients with substitute heart valves, 127
ANDERSON, ALFRED J. (*See* BLUMLEIN ET AL.), 778
ANDERSON, EDWARD T., and HANCOCK, E. WILLIAM. Long-term follow-up of aortic valve replacement with the fresh aortic homograft, 150
ANDO, FUMITAKA, SHIROTANI, HITOSHI, KAWAI, JUN, KANZAKI, YOSHIO, SETSUIE, NAOKI, YAMAGUCHI, KATSUO, OKAMOTO, FUMIO, YOKOYAMA, TATSUO, MAKINO, SEIICHIRO, TATEISHI, KAZUMA, and NISHI, KAYO. Successful total repair of complicated cardiac anomalies with asplenia syndrome, 33
ANDRASSY, RICHARD J. (*See* FELDTMAN ET AL.), 288
ANKENEY, JAY L. (*See* SNOW and ANKENEY), 925
ANSBRO, JOHN, CLARK, RALPH, and GERBODE, FRANK. Successful surgical correction of an embolized prosthetic valve poppet: case report, 130
APPELBAUM, AZAI (*See* BLACKSTONE ET AL.), 661
ARCILLA, RENE A. (*See* GAZZANIGA ET AL.), 357
AROM, KIT V. (*See* SMITH ET AL.), 296
ASFAOU, E. (*See* CARPENTIER ET AL.), 854
ASHCRAFT, KEITH W. Discussion of anatomic correction of transposition of great vessels, 370
ATTAR, SAFUH (*See* TURNEY ET AL.), 727
AUST, JOHN C. (*See* KUSAJIMA ET AL.), 115
AYELLA, ROBERT (*See* TURNEY ET AL.), 727

B

BABB, JOSEPH D. (*See* LEAMAN ET AL.), 67
BACOS, JAMES M. (*See* GARCIA ET AL.), 593
BAGSHAW, ROGER J., and COX, ROBERT H. Effect of thoracotomy upon the carotid sinus control of regional hemodynamics in the dog, 618
BAILEY, LEONARD L. Reply to balloon-tipped vena caval cannula, 948
BAIN, W. H. (*See* TAYLOR ET AL.), 57
BARASH, PAUL (*See* NUDEL ET AL.), 644
BARBORIAK, JOSEPH J. (*See* BLUMLEIN ET AL.), 778
BARRATT-BOYES, B. G., HARRIS, E. A., KENYON, A. M., LINDOP, C. A., and SEELYE, E. R. Coronary perfusion and myocardial metabolism during open-heart surgery in man, 133
—. (*See* MATHUR ET AL.), 221
BASUALDO, CARLOS A. E. (*See* HARAPHONGSE ET AL.), 269
BEATTIE, EDWARD J., JR. (*See* WANEBO ET AL.), 339
BEKERMAN, C. (*See* DEMEESTER ET AL.), 699
BERGMANN, MARTIN (*See* DAVIS ET AL.), 408
BERK, JAMES L. (*See* POPOVSKY ET AL.), 609
BERMAN, MICHAEL A. (*See* NUDEL ET AL.), 644
BERMUDEZ, GUSTAVE (*See* MIDELL ET AL.), 80
BESICH, WILLIAM J. (*See* STANFORD ET AL.), 441
BHARATI, SAROJA, and LEV, MAURICE. The conduction system in simple, regular (d-), complete transposition with ventricular septal defect, 194
—, MCALLISTER, HUGH A., JR., TATOOLES, CONSTANTINE J., MILLER, ROBERT A., WEINBERG, MILTON, JR., BUCHELERES, H. GUNTHER, and LEV, MAURICE. Anatomic variations in underdeveloped right ventricle related to tricuspid atresia and stenosis, 383
BIDDLE, THEODORE (*See* STEWART ET AL.), 109
BITRAN, J. (*See* DEMEESTER ET AL.), 699
BLACKSTONE, EUGENE H., KIRKLIN, JOHN W., BRADLEY, EDWIN L., DUSHANE, JAMES W., and APPELBAUM, AZAI. Optimal age and results in repair of large ventricular septal defects, 661
BLAISDELL, F. WILLIAM. Air embolism in penetrating lung injury, 815 (Letter)
BLONDEAU, PH. (*See* CARPENTIER ET AL.), 854
BLUMLEIN, STEVEN L., ANDERSON, ALFRED J., BARBORIAK, JOSEPH J., RIMM, ALFRED A., WALKER, JOHN, and FLEMMA, ROBERT. Preoperative risk factors and aorta-coronary bypass graft patency, 778
BOLANOWSKI, PAUL J. P. (*See* NEVILLE ET AL.), 525, 596
BOLOOKI, HOOSHANG, WILLIAMS, WILLIS, THURER, RICHARD J., VARGAS, ABELARDO, KAISER, GERARD A., MACK, FRANK, and GHAHRAMANI, ALI R. With the assistance of Adrienne Fried and Stana Novak. Clinical and hemodynamic criteria for use of the intra-aortic balloon pump in patients requiring cardiac surgery, 756, 768
BOULLON, FERNANDO (*See* ALTMAN ET AL.), 127
BOURASSA, MARTIAL G. (*See* CHAITMAN ET AL.), 265
BOYD, ARTHUR D. Discussion of tricuspid regurgitation, 872
BRADLEY, EDWIN L. (*See* BLACKSTONE ET AL.), 661

*July, pp. 1-166; August, pp. 167-332; September, pp. 333-494; October, pp. 495-660; November, pp. 661-822; December, pp. 823-978.

BRAIMBRIDGE, M. V. (*See* FARNSWORTH and BRAIMBRIDGE), 945
—. (*See* HEARSE ET AL.), 880
BRAIS, MAURICE (*See* BRAUNWALD ET AL.), 539
BRANCHINI, B. (*See* CARPENTIER ET AL.), 854
BRANDT, RALPH L. (*See* GAGO ET AL.), 209
BRAUNWALD, NINA S., BRAIS, MAURICE, and CASTANEDA, ALDO. Considerations in the development of artificial heart valve substitutes for use in infants and small children, 539
BRAWLEY, ROBERT K. (*See* MERRILL ET AL.), 929
BREGMAN, DAVID, BRENNAN, F. JAMES, SINGER, ALFRED, VINCI, JOSEPH, PARODI, EDUARDO N., CASSARELLA, WILLIAM J., and EDIE, RICHARD N. Anomalous origin of the right coronary artery from the pulmonary artery, 626
—. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 766
BRENNAN, F. JAMES (*See* BREGMAN ET AL.), 626
BREWER, LYMAN A., III. Discussion of aortic dissection from cross-clamp injury, 713
BREWER, RICHARD J., DECK, J. DAVID, CAPATI, BIENVENIDO, and NOLAN, STANTON P. The dynamic aortic root: its role in aortic valve function, 413
BREYER, ROBERT H., MCCLENATHAN, JAMES H., MICHAELIS, LAWRENCE L., MCINTOSH, CHARLES L., and MORROW, ANDREW G. Tricuspid regurgitation: a comparison of nonoperative management, tricuspid annuloplasty, and tricuspid valve replacement, 867, 873
—, SPRAY, THOMAS L., KASTL, DAVID G., and ROBERTS, WILLIAM C. Histologic changes in saphenous vein aorta-coronary bypass grafts: the effect of the angle of the aortic anastomosis, 916
BROADBENT, JAMES C., TAJIK, ABDUL J., and WALLACE, ROBERT B. Thrombus of inferior vena cava presenting as right atrial tumor: roentgenographic, phonoechocardiographic, angiographic, and surgical findings, 422
BROM, A. G. (*See* THOMPSON ET AL.), 28
BROM, G. (*See* CARPENTIER ET AL.), 854
BROOKS, HELENE (*See* WALLACE ET AL.), 735
BROWN, IVAN W., JR. Discussion of traumatic rupture of the aorta, 733
BROWNLEE, ROBERT R. (*See* TYERS and BROWNLEE), 813
BRYMER, JAMES F., HANNAH, HAMNER, III, PUGH, DAVID M., DUNN, MARVIN, and REIS, ROBERT L. Left ventricular function and coronary obstruction as predictors of survival following aorta-coronary bypass, 73
BUCHELERES, H. GUNTHER (*See* BHARATI ET AL.), 383
BUCKBERG, GERALD D. (*See* OLINGER ET AL.), 503
—. Discussion of effects of coronary perfusion on left ventricle, 753
BUDINGER, JOHN M. (*See* SCHOENFELD and BUDINGER), 581
BUFFLE, PIERRE J. Ventricular pacing with epigastric transdiaphragmatic electrodes: long-term follow-up and comparison with other implantation methods, 226
BURR, LAWRENCE H., and TRAPP, WILLIAM G. Pulmonary embolism: surgery in a hyperbaric chamber, 306
BUTT, KHALID M. H. (*See* ERGIN ET AL.), 892
BYLA, JONAS G. (*See* TARNOFF ET AL.), 933

C

CALDWELL, C. C. (*See* PUROHIT ET AL.), 294
CALINOG, TED A. (*See* TARNOFF ET AL.), 933
CALVIN, JAMES W. (*See* MACUMBER and CALVIN), 299
CANNON, PAUL J. (*See* HABAL ET AL.), 742
CAPATI, BIENVENIDO (*See* BREWER ET AL.), 413
CAREY, JOSEPH S. Discussion of aortic dissection from cross-clamp injury, 713
CARPENTIER, A., BRANCHINI, B., COUR, J. C., ASFAOU, E., VILLANI, M., DELOCHE, A., RELLAND, J., D'ALLAINES, CL., BLONDEAU, PH., PIWNICA, A., PARENZAN, L., and BROM, G. Congenital malformations of the mitral valve in children: pathology and surgical treatment, 854
—. Discussion of tricuspid regurgitation, 873
CARTER, MAX G. Discussion of repeat procedures for myocardial revascularization, 853
CASSARELLA, WILLIAM J. (*See* BREGMAN ET AL.), 626
CASTANEDA, ALDO (*See* BRAUNWALD ET AL.), 539
—. (*See* NORWOOD ET AL.), 454
CHAITMAN, BERNARD R., GRONDIN, CLAUDE M., THÉROUX, PIERRE, and BOURASSA, MARTIAL G. Late development of left ventricular outflow tract obstruction after repair of double-outlet right ventricle, 265
CHESLER, ELLIOT (*See* MITHA ET AL.), 401
CHIARIELLO, LUIGI, AGOSTI, JULIO, VLAD, PETER, and SUBRAMANIAN, S. Congenital aortic stenosis: experience with 43 patients, 182
CHIU, C. J. Air embolism in penetrating lung injury, 815 (Letter)
CHO, SANG Y. (*See* FEOLA ET AL.), 631
CHU, SHU-HSUN. Reply to shunting technique for treatment of aortic arch aneurysm, 947
CIARDULLO, ROBERT, SCHAFF, HARTZELL V., FLAHERTY, JOHN T., and GOTT, VINCENT L. A new method of producing pulsatile flow during cardiopulmonary bypass using a standard roller pump, 585
CITRON, PAUL (*See* SMYTH ET AL.), 565
CLARK, RALPH (*See* ANSBRO ET AL.), 130
CLARKE, C. P., and RICHARDSON, J. P. The management of aortopulmonary window: advantages of transaortic closure with a Dacron patch, 48
CLEMENT, A. J. (*See* FRIESEN and CLEMENT), 875
COHEN, LAWRENCE S. (*See* HAMMOND ET AL.), 575
COHN, LAWRENCE H., COLLINS, JOHN J., JR., and COHN, PETER F. Use of the augmented ejection fraction to select patients with left ventricular dysfunction for coronary revascularization, 835, 840
COHN, PETER F. (*See* COHN ET AL.), 835
COLLINS, GEOFFREY M. (*See* TAFT ET AL.), 784
COLLINS, JOHN J., JR. (*See* COHN ET AL.), 835
COLLIS, J. LEIGH (*See* KALLOOR and COLLIS), 796
COLON, ISRAEL (*See* VEITH ET AL.), 97
CONNOLLY, JOHN E. Discussion of psychomotor and intellectual development after deep hypothermia and circulatory arrest in infancy, 501
—. Discussion of traumatic rupture of the aorta, 733
COOLEY, DENTON A., MULLINS, CHARLES E., and GOOCH, JERRY B. Aneurysm of right-sided cervical arch: surgical removal and graft replacement, 106
—. (*See* HARLAN and COOLEY), 547
—. (*See* VENTEMIGLIA ET AL.), 235
—. Discussion of contribution of anticoagulants to platelet dysfunction with extracorporeal circulation, 741
CORNOG, JOHN L. (*See* HAMMOND ET AL.), 575
COUR, J. C. (*See* CARPENTIER ET AL.), 854
COWLEY, R ADAMS (*See* TURNEY ET AL.), 727
COX, ROBERT H. (*See* BAGSHAW and COX), 618
COX, WILLIAM D. (*See* KLINT ET AL.), 89
CRANE, ROBERT (*See* VEITH ET AL.), 97

Volume 72
Number 6
December, 1976

CULLIFORD, A. T., CUNNINGHAM, J. N., ZEFF, R. H., ISOM, O. W., TEIKO, P., and SPENCER, F. C. Sternal and costochondral infections following open-heart surgery: a review of 2,594 cases, 714, 726
CUNNINGHAM, J. N., JR. (*See* CULLIFORD ET AL.), 714

D

DAGGETT, WILLARD M. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 767
D'ALLAINES, CL. (*See* CARPENTIER ET AL.), 854
DANIELSON, GORDON K. (*See* MCFAUL ET AL.), 910
—. (*See* MARCELLETTI ET AL.), 215, 427
—. (*See* MOODIE ET AL.), 553
DASTGIR, GHULAM (*See* ERGIN ET AL.), 892
DAVILA, JULIO C. (*See* MAGILLIGAN ET AL.), 690
DAVIS, GUSTAVE L., BERGMANN, MARTIN, and O'KANE, HUGH. Leiomyosarcoma of the superior vena cava: a first case with resection, 408
DAVIS, ZEV (*See* MCFAUL ET AL.), 910
DEBOER, ARTHUR (*See* MIDELL ET AL.), 80
DECK, J. DAVID (*See* BREWER ET AL.), 413
DEJOSEPH, ROBERT L. (*See* LEAMAN ET AL.), 67
DELOCHE, A. (*See* CARPENTIER ET AL.), 854
DEMARIA, ANTHONY N. (*See* LURIE ET AL.), 458
DE MARTINO, ANTHONY (*See* GOULD ET AL.), 788
DEMEESTER, T. R., BEKERMAN, C., JOSEPH, J. G., TOSCANO, M. S., GOLOMB, H., BITRAN, J., GROSS, N. J., and SKINNER, D. B. Gallium-67 scanning for carcinoma of the lung, 699, 708
—. Discussion of carcinoma of the lung, 349
DEPALMA, DOMINIC (*See* GOULD ET AL.), 788
DEVEGA, NOBERTO G. Discussion of tricuspid regurgitation, 871
DEWEESE, J. A. (*See* HICKS ET AL.), 52
—. (*See* STEWART ET AL.), 109
DIETRICK, WILLIAM R. (*See* GAZZANIGA ET AL.), 357
DIRKSEN, TH. (*See* THOMPSON ET AL.), 28
DOBBS, JERI L. (*See* GRUNKEMEIER ET AL.), 562
DOBELL, A. R. C., REDDY, P. P., KAVEY, R. E., and PENCHARZ, P. B. Severe feeding difficulty in infants with increased pulmonary blood flow, 303
DONAHOO, JAMES S. (*See* MERRILL ET AL.), 929
DUGAN, DAVID J. The challenge of progress, 1 (Presidential Address)
DUNN, MARVIN (*See* BRYMER ET AL.), 73
DUSHANE, JAMES W. (*See* BLACKSTONE ET AL.), 661
DYMOCK, R. B. (*See* HODGE ET AL.), 202

E

EBERT, PAUL A., ROBINSON, SAUL J., STANGER, PAUL, and ENGLE, MARY ALLEN. Pulmonary artery conduits in infants younger than six months of age, 351, 356
EDHAG, OLOF (*See* LAGERGREN ET AL.), 259
EDIE, RICHARD N. (*See* BREGMAN ET AL.), 626
EDMUNDS, L. HENRY, JR. Discussion of congenital malformations of mitral valve, 866
—. Discussion of pulmonary artery conduits, 355
EFFLER, DONALD BRIAN. Myocardial revascularization surgery since 1945 A.D.: its evolution and its impact, 823 (Honored Speaker's Address)
—. The mystique of myocardial preservation, 468 (Edit.)
ELKADI, AHMED, SALAS, RAFAEL, and ALMOND, CARL H. Surgical treatment of atypical pulmonary tuberculosis, 435
ELLIS, F. HENRY, JR. Discussion of tricuspid regurgitation, 871
ELLISON, LEE H. (*See* LOOSER ET AL.), 280
ENGELMAN, RICHARD M. Discussion of effects of coronary perfusion on left ventricle, 753
ENGLE, MARY ALLEN (*See* EBERT ET AL.), 351
ERGIN, M. ARISAN, DASTGIR, GHULAM, BUTT, KHALID M. H., and STUCKEY, JACKSON H. Prolonged epicardial mapping of myocardial infarction: the effects of propranolol and intra-aortic balloon pumping following coronary artery occlusion, 892

F

FAGAN, LEONARD R. (*See* PINSKY ET AL.), 15
FARNSWORTH, A. E., and BRAIMBRIDGE, M. V. Hazard of aortic cannulation, 945 (Letter)
FAVALORO, RENE (*See* ALTMAN ET AL.), 127
FEE, HENRY J. (*See* O'CONNELL ET AL.), 94
FELDT, ROBERT H. (*See* MOODIE ET AL.), 379
—. Reply to secundum atrial septal defect in infancy, 817
FELDTMAN, ROBERT W., ANDRASSY, RICHARD J., ALEXANDER, JAMES A., and STANFORD, WILLIAM. Doppler ultrasonic flow detection as an adjunct in the diagnosis of patent ductus arteriosus in premature infants, 288
—. (*See* STONER ET AL.), 157
FEOLA, MARIO, ROVETTO, MICHAEL, SORIANO, RAYMOND, CHO, SANG Y., and WIENER, LESLIE. Glucocorticoid protection of the myocardial cell membrane and the reduction of edema in experimental acute myocardial ischemia, 631
FERGUSON, THOMAS B. Discussion of traumatic rupture of the aorta, 733
FLAHERTY, JOHN T. (*See* CIARDULLO ET AL.), 585
FLEMMA, ROBERT (*See* BLUMLEIN ET AL.), 778
FONTES, V. F. (*See* JATENE ET AL.), 364
FRASER, ROBERT S. (*See* HARAPHONGSE ET AL.), 269
FRATER, ROBERT W. M. Discussion of tricuspid regurgitation, 872
FRIED, ADRIENNE (*See* BOLOOKI ET AL.), 756
FRIESEN, ROBERT H., and CLEMENT, A. J. Individual responses to heparinization for extracorporeal circulation, 875
DE LA FUENTE, LUIS (*See* ALTMAN ET AL.), 127
FULTON, RICHARD E. (*See* MOODIE ET AL.), 553
FUQUA, JOHN M. (*See* NAIFEH ET AL.), 175

G

GAGO, OTTO, SALLES, CLAUDIO A., STERN, AARON M., SPOONER, ERIC, BRANDT, RALPH L., and MORRIS, JOE D. A different approach for the total correction of tricuspid atresia, 209
GALANTIER, M. (*See* JATENE ET AL.), 364
GARCIA, JORGE M., MISPIRETA, LUIS A., SMYTH, NICHOLAS P. D., KESHISHIAN, JOHN M., MARSH, H. BRANDIS, and BACOS, JAMES M. Surgical management of life-threatening coronary artery disease: experience in 18 consecutive patients with left main trunk or equivalent coronary artery obstruction associated with an obstructed or a nondominant right coronary artery, 593
—. (*See* SMYTH ET AL.), 565
GARCIA-RINALDI, R., VON KOCH, L., and HOWELL, J. F. Aneurysm of the sinus of Valsalva producing obstruction of the left main coronary artery, 123
GARDNER, MICHAEL A. (*See* URSCHEL ET AL.), 829
GARNET, RICHARD (*See* HAMMOND ET AL.), 575
GATTIKER, RUTH (*See* MESSMER ET AL.), 495

GAZZANIGA, ALAN B., LAMBERTI, JOHN J., SIEWERS, RALPH D., SPERLING, DONALD R., DIETRICK, WILLIAM R., ARCILLA, RENE A., and REPLOGLE, ROBERT L. Arterial prosthesis of microporus expanded polytetrafluoroethylene for construction of aorta-pulmonary shunts, 357, 363

GERBODE, FRANK (*See* ANSBRO ET AL.), 130

GERTZ, EDWARD W. (*See* ULLYOT ET AL.), 945

GHAHRAMANI, ALI R. (*See* BOLOOKI ET AL.), 756

GIULIANI, EMILIO R. (*See* MCFAUL ET AL.), 910

GLENN, WILLIAM W. L. (*See* KIM ET AL.), 602

GOLDING, ARTHUR (*See* O'CONNELL ET AL.), 94

GOLDSTRAW, P., LAMB, D., MCCORMACK, R. J. M., and WALBAUM, P. R. The malignancy of bronchial adenoma, 309

GOLOMB, H. (*See* DEMEESTER ET AL.), 699

GOMES, MARIO N. (*See* HUFNAGEL and GOMES), 900

GOOCH, JERRY B. (*See* COOLEY ET AL.), 106

GOTO, HISASHI (*See* MATSUMOTO ET AL.), 249

GOTT, VINCENT L. (*See* CIARDULLO ET AL.), 585

GOULD, LAWRENCE, REDDY, C. V. R., DEPALMA, DOMINIC, DE MARTINO, ANTHONY, and KALISH, PAUL E. Cardiac manifestations of ochronosis, 788

GRILLO, HERMES C. Discussion of prosthetic reconstruction of trachea and carina, 536

GRONDIN, CLAUDE M. (*See* CHAITMAN ET AL.), 265

GRONDIN, PIERRE. Discussion of occlusive disease of carotid and coronary arteries, 834

—. Discussion of tricuspid regurgitation, 870

GROSS, N. J. (*See* DEMEESTER ET AL.), 699

GROTKE, GUY T. (*See* TAFT ET AL.), 784

GROVER, FREDERICK L. (*See* SMITH ET AL.), 296

GRUNKEMEIER, GARY L., DOBBS, JERI L., and STARR, ALBERT. A hermetically sealed mercury cell pacemaker: advantages and early clinical results, 562

GUTKOWSKI, ROMUALD (*See* TRENKNER ET AL.), 613

H

HABAL, SALEM M., WEISS, MELVIN B., SPOTNITZ, HENRY M., PARODI, EDUARDO N., WOLFF, MARIANNE, CANNON, PAUL J., HOFFMAN, BRIAN F., and MALM, JAMES R. Effects of pulsatile and nonpulsatile coronary perfusion on performance of the canine left ventricle, 742, 754

HAGSTROM, JACK W. C. (*See* VEITH ET AL.), 97

HALASZ, NICHOLAS A. (*See* TAFT ET AL.), 784

HALLMAN, GRADY L. (*See* VENTEMIGLIA ET AL.), 235

HAMMON, JOHN W., JR., WOLFE, WALTER G., MORAN, JON F., JONES, ROBERT H., and SABISTON, DAVID C., JR. The effect of positive end-expiratory pressure on regional ventilation and perfusion in the normal and injured primate lung, 680

HAMMOND, GRAEME L., STRONG, WILSON W., COHEN, LAWRENCE S., SILVERMAN, MARK, GARNET, RICHARD, LIVOLSI, VIRGINIA A., and CORNOG, JOHN L. Chondrosarcoma simulating malignant atrial myxoma, 575

HANCOCK, E. WILLIAM (*See* ANDERSON and HANCOCK), 150

HANNAH, HAMNER, III (*See* BRYMER ET AL.), 73

HARAPHONGSE, MANT, BASUALDO, CARLOS A. E., FRASER, ROBERT S., and ROSSALL, RICHARD, E. The assessment of function of left ventricle and patency of aorta-coronary bypass after operation: a study of systolic time intervals, 269

HARDY, JAMES D. Discussion of traumatic rupture of the aorta, 732

HARLAN, BRADLEY J., and COOLEY, DENTON A. Transaortic repair of double-outlet right ventricle with situs inversus, l-loop, l-malposition (I,L,L), subaortic ventricular septal defect, and associated anomalies, 547

HARRIS, E. A. (*See* BARRATT-BOYES ET AL.), 133

—. (*See* MATHUR ET AL.), 221

HASEGAWA, MASAHIRO, and RODBARD, SIMON. Delayed timing of heart and arterial sounds in patients with implanted pacemakers, 62

HAYES, ARTHUR H. (*See* LEAMAN ET AL.), 67

HEARSE, D. J., STEWART, D. A., and BRAIMBRIDGE, M. V. Myocardial protection during bypass and arrest: a possible hazard with lactate-containing infusates, 880

HELLENBRAND, WILLIAM E. (*See* NUDEL ET AL.), 644

HENDERSON, R. D., and PEARSON, F. G. Preoperative assessment of esophageal pathology, 512, 524

HIBBS, C. WAYNE (*See* NAIFEH ET AL.), 175

HICKS, G. L., HILL, A., and DEWEESE, J. A. Monitoring of midmyocardial and subendocardial pH in normal and ischemic ventricles, 52

HILL, A. (*See* HICKS ET AL.), 52

HILL, J. DONALD (*See* RASKOFF ET AL.), 450

HILL, LUCIUS D. Discussion of carcinoma of the lung, 348

—. Discussion of esophageal pathology, 523

HODGE, A. J., DYMOCK, R. B., and SUTHERLAND, H. D. A case of fatal fat embolism syndrome following cardiopulmonary bypass, 202

HOFFMAN, BRIAN F. (*See* HABAL ET AL.), 742

HOLMES, E. CARMACK. Discussion of carcinoma of the lung, 348

HOPEMAN, ALAN R. Discussion of arterial prosthesis of PTFE, 363

HORSLEY, BRENT L. (*See* KLINT ET AL.), 89

HOTTENROTT, CHRISTOF (*See* OLINGER ET AL.), 503

HOWELL, J. F. (*See* GARCIA-RINALDI ET AL.), 123

HUFNAGEL, CHARLES A., and GOMES, MARIO N. Late follow-up of ball-valve prostheses in the descending thoracic aorta, 900

HUGHES, RICHARD K. (*See* STILES ET AL.), 849

HUMPHREY, E. W. (*See* MAYER ET AL.), 571

—. (*See* TOLEDO-PEREYRA ET AL.), 518

HURLEY, EDWARD J. (*See* LURIE ET AL.), 458

I

IMAI, YASUHARU (*See* TATSUNO ET AL.), 119

ISCH, JOHN H., and SHUMACKER, HARRIS B, JR. Embolization of caval umbrella: discussion and report of successful removal from right ventricle, 256

ISOM, O. W. (*See* CULLIFORD ET AL.), 714

J

JAMES, THOMAS N. (*See* URTHALER ET AL.), 142

JATENE, ADIB D., FONTES, V. F., PAULISTA, P. P., SOUZA, L. C. B., NEGER, F., GALANTIER, M., and SOUSA, J. E. M. R. Anatomic correction of transposition of the great vessels, 364, 370

JOHNSON, MARK D. (*See* NAIFEH ET AL.), 175

JOHNSON, W. DUDLEY (*See* MANLEY ET AL.), 841

JONES, J. V. (*See* TAYLOR ET AL.), 57

JONES, ROBERT H. (*See* HAMMON ET AL.), 680

JOSEPH, J. G. (*See* DEMEESTER ET AL.), 699

JOYCE, L. D. (*See* MAYER ET AL.), 571

JUDE, JAMES R. Discussion of repeat procedures for myocardial revascularization, 852

JUNG, J. Y., ALMOND, CARL H., and LABABIDI, ZUHDI. Total correction of double-outlet ventricle with concordant atrioventricular relation, dextrocardia, pulmonary stenosis, and situs inversus, 291

K

KAHN, DONALD R. (*See* VANDERARK ET AL.), 464
KAIRALUOMA, MATTI I. (*See* KÄRKÖLÄ ET AL.), 319
KAISER, GEORGE C. Discussion of sternal and costochondral infections after open-heart surgery, 726
KAISER, GERARD A. (*See* BOLOOKI ET AL.), 756
KALISH, PAUL E. (*See* GOULD ET AL.), 788
KALLOOR, GEORGE J., and COLLIS, J. LEIGH. Palliative push-through intubation for malignant obstruction of the gastroesophageal junction, 796
KANEYUKI, TOSHUHIRO (*See* KIM ET AL.), 602
KANZAKI, YOSHIO (*See* ANDO ET AL.), 33
KÄRKÖLÄ, PENTTI, KAIRALUOMA, MATTI I., and LARMI, TEUVO K. I. Postpneumonectomy empyema in pulmonary carcinoma patients: treatment with antibiotic irrigation and closed-chest drainage, 319
KARP, ROBERT B., and LELL, WILLIAM. Evaluating techniques of myocardial preservation for aortic valve replacement: operative risk, 206
KASTL, DAVID G. (*See* BREYER ET AL.), 916
KAUSEL, HARVEY W. (*See* MCKNEALLY ET AL.), 333
KAVEY, R. E. (*See* DOBELL ET AL.), 303
KAWAI, JUN (*See* ANDO ET AL.), 33
KAWASHIMA, YASUNARU, MORI, TOHRU, MATSUDA, HIKARU, MIYAMOTO, KATSUHIKO, KOZUKA, TAKAHIRO, and MANABE, HISAO. Intraventricular repair of single ventricle associated with transposition of the great arteries, 21
—. Discussion of anatomic correction of transposition of great vessels, 370
—. Discussion of nonoperative closure of left-to-right shunts, 378
KELLEY, MICHAEL J. (*See* NUDEL ET AL.), 644
KELLY, LEO C. (*See* SMYTH ET AL.), 565
KENNEDY, JOHN H. Discussion of contribution of anticoagulants to platelet dysfunction with extracorporeal circulation, 740
—. Discussion of tricuspid regurgitation, 873
KENYON, A. M. (*See* BARRATT-BOYES ET AL.), 133
KERN, WILLIAM H., and STILES, QUENTIN R. Pulmonary blastoma, 801
KESHISHIAN, JOHN M. (*See* GARCIA ET AL.), 593
—. (*See* SMYTH ET AL.), 565
KIM, JUNG H., MANUELIDIS, ELIAS E., GLENN, WILLIAM W. L., and KANEYUKI, TOSHUHIRO. Diaphragm pacing: histopathological changes in the phrenic nerve following long-term electrical stimulation, 602
KING, JAMES F. (*See* MANLEY ET AL.), 841
KING, TERRY D. (*See* MILLS and KING), 371
KIRKLIN, JOHN W. (*See* BLACKSTONE ET AL.), 661, 679
—. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 766
KLINT, ROBERT B., COX, WILLIAM D., AGUSTSSON, MAGNUS H., and HORSLEY, BRENT L. Mitral valve replacement in infancy: a case report, 89
KNIGHTON, ROBERT S. (*See* MAGILLIGAN ET AL.), 690
KOERNER, SPENCER K. (*See* VEITH ET AL.), 97
KOHNO, MITSUNORI (*See* MATSUMOTO ET AL.), 249
KOLOBOW, THEODOR (*See* SUAUDEAU and KOLOBOW), 769
KONDO, JIRO (*See* MATSUMOTO ET AL.), 249
KONNO, SOJI (*See* TATSUNO ET AL.), 119
KOZUKA, TAKAHIRO (*See* KAWASHIMA ET AL.), 21
KRAUSZ, MICHAEL, and MANNY, JONA. A safe method of thoracentesis, 323
KUMADA, JUNICHI (*See* MATSUMOTO ET AL.), 249
KUSAJIMA, KATSUYUKI, AUST, JOHN C., WAX, STENNIS D., and WEBB, WATTS R. Hemodynamic and functional changes in xenogenic, perfused, isolated lungs, 115
KWON, KI HONG. Discussion of repeat procedures for myocardial revascularization, 852

L

LABABIDI, ZUHDI (*See* JUNG ET AL.), 291
LACROIX, JOHN T. (*See* PENNINGTON ET AL.), 885
LAGERGREN, HANS, EDHAG, OLOF, and WAHLBERG, INGER. A low-threshold, non-dislocating endocardial electrode, 259
LAM, CONRAD R. A safe technique for closure of the recurrent patent ductus arteriosus, 232
—. Systemic air embolism, 948 (Letter)
LAMB, D. (*See* GOLDSTRAW ET AL.), 309
LAMBERT, CARY J. Discussion of the contribution of anticoagulants to platelet dysfunction with extracorporeal circulation, 740
LAMBERTI, JOHN J. Patch aortoplasty for insertion of the porcine heterograft, 86
—. (*See* GAZZANIGA ET AL.), 357
LARMI, TEUVO K. I. (*See* KÄRKÖLÄ ET AL.), 319
LARSEN, GORDON L. (*See* STANFORD ET AL.), 441
LEAMAN, DAVID M., LEVENSON, LESLIE W., SHIROFF, ROBERT A., BABB, JOSEPH D., DEJOSEPH, ROBERT L., HAYES, ARTHUR H., and ZELIS, ROBERT. Persistence of biologic activity after disappearance of propranolol from the serum, 67
LEE, ARTHUR. Discussion of sternal and costochondral infections after open-heart surgery, 726
LEE, WILLIAM H. Discussion of psychomotor and intellectual development after deep hypothermia and circulatory arrest in infancy, 501
LEE, Y. C. (*See* POPOVSKY ET AL.), 609
LELL, WILLIAM (*See* KARP and LELL), 206
LEV, MAURICE (*See* BHARATI and LEV), 194
—. (*See* BHARATI ET AL.), 383
LEVENSON, LESLIE W. (*See* LEAMAN ET AL.), 67
LEVKOFF, A. H. (*See* PUROHIT ET AL.), 294
LINDESMITH, GEORGE G. (*See* STILES ET AL.), 849
LINDOP, C. A. (*See* BARRATT-BOYES ET AL.), 133
LITCHFORD, BRITT, OKIES, J. EDWARD, SUGIMURA, SHUICHIRO, and STARR, ALBERT. Acute aortic dissection from cross-clamp injury, 709, 713
LIVOLSI, VIRGINIA A. (*See* HAMMOND ET AL.), 575
LOGAN, GORDON (*See* SAUVAGE ET AL.), 418
LOOP, FLOYD D. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 765
LOOSER, KEVIN G., ALLMENDINGER, PHILIP D., TAKATA, HIRO, ELLISON, LEE H., and LOW, HENRY B. C. Infection of cardiac suture line after ventricular aneurysmectomy: report of two cases, 280
LOW, HENRY B. C. (*See* LOOSER ET AL.), 280
LOWER, R. R. (*See* SZENTPETERY ET AL.), 276
—. Discussion of anatomic correction of transposition of great vessels, 370

LURIE, ARTHUR J., SALEL, ANTONE F., VERA, ZAKAUDDIN, DEMARIA, ANTHONY N., HURLEY, EDWARD J., and MASON, DEAN T. Rapid overdrive pacing for refractory tachyarrhythmias in patients after open-heart surgery, 458

M

MCALLISTER, HUGH A., JR. (*See* BHARATI ET AL.), 383
MCCLENATHAN, JAMES H. (*See* BREYER ET AL.), 867
MCCORMACK, R. J. M. (*See* GOLDSTRAW ET AL.), 309
MCFAUL, RICHARD C., DAVIS, ZEV, GIULIANI, EMILIO R., RITTER, DONALD G., and DANIELSON, GORDON K. Ebstein's malformation: surgical experience at the Mayo Clinic, 910
MCGEACHIE, R. (*See* MAYER ET AL.), 571
MCGOON, DWIGHT C. Left ventricular and biventricular extracardiac conduits, 7
—. Valvular replacement and ventricular function, 326 (Edit.)
—. (*See* MARCELLETTI ET AL.), 215, 427
—. (*See* MOODIE ET AL.), 553
—. (*See* POIRIER and MCGOON), 792
MCINTOSH, CHARLES L. (*See* BREYER ET AL.), 867
—. (*See* RHODES ET AL.), 946
MACK, FRANK (*See* BOLOOKI ET AL.), 756
MCKNEALLY, MARTIN F., MAYER, CAROLE, KAUSEL, HARVEY W., and ALLEY, RALPH D. Regional immunotherapy with intrapleural BCG for lung cancer: surgical considerations, 333, 350
MCLAUGHLIN, JOSEPH (*See* TURNEY ET AL.), 727
—. Discussion of prosthetic reconstruction of trachea and carina, 537
MACUMBER, HAROLD H., and CALVIN, JAMES W. Perfusion lung scan patterns in 100 patients with bronchogenic carcinoma, 299
MAGILLIGAN, DONALD J., JR., ROGERS, J. SPEED, KNIGHTON, ROBERT S., and DAVILA, JULIO C. Pulmonary neoplasm with solitary cerebral metastasis: results of combined excision, 690, 698
MAHONEY, EARLE B. (*See* STEWART ET AL.), 588
MAIER, HERBERT C. Discussion of esophageal pathology, 522
MAIR, DOUGLAS D. (*See* MARCELLETTI ET AL.), 215, 427
—. (*See* MOODIE ET AL.), 553
MAKINO, SEIICHIRO (*See* ANDO ET AL.), 33
MALM, JAMES R. (*See* HABAL ET AL.), 742
MALONEY, JAMES V., JR. (*See* OLINGER ET AL.), 503
MANABE, HISAO (*See* KAWASHIMA ET AL.), 21
MANIFACIO, GUILLERMO (*See* TOLEDO-PEREYRA ET AL.), 518
MANLEY, JACK C., KING, JAMES F., ZEFT, HOWARD J., and JOHNSON, W. DUDLEY. The "bad" left ventricle: results of coronary surgery and effect on late survival, 841, 848
MANNING, JAMES (*See* STEWART ET AL.), 588
MANNY, JONA (*See* KRAUSZ and MANNY), 323
MANUELIDIS, ELIAS E. (*See* KIM ET AL.), 602
MARCELLETTI, CARLO, MAIR, DOUGLAS D., MCGOON, DWIGHT C., WALLACE, ROBERT B., and DANIELSON, GORDON K. Complete repair of transposition of the great arteries with pulmonary atresia, 215
—, —, —, —, and —. The Rastelli operation for transposition of the great arteries: early and late results, 427
MARK, JAMES B. D. Discussion of prosthetic reconstruction of trachea and carina, 537
MARSH, H. BRANDIS (*See* GARCIA ET AL.), 593
MARTINI, NAEL (*See* WANEBO ET AL.), 339
—. Discussion of pulmonary neoplasm with solitary cerebral metastasis, 697
MASON, DEAN T. (*See* LURIE ET AL.), 458
MATHUR, M., HARRIS, E. A., YARROW, S., and BARRATT-BOYES, B. G. Measurement of cardiac output by thermodilution in infants and children after open-heart operations, 221
MATISONN, RODNEY E. (*See* MITHA ET AL.), 401
MATSUDA, HIKARU (*See* KAWASHIMA ET AL.), 21
MATSUMOTO, AKIHIKO, SATO, SUNAO, KONDO, JIRO, KUMADA, JUNICHI, GOTO, HISASHI, KOHNO, MITSUNORI, MATSUMURA, HIROTO, and NIIMURA, ICHIRO. Definitive surgical treatment of anomalous origin of left coronary artery: a new technical approach used successfully in a seven-month-old male infant, 249
MATSUMURA, HIROTO (*See* MATSUMOTO ET AL.), 249
MAYER, CAROLE (*See* MCKNEALLY ET AL.), 333
MAY, IVAN A. Discussion of traumatic rupture of the aorta, 733
MAYER, J. E., JR., JOYCE, L. D., REINKE, D., MCGEACHIE, R., HUMPHREY, E. W., and VARCO, R. L. Aberrant left pulmonary artery presenting as a right paratracheal mass in an adult, 571
MERRILL, WALTER, DONAHOO, JAMES S., BRADLEY, ROBERT K., and TAYLOR, DEAN. Late cardiac tamponade: a potentially lethal complication of open-heart surgery, 929
MESSMER, BRUNO J., SCHALLBERGER, URS, GATTIKER, RUTH, and SENNING, ÅKE. Psychomotor and intellectual development after deep hypothermia and circulatory arrest in early infancy, 495, 501
MEYER, BERT W. (*See* STILES ET AL.), 849
MICHAELIS, LAWRENCE L. (*See* BREYER ET AL.), 867
MICHEL, HECTOR (*See* TOLEDO-PEREYRA ET AL.), 518
MIDDLEMAN, MARY P. (*See* WANEBO ET AL.), 339
MIDELL, ALLEN I., DEBOER, ARTHUR, and BERMUDEZ, GUSTAVE. Postperfusion coronary ostial stenosis: incidence and significance, 80
MILLER, JORDON (*See* OLINGER ET AL.), 503
MILLER, ROBERT A. (*See* BHARATI ET AL.), 383
MILLS, MITCHELL. Discussion of carcinoma of the lung, 347
MILLS, NOEL L., and KING, TERRY D. Nonoperative closure of left-to-right shunts, 371, 378
MISPIRETA, LUIS A. (*See* GARCIA ET AL.), 593
MITHA, ABDUL S., MATISONN, RODNEY E., LE ROUX, BERNARD T., and CHESLER, ELLIOT. Clinical experience with the Lillehei-Kaster cardiac valve prosthesis, 401
MIYAMOTO, KATSUHIKO (*See* KAWASHIMA ET AL.), 21
MIYAZAWA, NYOTO (*See* WANEBO ET AL.), 339
MOAZAM, FARHAT, and RODGERS, BRADLEY M. Infantile achalasia: brief clinical report, 809
MOODIE, DOUGLAS S., FELDT, ROBERT H., and WALLACE, ROBERT B. Transient protein-losing enteropathy secondary to elevated caval pressures and caval obstruction after the Mustard procedure, 379
—, MAIR, DOUGLAS D., FULTON, RICHARD E., WALLACE, ROBERT B., DANIELSON, GORDON K., and MCGOON, DWIGHT C. Aortic homograft obstruction, 553
MORAN, JON F. (*See* HAMMON ET AL.), 680
MORI, TOHRU (*See* KAWASHIMA ET AL.), 21
MORRIS, JOE D. (*See* GAGO ET AL.), 209
MORROW, ANDREW G. (*See* BREYER ET AL.), 867
MOULOPOULOS, S. D. The purpose of intra-aortic balloon pumping, 817 (Letter)
MUDD, J. F. GERARD (*See* PINSKY ET AL.), 15
MULDER, DONALD G. (*See* OLINGER ET AL.), 503
MULLINS, CHARLES E. (*See* COOLEY ET AL.), 106
MURPHY, DAVID A. Discussion of arterial prosthesis of PTFE, 363
MURRAY, GORDON F. (*See* SMITH ET AL.), 315

N

NAEF, ANDRE PAUL. Discussion of esophageal pathology, 522
NAIFEH, JEROME G., THOMPSON, PAUL A., JOHNSON, MARK D., HIBBS, C. WAYNE, FUQUA, JOHN M., and NORMAN, JOHN C. Performance of an abdominal left ventricular assist device during tachycardias and dysrhythmias, 175
NAWA, SUGATO (*See* SENOO ET AL.), 243
NEGER, F. (*See* JATENE ET AL.), 364
NEMIR, PAUL, JR. Discussion of esophageal pathology, 521
NEPTUNE, WILFORD B. Discussion of prosthetic reconstruction of trachea and carina, 537
NEVILLE, WILLIAM E., BOLANOWSKI, PAUL J. P., and SOLTANZADEH, HOOSHANG. Homograft replacement of the trachea using immunosuppression, 596
—, —, and —. Prosthetic reconstruction of the trachea and carina, 525, 537
NICHOLSON, D. A., and NOHL-OSER, H. C. Hiatus hernia: a comparison between two methods of fundoplication by evaluation of the long-term results, 938
NIIMURA, ICHIRO (*See* MATSUMOTO ET AL.), 249
NISHI, KAYO (*See* ANDO ET AL.), 33
NOHL-OSER, H. C. (*See* NICHOLSON and NOHL-OSER), 938
NOLAN, STANTON P. (*See* BREWER ET AL.), 413
NORMAN, JOHN C. (*See* NAIFEH ET AL.), 175
NORWOOD, WILLIAM I., ROSENTHAL, AMNON, and CASTANEDA, ALDO R. Tetralogy of Fallot with acquired pulmonary atresia and hypoplasia of pulmonary arteries: report of surgical management in infancy, 454
NOVAK, STANA (*See* BOLOOKI ET AL.), 756
NUBÉ, M. (*See* THOMPSON ET AL.), 28
NUDEL, DOV B., KELLEY, MICHAEL J., HELLENBRAND, WILLIAM E., BARASH, PAUL, STANSEL, H. C., JR., and BERMAN, MICHAEL A. Cor triatriatum: masked by complex congenital cardiac anomalies, 644

O

OCHSNER, JOHN L. Discussion of arterial prosthesis of PTFE, 362
O'CONNELL, THEODORE X., FEE, HENRY J., and GOLDING, ARTHUR. Sarcoma associated with Dacron prosthetic material: case report and review of the literature, 94
O'DONOVAN, TERRY. Discussion of tricuspid regurgitation, 872
OETTGEN, HERBERT F. (*See* WANEBO ET AL.), 339
OGLIETTI, JORGE (*See* VENTEMIGLIA ET AL.), 235
OHISHI, KENZOO (*See* SENOO ET AL.), 243
OKAMOTO, FUMIO (*See* ANDO ET AL.), 33
O'KANE, HUGH (*See* DAVIS ET AL.), 408
OKIES, J. EDWARD (*See* LITCHFORD ET AL.), 709
OLINGER, GORDON N., HOTTENROTT, CHRISTOF, MULDER, DONALD G., MALONEY, JAMES V., JR., MILLER, JORDON, PATTERSON, RICHARD W. SULLIVAN, STUART F., and BUCKBERG, GERALD D. Acute clinical hypocalcemic myocardial depression during rapid blood transfusion and postoperative hemodialysis: a preventable complication, 503, 511
O'MALLEY, EOIN. The Doctor's Dilemma, 167 (Honored Speaker's Address)

P

PARENZAN, L. (*See* CARPENTIER ET AL.), 854
PARODI, EDUARDO N. (*See* BREGMAN ET AL.), 626
—. (*See* HABAL ET AL.), 742
PATON, BRUCE C., and PINE, MICHAEL B. Aortic valve replacement with the De Bakey valve, 652
PATTERSON, RICHARD W. (*See* OLINGER ET AL.), 503
PAULISTA, P. P. (*See* JATENE ET AL.), 364
PEARSON, F. G. (*See* HENDERSON and PEARSON), 512
—. Discussion of carcinoma of the lung, 349
PENCHARZ, P. B. (*See* DOBELL ET AL.), 303
PENNINGTON, D. GLENN, LACROIX, JOHN T., SHELL, WILLIAM E., and WILLIAMS, M. J. Coronary vascular responses to nitroglycerin following aorta-coronary saphenous vein grafting in dogs, 885
PETERS, RICHARD M. Discussion of effect of positive end-expiratory pressure on regional ventilation and perfusion in lung, 689
—. Discussion of gallium-67 scanning for carcinoma of the lung, 707
PHILIPS, PETER A. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 765
PHILLIPS, STEVEN J. Balloon-tipped vena caval cannula, 947 (Letter)
—. Secundum atrial septal defect in infancy, 816 (Letter)
PIFARRÉ, ROQUE. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 766
PINE, MICHAEL B. (*See* PATON and PINE), 652
PINSKER, KENNETH (*See* VEITH ET AL.), 97
PINSKY, WILLIAM W., FAGAN, LEONARD R., MUDD, J. F. GERARD, and WILLMAN, V. L. Subclavian–coronary artery anastomosis in infancy for the Bland-White-Garland syndrome: a three-year and five-year follow-up, 15
PIWNICA, A. (*See* CARPENTIER ET AL.), 854
POIRIER, ROBERT A., and MCGOON, DWIGHT C. An alternative approach to the closure of the Blalock-Taussig anastomosis at open-heart surgery, 792
POPOVSKY, JULIO, LEE, Y. C., and BERK, JAMES L. Gunshot wounds of the esophagus, 609
PUGH, DAVID M. (*See* BRYMER ET AL.), 73
PUROHIT, D. M., CALDWELL, C. C., WEBB, H. N., and LEVKOFF, A. H. Effects of assisted ventilation on echocardiographic findings in two infants with patent ductus arteriosus, 294

R

RACA, RAÚL (*See* ALTMAN ET AL.), 127
RACZYŃSKI, STEFAN (*See* TRENKNER ET AL.), 613
RAO, BHASKAR (*See* WANEBO ET AL.), 339
RASKOFF, WILLIAM J., WAGNER, STEPHEN, and HILL, J. DONALD. Pulmonary valve cyst in an adult: case report, 450
RASMUSSEN, RICHARD A. Discussion of pulmonary neoplasm with solitary cerebral metastasis, 697
RAZZUK, MARUF A. (*See* URSCHEL ET AL.), 829
READ, RAYMOND C. Discussion of esophageal pathology, 522
—. Discussion of pulmonary neoplasm with solitary cerebral metastasis, 696
REDDY, C. V. R. (*See* GOULD ET AL.), 788
REDDY, P. P. (*See* DOBELL ET AL.), 303
REINKE, D. (*See* MAYER ET AL.), 571
REIS, ROBERT L. (*See* BRYMER ET AL.), 73
RELLAND, J. (*See* CARPENTIER ET AL.), 854
REPLOGLE, ROBERT L. (*See* GAZZANIGA ET AL.), 357
REYNOLDS, ERNEST W. (*See* VANDERARK ET AL.), 464
RHODES, GLENN R., WATSON, DONALD C., SYRACUSE, DONALD C., and MCINTOSH, CHARLES L. Freeze-preserved saphenous vein allografts, 946 (Letter)
RICHARDSON, J. DAVID (*See* SMITH ET AL.), 296
RICHARDSON, J. P. (*See* CLARKE and RICHARDSON), 48
RIMM, ALFRED A. (*See* BLUMLEIN ET AL.), 778
RITTER, DONALD G. (*See* MCFAUL ET AL.), 910

ROBERTS, WILLIAM C. (*See* BREYER ET AL.), 916
—. (*See* SPRAY and ROBERTS), 282
ROBERTSON, L. (*See* SZENTPETERY ET AL.), 276
ROBICSEK, FRANCIS. Discussion of sternal and costochondral infections after open-heart surgery, 725
ROBINSON, SAUL J. (*See* EBERT ET AL.), 351
RODBARD, SIMON (*See* HASEGAWA and RODBARD), 62
RODGERS, BRADLEY M. (*See* MOAZAM and RODGERS), 809
ROE, BENSON B. Discussion of aortic dissection from cross-clamp injury, 713
ROGERS, J. SPEED (*See* MAGILLIGAN ET AL.), 690
ROSENTHAL, AMNON (*See* NORWOOD ET AL.), 454
ROSSALL, RICHARD E. (*See* HARAPHONGSE ET AL.), 269
ROUVIER, JORGE (*See* ALTMAN ET AL.), 127
LE ROUX, BERNARD T. (*See* MITHA ET AL.), 401
ROVETTO, MICHAEL (*See* FEOLA ET AL.), 631

S

SABISTON, DAVID C., JR. (*See* HAMMON ET AL.), 680
SALAS, RAFAEL (*See* ELKADI ET AL.), 435
SALEL, ANTONE F. (*See* LURIE ET AL.), 458
SALLES, CLAUDIO A. (*See* GAGO ET AL.), 209
SATO, SUNAO (*See* MATSUMOTO ET AL.), 249
SAUVAGE, LESTER R., SCHLOEMER, RICHARD, WOOD, STEPHEN J., and LOGAN, GORDON. Successful interposition synthetic graft between aorta and right coronary artery: angiographic follow-up to sixteen months, 418
SCHAFF, HARTZELL V. (*See* CIARDULLO ET AL.), 585
SCHALLBERGER, URS (*See* MESSMER ET AL.), 495
SCHLOEMER, RICHARD (See SAUVAGE ET AL.), 418
SCHOENFELD, MYRON R., and BUDINGER, JOHN M. Silent, chronic, massive pulmonary thromboembolism masquerading as bronchogenic carcinoma, 581
SCULLY, HUGH E. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 767
SEELYE, E. R. (*See* BARRATT-BOYES ET AL.), 133
SENNING, ÅKE (*See* MESSMER ET AL.), 495
SENOO, YOSHIMASA, OHISHI, KENZOO, NAWA, SUGATO, TERAMOTO, SHIGERU, and SUNADA, TERUTAKE. Total correction of Ebstein's anomaly by replacement with a biological aortic valve without plication of the atrialized ventricle, 243
SETSUIE, NAOKI (*See* ANDO ET AL.), 33
SHELL, WILLIAM E. (*See* PENNINGTON ET AL.), 885
SHIROFF, ROBERT A. (*See* LEAMAN ET AL.), 67
SHIROTANI, HITOSHI (*See* ANDO ET AL.), 33
SHUMACKER, HARRIS B, JR. (*See* ISCH and SHUMACKER), 256
—. Discussion of arterial prosthesis of PTFE, 362
SIEWERS, RALPH D. (*See* GAZZANIGA ET AL.), 357
SILVERMAN, MARK (*See* HAMMOND ET AL.), 575
SINGER, ALFRED (*See* BREGMAN ET AL.), 626
SKINNER, D. B. (*See* DEMEESTER ET AL.), 699
—. Discussion of esophageal pathology, 523
SMELOFF, EDWARD A. Discussion of arterial prosthesis of PTFE, 363
SMITH, CLAUDE W., MURRAY, GORDON F., and WILCOX, BENSON R. Intramural esophageal hamartoma: an unusual cause of progressive stricture in a child, 315
SMITH, J. MARVIN, III, RICHARDSON, J. DAVID, GROVER, FREDERICK L., AROM, KIT V., WEBB, GEORGE E., and TRINKLE, J. KENT. Fatal air embolism following gunshot wound of the lung, 296
SMYTH, NICHOLAS P. D., CITRON, PAUL, KESHISHIAN, JOHN M., GARCIA, JORGE M., and KELLY, LEO C. Permanent pervenous atrial sensing and pacing with a new J-shaped lead, 565
—. (*See* GARCIA ET AL.), 593
SNOW, NORMAN J., and ANKENEY, JAY L. Congenitally cleft atrioventricular valves associated with secundum atrial septal defects, 925
SOLTANZADEH, HOOSHANG (*See* NEVILLE ET AL.), 525, 596
SORENSEN, HANS R. Discussion of pulmonary neoplasm with solitary cerebral metastasis, 697
SORIANO, RAYMOND (*See* FEOLA ET AL.), 631
SOUSA, J. E. M. R. (*See* JATENE ET AL.), 364
SOUZA, L. C. B. (*See* JATENE ET AL.), 364
SPENCER, FRANK C. (*See* CULLIFORD ET AL.), 714
—. Discussion of coronary revascularization in patients with left ventricular dysfunction, 840
SPERLING, DONALD R. (*See* GAZZANIGA ET AL.), 357
SPIVEY, CHARLES G., JR., (*See* STANFORD ET AL.), 441
SPOONER, ERIC (*See* GAGO ET AL.), 209
SPOTNITZ, HENRY M. (*See* HABAL ET AL.), 742
SPRAY, THOMAS L., and ROBERTS, WILLIAM C. Tension on coronary bypass conduits: a neglected cause of real or potential obstruction of saphenous vein grafts, 282
—. (*See* BREYER ET AL.), 916
STANFORD, WILLIAM, SPIVEY, CHARLES G., JR., LARSEN, GORDON L., ALEXANDER, JAMES A., and BESICH, WILLIAM J. Results of treatment of primary carcinoma of the lung: analysis of 3,000 cases, 441
—. (*See* FELDTMAN ET AL.), 288
—. (*See* STONER ET AL.), 157
STANGER, PAUL (*See* EBERT ET AL.), 351
STANSEL, H. C., JR. (*See* NUDEL ET AL.), 644
STARR, ALBERT (*See* GRUNKEMEIER ET AL.), 562
—. (*See* LITCHFORD ET AL.), 709
—. Discussion of anatomic correction of transposition of great vessels, 369
STEIN, T. PETER (*See* WALLACE ET AL.), 735
STERN, AARON M. (*See* GAGO ET AL.), 209
STEWART, D. A. (*See* HEARSE ET AL.), 880
STEWART, SCOTT. Reconstruction of right ventricular–pulmonary artery continuity with a valved external conduit: unusual technical considerations, 39
—. Republication of illustrations, 944 (Letter)
—, BIDDLE, THEODORE, and DEWEESE, JAMES. Support of the myocardium with intra-aortic balloon counterpulsation following cardiopulmonary bypass, 109
—, MAHONEY, EARLE B., and MANNING, JAMES. The Waterston anastomosis with no deaths in the neonate, 588
STILES, QUENTIN R., LINDESMITH, GEORGE G., TUCKER, BERNARD L., HUGHES, RICHARD K., and MEYER, BERT W. Experience with fifty repeat procedures for myocardial revascularization, 849, 853
—. (*See* KERN and STILES), 801
STIVERS, ROBERT R. Reply to air embolism in penetrating lung injury, 816
STONER, DAVID L., YOO, JAMES H. K., FELDTMAN, ROBERT W., and STANFORD, WILLIAM. Human skin burns induced by defibrillator default current, 157
STRONG, WILSON W. (*See* HAMMOND ET AL.), 575
STUCKEY, JACKSON H. (*See* ERGIN ET AL.), 892

SUAUDEAU, JACQUES, and KOLOBOW, THEODOR. Fresh platelet-rich plasma from a flow-through centrifuge for lamb heart perfusion at 13° C.: protective effect of added erythrocytes, 769
SUBRAMANIAN, S. (*See* CHIARIELLO ET AL.), 182
SUGIMURA, SHUICHIRO (*See* LITCHFORD ET AL.), 709
SULLIVAN, ROBERT W. (*See* ULLYOT ET AL.), 945
SULLIVAN, STUART F. (*See* OLINGER ET AL.), 503
SUNADA, TERUTAKE (*See* SENOO ET AL.), 243
SUTHERLAND, H. D. (*See* HODGE ET AL.), 202
SYMBAS, P. N. Reply to air embolism in penetrating lung injury, 815, 948
SYRACUSE, DONALD C. (*See* RHODES ET AL.), 946
SZENTPETERY, S., ROBERTSON, L., and LOWER, R. R. Complete repair of tetralogy associated with sickle cell anemia and G-6-PD deficiency, 276

T

TABER, RODMAN E. Discussion of sternal and costochondral infections after open-heart surgery, 726
TAFT, PETER M., COLLINS, GEOFFREY M., GROTKE, GUY T., and HALASZ, NICHOLAS A. Warm ischemic injury of the lung, 784
TAJIK, ABDUL J. (*See* BROADBENT ET AL.), 422
TAKARO, TIMOTHY. The controversy over coronary arterial surgery: inappropriate controls, inappropriate publicity, 944 (Letter)
TAKATA, HIRO (*See* LOOSER ET AL.), 280
TARNOFF, JOSEPH F., CALINOG, TED A., and BYLA, JONAS G. Prolonged survival following cerebral metastasis from pulmonary cancer, 933
TATEISHI, KAZUMA (See ANDO ET AL.), 33
TATOOLES, CONSTANTINE J. (*See* BHARATI ET AL.), 383
TATSUNO, KATSUHIKO, IMAI, YASUHARU, and KONNO, SOJI. Therapeutic use of helium-oxygen mixture in continuous positive airway pressure for early weaning from mechanical ventilation after cardiovascular surgery in infants, 119
TAYLOR, DEAN (*See* MERRILL ET AL.), 929
TAYLOR, K. M., BAIN, W. H., JONES, J. V., and WALKER, M. S. The effect of hemodilution on plasma levels of cortisol and free cortisol, 57
TAYLOR, PAUL C. Reply to hazard of aortic cannulation, 946
TEIKO, P. (*See* CULLIFORD ET AL.), 714
TERAMOTO, SHIGERU (*See* SENOO ET AL.), 243
THÉROUX, PIERRE (*See* CHAITMAN ET AL.), 265
THOMPSON, J., DIRKSEN, TH., NUBÉ, M., and BROM, A. G. Prosthesis endocarditis: treatment of a case occurring five years after a Rastelli-Ross operation, 28
THOMPSON, PAUL A. (*See* NAIFEH ET AL.), 175
THURER, RICHARD J. (*See* BOLOOKI ET AL.), 756
TICE, DAVID A. Reply to freeze-preserved saphenous vein allografts, 946
TOLEDO-PEREYRA, LUIS H., MICHEL, HECTOR, MANIFACIO, GUILLERMO, and HUMPHREY, EDWARD W. Management of acid-peptic esophageal strictures, 518, 524
TORRES, MICHAEL (*See* VEITH ET AL.), 97
TOSCANO, M. S. (*See* DEMEESTER ET AL.), 699
TRAPP, WILLIAM G. (*See* BURR and TRAPP), 306
TRENKNER, MIECZYSŁAW, RACZYŃSKI, STEFAN, and GUTKOWSKI, ROMUALD. Optimal diameter of the stent for aortic valvular grafts. I. Studies on valve function and geometry, 613
TRINKLE, J. KENT (*See* SMITH ET AL.), 296
TUCKER, BERNARD L. (*See* STILES ET AL.), 849
TULLETT, GEOFFREY (*See* VANDERARK ET AL.), 464
TURNEY, STEPHEN Z., ATTAR, SAFUH, AYELLA, ROBERT, COWLEY, R ADAMS, and MCLAUGHLIN, JOSEPH. Traumatic rupture of the aorta: a five year experience, 727
TYERS, G. FRANK O., and BROWNLEE, ROBERT R. The unfulfilled promise of demand pacing, 813 (Letter)

U

ULLYOT, DANIEL J., WISNESKI, JUDITH, SULLIVAN, ROBERT W., and GERTZ, EDWARD W. Reply to the controversy over coronary arterial surgery: inappropriate controls, inappropriate publicity, 945
URSCHEL, HAROLD C., RAZZUK, MARUF A., and GARDNER, MICHAEL A. Management of concomitant occlusive disease of the carotid and coronary arteries, 829, 834
URTHALER, FERDINAND, WALKER, ALFRED A., and JAMES, THOMAS N. Comparison of the inotropic action of morphine and ketamine studied in canine cardiac muscle, 142
UTLEY, JOE R. Discussion of traumatic rupture of the aorta, 733

V

VANDERARK, CONDON R., REYNOLDS, ERNEST W., KAHN, DONALD R., and TULLETT, GEOFFREY. Quinidine syncope: a report of successful treatment with bretylium tosylate, 464
VARCO, R. L. (*See* MAYER ET AL.), 571
VARGAS, ABELARDO (*See* BOLOOKI ET AL.), 756
VEITH, FRANK J., CRANE, ROBERT, TORRES, MICHAEL, COLON, ISRAEL, HAGSTROM, JACK W. C., PINSKER, KENNETH, and KOERNER, SPENCER K. Effective preservation and transportation of lung transplants, 97
VENTEMIGLIA, ROGELIO, OGLIETTI, JORGE, WUKASCH, DON C., HALLMAN, GRADY L., and COOLEY, DENTON A. Interruption of the aortic arch: surgical considerations, 235
VERA, ZAKAUDDIN (*See* LURIE ET AL.), 458
VERDANT, ALAIN. Shunting technique for treatment of aortic arch aneurysm, 947 (Letter)
VILLANI, M. (*See* CARPENTIER ET AL.), 854
VINCI, JOSEPH (*See* BREGMAN ET AL.), 626
VLAD, PETER (*See* CHIARIELLO ET AL.), 182
VON KOCH, L. (*See* GARCIA-RINALDI ET AL.), 123

W

WAGNER, STEPHEN (*See* RASKOFF ET AL.), 450
WAHLBERG, INGER (*See* LAGERGREN ET AL.), 259
WAKABAYASHI, AKIO. Discussion of effects of coronary perfusion on left ventricle, 754
WALBAUM, P. R. (*See* GOLDSTRAW ET AL.), 309
WALKER, ALFRED A. (*See* URTHALER ET AL.), 142
WALKER, JOHN (*See* BLUMLEIN ET AL.), 778
WALKER, M. S. (*See* TAYLOR ET AL.), 57
WALLACE, HERBERT W., BROOKS, HELENE, STEIN, T. PETER, and ZIMMERMAN, NANCY J. The contribution of anticoagulants to platelet dysfunction with extracorporeal circulation, 735, 741
—. Discussion of carcinoma of the lung, 349
WALLACE, ROBERT B. (*See* BROADBENT ET AL.), 422
—. (*See* MARCELLETTI ET AL.), 215, 427
—. (*See* MOODIE ET AL.), 379, 553

WANEBO, HAROLD J., RAO, BHASKAR, MIYAZAWA, NYOTO, MARTINI, NAEL, MIDDLEMAN, MARY P., OETTGEN, HERBERT F., and BEATTIE, EDWARD J., JR. Immune reactivity in primary carcinoma of the lung and its relation to prognosis, 339, 349
WATSON, DONALD C. (*See* RHODES ET AL.), 946
WAX, STENNIS D. (*See* KUSAJIMA ET AL.), 115
WEBB, GEORGE E. (*See* SMITH ET AL.), 296
WEBB, H. N. (*See* PUROHIT ET AL.), 294
WEBB, WATTS R. (*See* KUSAJIMA ET AL.), 115
—. Discussion of gallium-67 scanning for carcinoma of the lung, 708
—. Discussion of use of intra-aortic balloon pump in patients requiring cardiac surgery, 767
WEINBERG, MILTON, JR. (*See* BHARATI ET AL.), 383
WEISS, MELVIN B. (*See* HABAL ET AL.), 742
WHEAT, MYRON W., JR. Discussion of repeat procedures for myocardial revascularization, 852
WIENER, LESLIE (*See* FEOLA ET AL.), 631
WILCOX, BENSON R. (*See* SMITH ET AL.), 315
WILLIAMS, M. J. (*See* PENNINGTON ET AL.), 885
WILLIAMS, WILLIS (*See* BOLOOKI ET AL.), 756
WILLMAN, V. L. (*See* PINSKY ET AL.), 15
WILSON, HUGH E., III. Discussion of anatomic correction of transposition of great vessels, 369
WISE, JOE R., JR. Reply to the unfulfilled promise of demand pacing, 814
WISNESKI, JUDITH (*See* ULLYOT ET AL.), 945
WOLFE, WALTER G. (*See* HAMMON ET AL.), 680
WOLFF, MARIANNE (*See* HABAL ET AL.), 742
WOOD, STEPHEN J. (*See* SAUVAGE ET AL.), 418
WUKASCH, DON C. (*See* VENTEMIGLIA ET AL.), 235

Y

YAMAGUCHI, KATSUO (*See* ANDO ET AL.), 33
YARROW, S. (*See* MATHUR ET AL.), 221
YOKOYAMA, TATSUO (*See* ANDO ET AL.), 33
YOO, JAMES H. K. (*See* STONER ET AL.), 157
YOUNG, W. GLENN, JR. Discussion of traumatic rupture of the aorta, 733

Z

ZEFF, R. H. (*See* CULLIFORD ET AL.), 714
ZEFT, HOWARD J. (*See* MANLEY ET AL.), 841
ZELIS, ROBERT (*See* LEAMAN ET AL.), 67
ZIMMERMAN, NANCY J. (*See* WALLACE ET AL.), 735

Subject index*

A

Abdominal left ventricular assist device during induced tachycardias and dysrhythmias, performance of (Naifeh et al.), 175
Aberrant left pulmonary artery presenting as right paratracheal mass in adult (Mayer et al.), 571
Achalasia, infantile: brief clinical report (Moazam and Rodgers), 809
Acid-peptic esophageal strictures, management of (Toledo-Pereyra et al.), 518
Activity, biologic, after disappearance of propranolol from serum, persistence of (Leaman et al.), 67
Adenoma, bronchial, malignancy of (Goldstraw et al.), 309
Air embolism, fatal, following gunshot wound of lung (Smith et al.), 296
  in penetrating lung injury (Chiu and Blaisdell), 815 (Letters); Replies (Symbas), 815 (Stivers), 816
  systemic (Lam), 948 (Letter); Reply (Symbas), 948
Airway pressure, positive, continuous, for early weaning from mechanical ventilation after cardiovascular surgery in infants, therapeutic use of helium-oxygen mixture in (Tatsuno et al.), 119
Allografts, saphenous vein, freeze-preserved (Rhodes et al.), 946 (Letter); Reply (Tice), 946
American Association for Thoracic Surgery: Announcement of 1977 Annual Meeting, 164, 328, 491, 657, 819, 949
  Annual meeting notes, 162
  Graham Traveling Fellowship, 166, 330
  Roster of members, 471
  Board of Thoracic Surgery: Notice of examination, 166, 330, 494, 660, 822, 952
Anastomosis, aortic, effect of angle of: histologic changes in saphenous vein aorta-coronary bypass grafts (Breyer et al.), 916
  Blalock-Taussig, at open-heart surgery, alternative approach to closure of (Poirier and McGoon), 792
  subclavian–coronary artery, in infancy for Bland-White-Garland syndrome: three-year and five-year follow-up (Pinsky et al.), 15
  Waterston, with no deaths in neonate (Stewart et al.), 588
Anemia, sickle cell, and G-6-PD deficiency, complete repair of tetralogy associated with (Szentpetery et al.), 276
Aneurysm, arch, aortic, shunting technique for treatment of (Verdant), 947 (Letter); Reply (Chu), 947
  of right-sided cervical arch: surgical removal and graft replacement (Cooley et al.), 106
  of sinus of Valsalva producing obstruction of left main coronary artery (Garcia-Rinaldi et al.), 123
Aneurysmectomy, ventricular, infection of cardiac suture line after: report of two cases (Looser et al.), 280
Annuloplasty, tricuspid, tricuspid valve replacement, and nonoperative management, comparison of: tricuspid regurgitation (Breyer et al.), 867
Anomalous origin of left coronary artery, definitive surgical treatment of: new technical approach used successfully in seven-month-old male infant (Matsumoto et al.), 249
  of right coronary artery from pulmonary artery (Bregman et al.), 626
Anomaly(ies), cardiac, complicated, with asplenia syndrome, successful total repair of (Ando et al.), 33
  congenital, complex, masked by: cor triatriatum (Nudel et al.), 644
  Ebstein's, by replacement with biological aortic valve without plication of atrialized ventricle, total correction of (Senoo et al.), 243
Antibiotic irrigation and closed-chest drainage, treatment with: postpneumonectomy empyema in pulmonary carcinoma patients (Kärkölä et al.), 319
Anticoagulants to platelet dysfunction with extracorporeal circulation, contribution of (Wallace et al.), 735
Aorta-coronary bypass graft(s) patency, preoperative risk factors and (Blumlein et al.), 778
  saphenous vein, histologic changes in: effect of angle of aortic anastomosis (Breyer et al.), 916
  left ventricular function and coronary obstruction as predictors of survival following (Brymer et al.), 73
  patency of, and function of left ventricle after operation, assessment of: study of systolic time intervals (Haraphongse et al.), 269
  saphenous vein grafting in dogs, coronary vascular responses to nitroglycerin following (Pennington et al.), 885
  pulmonary shunts, arterial prosthesis of microporous expanded polytetrafluoroethylene for construction of (Gazzaniga et al.), 357
  and right coronary artery, successful interposition synthetic graft between: angiographic follow-up to sixteen months (Sauvage et al.), 418
  thoracic, descending, late follow-up of ball-valve prostheses in (Hufnagel and Gomes), 900
  traumatic rupture of: five-year experience (Turney et al.), 727
Aortic arch aneurysm, shunting technique for treatment of (Verdant), 947 (Letter); Reply (Chu), 947
  interruption of: surgical considerations (Ventemiglia et al.), 235
  cannulation, hazard of (Farnsworth and Braimbridge), 945 (Letter); Reply (Taylor), 946
  dissection, acute, from cross-clamp injury (Litchford et al.), 709
  homograft obstruction (Moodie et al.), 553
  intra-, balloon counterpulsation following cardiopulmonary bypass, support of myocardium with (Stewart et al.), 109
  pump in patients requiring cardiac surgery, clinical and hemodynamic criteria for use of (Bolooki et al.), 756

*July, pp. 1-166; August, pp. 167-332; September, pp. 333-494; October, pp. 495-660; November, pp. 661-822; December, pp. 823-978.

Aortic, intra-, balloon—Cont'd
pumping, purpose of (Moulopoulos), 817 (Letter)
root, dynamic: its role in aortic valve function (Brewer et al.), 413
stenosis, congenital: experience with 43 patients (Chiariello et al.), 182
trans-, repair of double-outlet right ventricle with situs inversus, l-loop, l-malposition (I,L,L), subaortic ventricular septal defect, and associated anomalies (Harlan and Cooley), 547
valve, biological, without plication of atrialized ventricle, total correction of Ebstein's anomaly by replacement with (Senoo et al.), 243
replacement with De Bakey valve (Paton and Pine), 652
evaluating techniques of myocardial preservation for: operative risk (Karp and Lell), 206
with fresh aortic homograft, long-term follow-up of (Anderson and Hancock), 150
valvular grafts, optimal diameter of stent for. I. Studies on valve function and geometry (Trenkner et al.), 613
Aortoplasty, patch, for insertion of porcine heterograft (Lamberti), 86
Aortopulmonary window, management of: advantages of transaortic closure with Dacron patch (Clarke and Richardson), 48
Arch aneurysm, aortic, shunting technique for treatment of (Verdent), 947 (Letter); Reply (Chu), 947
aortic, interruption of: surgical considerations (Ventemiglia et al.), 235
cervical, right-sided, aneurysm of: surgical removal and graft replacement (Cooley et al.), 106
Arrest and bypass, myocardial protection during: possible hazard with lactate-containing infusates (Hearse et al.), 880
circulatory, and deep hypothermia in early infancy, psychomotor and intellectual development after (Messmer et al.), 495
Arterial and heart sounds in patients with implanted pacemakers, delayed timing of (Hasegawa and Rodbard), 62
prosthesis of microporous expanded polytetrafluoroethylene for construction of aorta-pulmonary shunts (Gazzaniga et al.), 357
surgery, coronary, controversy over: inappropriate controls, inappropriate publicity (Takaro), 944 (Letter); Reply (Ullyot et al.), 945
Arteriosus, ductus, patent, effects of assisted ventilation on echocardiographic findings in two infants with (Purohit et al.), 294
in premature infants, Doppler ultrasonic flow detection as adjunct in diagnosis of (Feldtman et al.), 288
recurrent, safe technique for closure of (Lam), 232
Artery(ies) anastomosis, subclavian–coronary, in infancy for Bland-White-Garland syndrome: three-year and five-year follow-up (Pinsky et al.), 15
carotid and coronary, management of concomitant occlusive disease of (Urschel et al.), 829
conduits, pulmonary, in infants younger than six months of age (Ebert et al.), 351
coronary, left, definitive surgical treatment of anomalous origin of: new technical approach used successfully in seven-month-old male infant (Matsumoto et al.), 249
main, left, aneurysm of sinus of Valsalva producing obstruction of (Garcia-Rinaldi et al.), 123
Artery(ies), coronary—Cont'd
right, and aorta, successful interposition synthetic graft between: angiographic follow-up to sixteen months (Sauvage et al.), 418
from pulmonary artery, anomalous origin of (Bregman et al.), 626
disease, coronary, life-threatening, surgical management of: experience in 18 consecutive patients with left main trunk or equivalent coronary artery obstruction associated with obstructed or nondominant right coronary artery (Garcia et al.), 593
great, transposition of, intraventricular repair of single ventricle associated with (Kawashima et al.), 21
with pulmonary atresia, complete repair of (Marcelletti et al.), 215
Rastelli operation for: early and late results (Marcelletti et al.), 427
occlusion, coronary, effects of propranolol and intra-aortic balloon pumping following: prolonged epicardial mapping of myocardial infarction (Ergin et al.), 892
pulmonary, hypoplasia of, and acquired pulmonary atresia, tetralogy of Fallot with: report of surgical management in infancy (Norwood et al.), 454
left, aberrant, presenting as right paratracheal mass in adult (Mayer et al.), 571
–right ventricular continuity, pulmonary, with valved external conduit, reconstruction of: unusual technical considerations (Stewart), 39
Artificial heart valve substitutes for use in infants and small children, considerations in development of (Braunwald et al.), 539
Aspirin and prophylaxis of thromboembolic complications in patients with substitute heart valves (Altman et al.), 127
Asplenia syndrome, successful total repair of complicated cardiac anomalies with (Ando et al.), 33
Assist device, ventricular, left, abdominal, during induced tachycardias and dysrhythmias, performance of (Naifeh et al.), 175
Atresia, pulmonary, acquired, and hypoplasia of pulmonary arteries, tetralogy of Fallot with: report of surgical management in infancy (Norwood et al.), 454
complete repair of transposition of great arteries with (Marcelletti et al.), 215
and stenosis, tricuspid, anatomic variations in underdeveloped right ventricle related to (Bharati et al.), 383
tricuspid, different approach for total correction of (Gago et al.), 209
Atrial myxoma, malignant, chondrosarcoma simulating (Hammond et al.), 575
sensing and pacing, pervenous, permanent, with new J-shaped lead (Smyth et al.), 565
septal defect(s), secundum, associated with congenitally cleft atrioventricular valves (Snow and Ankeney), 925
in infancy (Phillips), 816 (Letter); Reply (Feldt), 817
tumor, right, thrombus of inferior vena cava presenting as: roentgenographic, phonoechocardiographic, angiographic, and surgical findings (Broadbent et al.), 422
Atrioventricular relation, concordant, dextrocardia, pulmonary stenosis, and situs inversus, total correction of double-outlet ventricle with (Jung et al.), 291
valves, congenitally cleft, associated with secundum atrial septal defects (Snow and Ankeney), 925

Augmented ejection fraction to select patients with left ventricular dysfunction for coronary revascularization, use of (Cohn et al.), 835

B

Ball-valve prostheses in descending thoracic aorta, late follow-up of (Hufnagel and Gomes), 900
Balloon counterpulsation, intra-aortic, following cardiopulmonary bypass, support of myocardium with (Stewart et al.), 109
pump, intra-aortic, in patients requiring cardiac surgery, clinical and hemodynamic criteria for use of (Bolooki et al.), 756
pumping, intra-aortic, and propranolol following coronary artery occlusion, effects of: prolonged epicardial mapping of myocardial infarction (Ergin et al.), 892
purpose of (Moulopoulos), 817 (Letter)
tipped vena caval cannula (Phillips), 947 (Letter); Reply (Bailey), 948
BCG, intrapleural, for lung cancer, regional immunotherapy with: surgical considerations (McKneally et al.), 333
Biventricular and left ventricular extracardiac conduits (McGoon), 7
Blalock-Taussig anastomosis at open-heart surgery, alternative approach to closure of (Poirier and McGoon), 792
Bland-White-Garland syndrome, subclavian–coronary artery anastomosis in infancy for: three-year and five-year follow-up (Pinsky et al.), 15
Blastoma, pulmonary (Kern and Stiles), 801
Blood flow, pulmonary, increased, severe feeding difficulty in infants with (Dobell et al.), 303
transfusion, rapid, and postoperative hemodialysis, acute clinical hypocalcemic myocardial depression during: preventable complication (Olinger et al.), 503
Bretylium tosylate, report of successful treatment with: quinidine syncope (VanderArk et al.), 464
Bronchial adenoma, malignancy of (Goldstraw et al.), 309
Bronchogenic carcinoma, perfusion lung scan patterns in 100 patients with (Macumber and Calvin), 299
silent, chronic, massive pulmonary thromboembolism masquerading as (Schoenfeld and Budinger), 581
Burns, skin, human, induced by defibrillator default current (Stoner et al.), 157
Bypass, aorta-coronary, left ventricular function and coronary obstruction as predictors of survival following (Brymer et al.), 73
patency of, and function of left ventricle after operation, assessment of: study of systolic time intervals (Haraphongse et al.), 269
and arrest, myocardial protection during: possible hazard with lactate-containing infusates (Hearse et al.), 880
cardiopulmonary, case of fatal fat embolism syndrome following (Hodge et al.), 202
support of myocardium with intra-aortic balloon counterpulsation following (Stewart et al.), 109
using standard roller pump, new method of producing pulsatile flow during (Ciardullo et al.), 585
conduits, coronary, tension on: neglected cause of real or potential obstruction of saphenous vein grafts (Spray and Roberts), 282
graft(s), aorta-coronary, saphenous vein, histologic changes in: effect of angle of aortic anastomosis (Breyer et al.), 916

Bypass graft(s)—Cont'd
patency, aorta-coronary, preoperative risk factors and (Blumlein et al.), 778

C

Cancer, lung, regional immunotherapy with intrapleural BCG for: surgical considerations (McKneally et al.), 333
pulmonary, prolonged survival following cerebral metastasis from (Tarnoff et al.), 933
Cannula, vena caval, balloon-tipped (Phillips), 947 (Letter); Reply (Bailey), 948
Cannulation, aortic, hazard of (Farnsworth and Braimbridge), 945 (Letter); Reply (Taylor), 946
Carcinoma, bronchogenic, perfusion lung scan patterns in 100 patients with (Macumber and Calvin), 299
silent, chronic, massive pulmonary thromboembolism masquerading as (Schoenfeld and Budinger), 581
of lung, gallium-67 scanning for (DeMeester et al.), 699
primary, and its relation to prognosis, immune reactivity in (Wanebo et al.), 339
results of treatment of: analysis of 3,000 cases (Stanford et al.), 441
patients, pulmonary, postpneumonectomy empyema in: treatment with antibiotic irrigation and closed-chest drainage (Kärkölä et al.), 319
Cardiac anomalies, complicated, with asplenia syndrome, successful total repair of (Ando et al.), 33
congenital, complex, masked by: cor triatriatum (Nudel et al.), 644
extra-, conduits, left ventricular and biventricular (McGoon), 7
manifestations of ochronosis (Gould et al.), 788
muscle, canine, comparison of inotropic action of morphine and ketamine studied in (Urthaler et al.), 142
output by thermodilution in infants and children after open-heart operations, measurement of (Mathur et al.), 221
surgery, clinical and hemodynamic criteria for use of intra-aortic balloon pump in patients requiring (Bolooki et al.), 756
suture line after ventricular aneurysmectomy, infection of: report of two cases (Looser et al.), 280
tamponade, late: potentially lethal complication of open-heart surgery (Merrill et al.), 929
valve prosthesis, Lillehei-Kaster, clinical experience with (Mitha et al.), 401
Cardiopulmonary bypass, case of fatal fat embolism syndrome following (Hodge et al.), 202
support of myocardium with intra-aortic balloon counterpulsation following (Stewart et al.), 109
using standard roller pump, new method of producing pulsatile flow during (Ciardullo et al.), 585
Cardiovascular surgery in infants, therapeutic use of helium-oxygen mixture in continuous positive airway pressure for early weaning from mechanical ventilation after (Tatsuno et al.), 119
Carina and trachea, prosthetic reconstruction of (Neville et al.), 525
Carotid and coronary arteries, management of concomitant occlusive disease of (Urschel et al.), 829
sinus control of regional hemodynamics in dog, effect of thoracotomy upon (Bagshaw and Cox), 618
Cava, vena, inferior, presenting as right atrial tumor, thrombus of: roentgenographic, phonoechocardiographic, angiographic, and surgical findings (Broadbent et al.), 422

Cava, vena—Cont'd
superior, leiomyosarcoma of: first case with resection (Davis et al.), 408
Caval pressures, elevated, and caval obstruction after Mustard procedure, transient protein-losing enteropathy secondary to (Moodie et al.), 379
umbrella, embolization of: discussion and report of successful removal from right ventricle (Isch and Shumacker), 256
Cell membrane, myocardial, and reduction of edema in experimental acute myocardial ischemia, glucocorticoid protection of (Feola et al.), 631
Centrifuge, flow-through, for lamb heart perfusion at 13° C., fresh platelet-rich plasma from: protective effect of added erythrocytes (Suaudeau and Kolobow), 769
Cerebral metastasis from pulmonary cancer, prolonged survival following (Tarnoff et al.), 933
solitary, pulmonary neoplasm with: results of combined excision (Magilligan et al.), 690
Cervical arch, right-sided, aneurysm of: surgical removal and graft replacement (Cooley et al.), 106
Challenge of progress (Dugan), 1 (Presidential Address)
Chamber, hyperbaric, surgery in: pulmonary embolism (Burr and Trapp), 306
Child, unusual cause of progressive stricture in: intramural esophageal hamartoma (Smith et al.), 315
Children, congenital malformations of mitral valve in: pathology and surgical treatment (Carpentier et al.), 854
and infants after open-heart operations, measurement of cardiac output by thermodilution in (Mathur et al.), 221
small, and infants, considerations in development of artifical heart valve substitutes for use in (Braunwald et al.), 539
Chondrosarcoma simulating malignant atrial myxoma (Hammond et al.), 575
Circulation, extracorporeal, contribution of anticoagulants to platelet dysfunction with (Wallace et al.), 735
individual responses to heparinization for (Friesen and Clement), 875
Circulatory arrest and deep hypothermia in early infancy, psychomotor and intellectual development after (Messmer et al.), 495
Closure of Blalock-Taussig anastomosis at open-heart surgery, alternative approach to (Poirier and McGoon), 792
nonoperative, of left-to-right shunts (Mills and King), 371
of recurrent patent ductus arteriosus, safe technique for (Lam), 232
transaortic, with Dacron patch, advantages of: management of aortopulmonary window (Clarke and Richardson), 48
Conduction system in simple, regular (d-), complete transposition with ventricular septal defect (Bharati and Lev), 194
Conduit(s), artery, pulmonary, in infants younger than six months of age (Ebert et al.), 351
bypass, coronary, tension on: neglected cause of real or potential obstruction of saphenous vein grafts (Spray and Roberts), 282
external, valved, reconstruction of right ventricular–pulmonary artery continuity with: unusual technical considerations (Stewart), 39
extracardiac, left ventricular and biventricular (McGoon), 7
Congenital aortic stenosis: experience with 43 patients (Chiariello et al.), 182
cardiac anomalies, complex, masked by: cor triatriatum (Nudel et al.), 644
malformations of mitral valve in children: pathology and surgical treatment (Carpentier et al.), 854
Congenitally cleft atrioventricular valves associated with secundum atrial septal defects (Snow and Ankeney), 925
Cor triatriatum: masked by complex congenital cardiac anomalies (Nudel et al.), 644
Coronary arterial surgery, controversy over: inappropriate controls, inappropriate publicity (Takaro), 944 (Letter); Reply (Ullyot et al.), 945
artery anastomosis, subclavian–, in infancy for Bland-White-Garland syndrome: three-year and five-year follow-up (Pinsky et al.), 15
disease, life-threatening, surgical management of: experience in 18 consecutive patients with left main trunk or equivalent coronary artery obstruction associated with obstructed or nondominant right coronary artery (Garcia et al.), 593
left, definitive surgical treatment of anomalous origin of: new technical approach used successfully in seven-month-old male infant (Matsumoto et al.), 249
main, left, aneurysm of sinus of Valsalva producing obstruction of (Garcia-Rinaldi et al.), 123
occlusion, effects of propranolol and intra-aortic balloon pumping following: prolonged epicardial mapping of myocardial infarction (Ergin et al.), 892
right, and aorta, successful interposition synthetic graft between (Sauvage et al.), 418
from pulmonary artery, anomalous origin of (Bregman et al.), 626
bypass, aorta-, and function of left ventricle after operation, assessment of patency of: study of systolic time intervals (Haraphongse et al.), 269
conduits, tension on: neglected cause of real or potential obstruction of saphenous vein grafts (Spray and Roberts), 282
graft(s), aorta-, saphenous vein, histologic changes in: effect of angle of aortic anastomosis (Breyer et al.), 916
patency, aorta-, preoperative risk factors and (Blumlein et al.), 778
and carotid arteries, management of concomitant occlusive disease of (Urschel et al.), 829
obstruction and left ventricular function as predictors of survival following aorta-coronary bypass (Brymer et al.), 73
ostial stenosis, postperfusion: incidence and significance (Midell et al.), 80
perfusion and myocardial metabolism during open-heart surgery in man (Barratt-Boyes et al.), 133
pulsatile and nonpulsatile, on performance of canine left ventricle, effects of (Habal et al.), 742
revascularization, use of augmented ejection fraction to select patients with left ventricular dysfunction for coronary revascularization (Cohn et al.), 835
surgery and effect on late survival, results of: "bad" left ventricle (Manley et al.), 841
vascular responses to nitroglycerin following aorta-coronary saphenous vein grafting in dogs (Pennington et al.), 885
Correction, anatomic, of transposition of great vessels (Jatene et al.), 364
total, of double-outlet ventricle with concordant atrioventricular relation, dextrocardia, pulmonary stenosis, and situs inversus (Jung et al.), 291
of Ebstein's anomaly by replacement with biological aortic valve without plication of atrialized ventricle (Senoo et al.), 243

Correction, total—Cont'd
of tricuspid atresia, different approach for (Gago et al.), 209
Correspondence
Air embolism in penetrating lung injury (Blaisdell), 815
Air embolism in penetrating lung injury (Chiu), 815
Reply (Stivers), 816
Reply (Symbas), 815
Balloon-tipped vena caval cannula (Phillips), 947
Reply (Bailey), 948
The controversy over coronary arterial surgery: inappropriate controls, inappropriate publicity (Takaro), 944
Reply (Ullyot et al.), 945
Freeze-preserved saphenous vein allografts (Rhodes et al.), 946
Reply (Tice), 946
Hazard of aortic cannulation (Farnsworth and Braimbridge), 945
Reply (Taylor), 946
Purpose of intra-aortic balloon pumping (Moulopoulos), 817
Republication of illustrations (Stewart), 944
Secundum atrial septal defect in infancy (Phillips), 816
Reply (Feldt), 817
Shunting technique for treatment of aortic arch aneurysm (Verdant), 947
Reply (Chu), 947
Systemic air embolism (Lam), 948
Reply (Symbas), 948
Unfulfilled promise of demand pacing (Tyers and Brownlee), 813
Reply (Wise), 814
Cortisol and free cortisol, effect of hemodilution on plasma levels of (Taylor et al.), 57
Costochondral and sternal infections following open-heart surgery: review of 2,594 cases (Culliford et al.), 714
Counterpulsation, balloon, intra-aortic, following cardiopulmonary bypass, support of myocardium with (Stewart et al.), 109
Cross-clamp injury, acute aortic dissection from (Litchford et al.), 709
Current, default, defibrillator, human skin burns induced by (Stoner et al.), 157
Cyst, valve, pulmonary, in adult: case report (Raskoff et al.), 450

D

Dacron patch, advantages of transaortic closure with: management of aortopulmonary window (Clarke and Richardson), 48
prosthetic material, sarcoma associated with: case report and review of literature (O'Connell et al.), 94
De Bakey valve, aortic valve replacement with (Paton and Pine), 652
Defect(s), septal, atrial, secundum, associated with congenitally cleft atrioventricular valves (Snow and Ankeney), 925
in infancy (Phillips), 816 (Letter); Reply (Feldt), 817
ventricular, conduction system in simple, regular (d-), complete transposition with (Bharati and Lev), 194
large, optimal age and results in repair of (Blackstone et al.), 661
subaortic, situs inversus, l-loop, l-malposition (I,L.L), and associated anomalies, transaortic repair of double-outlet right ventricle with (Harlan and Cooley), 547
Defibrillator default current, human skin burns induced by (Stoner et al.), 157
Deficiency, G-6-PD, and sickle cell anemia, complete repair of tetralogy associated with (Szentpetery et al.), 276
Demand pacing, unfulfilled promise of (Tyers and Brownlee), 813 (Letter); Reply (Wise), 814
Depression, myocardial, hypocalcemic, clinical, acute, during rapid blood transfusion and postoperative hemodialysis: preventable complication (Olinger et al.), 503
Development, psychomotor and intellectual, after deep hypothermia and circulatory arrest in early infancy (Messmer et al.), 495
Dextrocardia, concordant atrioventricular relation, pulmonary stenosis, and situs inversus, total correction of double-outlet ventricle with (Jung et al.), 291
Diaphragm pacing: histopathological changes in phrenic nerve following long-term electrical stimulation (Kim et al.), 602
Dilemma, doctor's (O'Malley), 167 (Honored Speaker's Address)
Disease, artery, coronary, life-threatening, surgical management of: experience in 18 consecutive patients with left main trunk or equivalent coronary artery obstruction associated with obstructed or nondominant right coronary artery (Garcia et al.), 593
occlusive, concomitant, of carotid and coronary arteries, management of (Urschel et al.), 829
Dissection, aortic, acute, from cross-clamp injury (Litchford et al.), 709
Doctor's dilemma (O'Malley), 167 (Honored Speaker's Address)
Doppler ultrasonic flow detection as adjunct in diagnosis of patent ductus arteriosus in premature infants (Feldtman et al.), 288
Double-outlet right ventricle, late development of left ventricular outflow tract obstruction after repair of (Chaitman et al.), 265
with situs inversus, l-loop, l-malposition (I,L,L), subaortic ventricular septal defect, and associated anomalies, transaortic repair of (Harlan and Cooley), 547
ventricle with concordant atrioventricular relation, dextrocardia, pulmonary stenosis, and situs inversus, total correction of (Jung et al.), 291
Drainage, closed-chest, and antibiotic irrigation, treatment with: postpneumonectomy empyema in pulmonary carcinoma patients (Kärkölä et al.), 319
Ductus arteriosus, patent, effects of assisted ventilation on echocardiographic findings in two infants with (Purohit et al.), 294
in premature infants, Doppler ultrasonic flow detection as adjunct in diagnosis of (Feldtman et al.), 288
recurrent, safe technique for closure of (Lam), 232
Dynamic aortic root: its role in aortic valve function (Brewer et al.), 413
Dysfunction, platelet, with extracorporeal circulation, contribution of anticoagulants to (Wallace et al.), 735
ventricular, left, for coronary revascularization, use of augmented ejection fraction to select patients with (Cohn et al.), 835
Dysrhythmias and tachycardias, induced, performance of abdominal left ventricular assist device during (Naifeh et al.), 175

E

Ebstein's anomaly by replacement with biological aortic valve without plication of atrialized ventricle, total correction of (Senoo et al.), 243
malformation: surgical experience at Mayo Clinic (McFaul et al.), 910
Echocardiographic findings in two infants with patent ductus arteriosus, effects of assisted ventilation on (Purohit et al.), 294

Edema in experimental acute myocardial ischemia, glucocorticoid protection of myocardial cell membrane and reduction of (Feola et al.), 631
Editorial: mystique of myocardial preservation (Effler), 468
valvular replacement and ventricular function (McGoon), 326
Ejection fraction, augmented, to select patients with left ventricular dysfunction for coronary revascularization, use of (Cohn et al.), 835
Electrical stimulation, long-term, histopathological changes in phrenic nerve following: diaphragm pacing (Kim et al.), 602
Electrode(s), endocardial, non-dislocating, low-threshold (Lagergren et al.), 259
transdiaphragmatic, epigastric, ventricular pacing with: long-term follow-up and comparison with other implantation methods (Buffle), 226
Embolism, air, fatal, following gunshot wound of lung (Smith et al.), 296
in penetrating lung injury (Chiu and Blaisdell), 815 (Letters); Replies (Symbas), 815 (Stivers), 816
systemic (Lam, 948 (Letter); Reply (Symbas), 948
pulmonary: surgery in hyperbaric chamber (Burr and Trapp), 306
syndrome, fat, fatal, following cardiopulmonary bypass, case of (Hodge et al.), 202
Embolization of caval umbrella: discussion and report of successful removal from right ventricle (Isch and Shumacker), 256
Embolized prosthetic valve poppet, successful surgical correction of: case report (Ansbro et al.), 130
Empyema, postpneumonectomy, in pulmonary carcinoma patients: treatment with antibiotic irrigation and closed-chest drainage (Kärkölä et al.), 319
End-expiratory pressure, positive, on regional ventilation and perfusion in normal and injured primate lung, effect of (Hammon et al.), 680
Endocardial electrode, non-dislocating, low-threshold (Lagergren et al.), 259
Endocarditis, prosthesis: treatment of case occurring five years after Rastelli Ross operation (Thompson et al.), 28
Enteropathy, protein-losing, transient, secondary to elevated caval pressures and caval obstruction after Mustard procedure (Moodie et al.), 379
Epicardial mapping, prolonged, of myocardial infarction: effects of propranolol and intra-aortic balloon pumping following coronary artery occlusion (Ergin et al.), 892
Epigastric transdiaphragmatic electrodes, ventricular pacing with: long-term follow-up and comparison with other implantation methods (Buffle), 226
Erythrocytes, added, protective effect of: fresh platelet-rich plasma from flow-through centrifuge for lamb heart perfusion at 13° C. (Suaudeau and Kolobow), 769
Esophageal hamartoma, intramural: unusual cause of progressive stricture in child (Smith et al.), 315
pathology, preoperative assessment of (Henderson and Pearson), 512
strictures, acid-peptic, management of (Toledo-Pereyra et al.), 518
Esophagus, gunshot wounds of (Popovsky et al.), 609
Excision, combined, results of: pulmonary neoplasm with solitary cerebral metastasis (Magilligan et al.), 690
Extracardiac conduits, left ventricular and biventricular (McGoon), 7
Extracorporeal circulation, contribution of anticoagulants to platelet dysfunction with (Wallace et al.), 735
Extracorporeal circulation—Cont'd
individual responses to heparinization for (Friesen and Clement), 875

F

Fallot, tetralogy of, with acquired pulmonary atresia and hypoplasia of pulmonary arteries: report of surgical management in infancy (Norwood et al.), 454
Fat embolism syndrome, fatal, following cardiopulmonary bypass, case of (Hodge et al.), 202
Feeding difficulty, severe, in infants with increased pulmonary blood flow (Dobell et al.), 303
Flow, blood, pulmonary, increased, severe feeding difficulty in infants with (Dobell et al.), 303
detection, ultrasonic, Doppler, as adjunct in diagnosis of patent ductus arteriosus in premature infants (Feldman et al.), 288
pulsatile, during cardiopulmonary bypass using standard roller pump, new method of producing (Ciardullo et al.), 585
through centrifuge for lamb heart perfusion at 13° C., fresh platelet-rich plasma from: protective effect of added erythrocytes (Suaudeau and Kolobow), 769
Fraction, ejection, augmented, to select patients with left ventricular dysfunction for coronary revascularization, use of (Cohn et al.), 835
Freeze-preserved saphenous vein allografts (Rhodes et al.), 946 (Letter); Reply (Tice), 946
Function and geometry, valve, studies on, I. Optimal diameter of stent for aortic valvular grafts (Trenkner et al.), 613
of left ventricle and patency of aorta-coronary bypass after operation, assessment of: study of systolic time intervals (Haraphongse et al.), 269
ventricular, and coronary obstruction as predictors of survival following aorta-coronary bypass (Brymer et al.), 73
valve, aortic, its role in: dynamic aortic root (Brewer et al.), 413
ventricular, valvular replacement and (McGoon), 326 (Edit.)
Functional and hemodynamic changes in xenogenic, perfused, isolated lungs (Kusajima et al.), 115
Fundoplication by evaluation of long-term results, comparison between two methods of: hiatus hernia (Nicholson and Nohl-Oser), 938

G

G-6-PD deficiency and sickle cell anemia, complete repair of tetralogy associated with (Szentpetery et al.), 276
Gallium-67 scanning for carcinoma of lung (DeMeester et al.), 699
Gastroesophageal junction, palliative push-through intubation for malignant obstruction of (Kaʃloor and Collis), 796
Geometry and function, valve, studies on, I. Optimal diameter of stent for aortic valvular grafts (Trenkner et al.), 613
Glucocorticoid protection of myocardial cell membrane and reduction of edema in experimental acute myocardial ischemia (Feola et al.), 631
Graft(s), bypass, aorta-coronary, saphenous vein, histologic changes in: effect of angle of aortic anastomosis (Breyer et al.), 916
patency, bypass, aorta-coronary, preoperative risk factors and (Blumlein et al.), 778
replacement, surgical removal and: aneurysm of right-sided cervical arch (Cooley et al.), 106

Graft(s)—Cont'd
synthetic, interposition, successful, between aorta and right coronary artery (Sauvage et al.), 418
valvular, aortic, optimal diameter of stent for. I. Studies on valve function and geometry (Trenkner et al.), 613
vein, saphenous, neglected cause of real or potential obstruction of: tension on coronary bypass conduits (Spray and Roberts), 282
Grafting, saphenous vein, aorta-coronary, in dogs, coronary vascular responses to nitroglycerin following (Pennington et al.), 885
Gunshot wound(s) of esophagus (Popovsky et al.), 609
of lung, fatal air embolism following (Smith et al.), 296

H

Hamartoma, esophageal, intramural: unusual cause of progressive stricture in child (Smith et al.), 315
Heart and arterial sounds in patients with implanted pacemakers, delayed timing of (Hasegawa and Rodbard), 62
perfusion, lamb, at 13° C., fresh platelet-rich plasma from flow-through centrifuge for: protective effect of added erythrocytes (Suaudeau and Kolobow), 769
valve substitutes, artificial, for use in infants and small children, considerations in development of (Braunwald et al.), 539
Helium-oxygen mixture in continuous positive airway pressure for early weaning from mechanical ventilation after cardiovascular surgery in infants, therapeutic use of (Tatsuno et al.), 119
Hemodilution on plasma levels of cortisol and free cortisol, effect of (Taylor et al.), 57
Hemodialysis, postoperative, and rapid blood transfusion, acute clinical hypocalcemic myocardial depression during: preventable complication (Olinger et al.), 503
Hemodynamic and clinical criteria for use of intra-aortic balloon pump in patients requiring cardiac surgery (Bolooki et al.), 756
and functional changes in xenogenic, perfused, isolated lungs (Kusajima et al.), 115
Hemodynamics, regional, in dog, effect of thoracotomy upon carotid sinus control of (Bagshaw and Cox), 618
Heparinization for extracorporeal circulation, individual responses to (Friesen and Clement), 875
Hermetically sealed mercury cell pacemaker: advantages and early clinical results (Grunkemeier et al.), 562
Hernia, hiatus: comparison between two methods of fundoplication by evaluation of long-term results (Nicholson and Nohl-Oser), 938
Heterograft, porcine, patch aortoplasty for insertion of (Lamberti), 86
Hiatus hernia: comparison between two methods of fundoplication by evaluation of long-term results (Nicholson and Nohl-Oser), 938
Histologic changes in saphenous vein aorta-coronary bypass grafts: effect of angle of aortic anastomosis (Breyer et al.), 916
Histopathological changes in phrenic nerve following long-term electrical stimulation: diaphragm pacing (Kim et al.), 602
Homograft, aortic, fresh, long-term follow-up of aortic valve replacement with (Anderson and Hancock), 150
obstruction, aortic (Moodie et al.), 553
replacement of trachea using immunosuppression (Neville et al.), 596
Honored Speaker's Address: doctor's dilemma (O'Malley), 167
myocardial revascularization surgery since 1945 A.D.: its evolution and its impact (Effler), 823
Hyperbaric chamber, surgery in: pulmonary embolism (Burr and Trapp), 306
Hypocalcemic myocardial depression, clinical, acute, during rapid blood transfusion and postoperative hemodialysis: preventable complication (Olinger et al.), 503
Hypoplasia of pulmonary arteries and acquired pulmonary atresia, tetralogy of Fallot with: report of surgical management in infancy (Norwood et al.), 454
Hypothermia, deep, and circulatory arrest in early infancy, psychomotor and intellectual development after (Messmer et al.), 495

I

Immune reactivity in primary carcinoma of lung and its relation to prognosis (Wanebo et al.), 339
Immunosuppression, homograft replacement of trachea using (Neville et al.), 596
Immunotherapy, regional, with intrapleural BCG for lung cancer: surgical considerations (McKneally et al.), 333
Infancy for Bland-White-Garland syndrome, subclavian–coronary artery anastomosis in: three-year and five-year follow-up (Pinsky et al.), 15
early, psychomotor and intellectual development after deep hypothermia and circulatory arrest in (Messmer et al.), 495
mitral valve replacement in: case report (Klint et al.), 89
report of surgical management in: tetralogy of Fallot with acquired pulmonary atresia and hypoplasia of pulmonary arteries (Norwood et al.), 454
secundum atrial septal defect in (Phillips), 816 (Letter); Reply (Feldt), 817
Infant(s) and children after open-heart operations, measurement of cardiac output by thermodilution in (Mathur et al.), 221
with increased pulmonary blood flow, severe feeding difficulty in (Dobell et al.), 303
male, seven-month-old, new technical approach used successfully in: definitive surgical treatment of anomalous origin of left coronary artery (Matsumoto et al.), 249
premature, Doppler ultrasonic flow detection as adjunct in diagnosis of patent ductus arteriosus in (Feldtman et al.), 288
and small children, considerations in development of artificial heart valve substitutes for use in (Braunwald et al.), 539
therapeutic use of helium-oxygen mixture in continuous positive airway pressure for early weaning from mechanical ventilation after cardiovascular surgery in (Tatsuno et al.), 119
two, with patent ductus arteriosus, effects of assisted ventilation on echocardiographic findings in (Purohit et al.), 294
younger than six months of age, pulmonary artery conduits in (Ebert et al.), 351
Infantile achalasia: brief clinical report (Moazam and Rodgers), 809
Infarction, myocardial, prolonged epicardial mapping of: effects of propranolol and intra-aortic balloon pumping following coronary artery occlusion (Ergin et al.), 892
Infection(s) of cardiac suture line after ventricular aneurysmectomy: report of two cases (Looser et al.), 280

Infection(s)—Cont'd
sternal and costochondral, following open-heart surgery: review of 2,594 cases (Culliford et al.), 714
Infusates, lactate-containing, possible hazard with: myocardial protection during bypass and arrest (Hearse et al.), 880
Injury, cross-clamp, acute aortic dissection from (Litchford et al.), 709
ischemic, warm, of lung (Taft et al.), 784
lung, penetrating, air embolism in (Chiu and Blaisdell), 815 (Letters); Replies (Symbas), 815 (Stivers), 816
Inotropic action of morphine and ketamine studied in canine cardiac muscle, comparison of (Urthaler et al.), 142
Intellectual and psychomotor development after deep hypothermia and circulatory arrest in early infancy (Messmer et al.), 495
Interruption of aortic arch: surgical considerations (Ventemiglia et al.), 235
Intra-aortic balloon counterpulsation following cardiopulmonary bypass, support of myocardium with (Stewart et al.), 109
pump in patients requiring cardiac surgery, clinical and hemodynamic criteria for use of (Bolooki et al.), 756
pumping, purpose of (Moulopoulos), 817 (Letter)
Intramural esophageal hamartoma: unusual cause of progressive stricture in child (Smith et al.), 315
Intubation, push-through, palliative, for malignant obstruction of gastroesophageal junction (Kalloor and Collis), 796
Irrigation, antibiotic, and closed-chest drainage, treatment with: postpneumonectomy empyema in pulmonary carcinoma patients (Kärkölä et al.), 319
Ischemia, myocardial, acute, experimental, glucocorticoid protection of myocardial cell membrane and reduction of edema in (Feola et al.), 631
Ischemic injury, warm, of lung (Taft et al.), 784
and normal ventricles, monitoring of midmyocardial and subendocardial pH in (Hicks et al.), 52

K

Ketamine and morphine studied in canine cardiac muscle, comparison of inotropic action of (Urthaler et al.), 142

L

Lactate-containing infusates, possible hazard with: myocardial protection during bypass and arrest (Hearse et al.), 880
Lead, J-shaped, new, permanent pervenous atrial sensing and pacing with (Smyth et al.), 565
Leiomyosarcoma of superior vena cava: first case with resection (Davis et al.), 408
Lillehei-Kaster cardiac valve prosthesis, clinical experience with (Mitha et al.), 401
Lung(s) cancer, regional immunotherapy with intrapleural BCG for: surgical considerations (McKneally et al.), 333
carcinoma of, primary, and its relation to prognosis, immune reactivity in (Wanebo et al.), 339
fatal air embolism following gunshot wound of (Smith et al.), 296
gallium-67 scanning for carcinoma of (DeMeester et al.), 699
injury, penetrating, air embolism in (Chiu and Blaisdell), 815 (Letters); Replies (Symbas), 815 (Stivers), 816
isolated, perfused, xenogenic, hemodynamic and functional changes in (Kusajima et al.), 115
primate, normal and injured, effect of positive end-expiratory pressure on regional ventilation and perfusion in (Hammon et al.), 680
Lung(s)—Cont'd
results of treatment of primary carcinoma of: analysis of 3,000 cases (Stanford et al.), 441
scan patterns, perfusion, in 100 patients with bronchogenic carcinoma (Macumber and Calvin), 299
transplants, effective preservation and transportation of (Veith et al.), 97
warm ischemic injury of (Taft et al.), 784

M

Malformation(s), congenital, of mitral valve in children: pathology and surgical treatment (Carpentier et al.), 854
Ebstein's: surgical experience at Mayo Clinic (McFaul et al.), 910
Malignancy of bronchial adenoma (Goldstraw et al.), 309
Malignant atrial myxoma, chondrosarcoma simulating (Hammond et al.), 575
obstruction of gastroesophageal junction, palliative push-through intubation for (Kalloor and Collis), 796
Mapping, epicardial, prolonged, of myocardial infarction: effects of propranolol and intra-aortic balloon pumping following coronary artery occlusion (Ergin et al.), 892
Mass, paratracheal, right, in adult, aberrant left pulmonary artery presenting as (Mayer et al.), 571
Membrane, cell, myocardial, and reduction of edema in experimental acute myocardial ischemia, glucocorticoid protection of (Feola et al.), 631
Mercury cell pacemaker, hermetically sealed: advantages and early clinical results (Grunkemeier et al.), 562
Metabolism, myocardial, and coronary perfusion during open-heart surgery in man (Barratt-Boyes et al.), 133
Metastasis, cerebral, from pulmonary cancer, prolonged survival following (Tarnoff et al.), 933
solitary, pulmonary neoplasm with: results of combined excision (Magilligan et al.), 690
Midmyocardial and subendocardial pH in normal and ischemic ventricles, monitoring of (Hicks et al.), 52
Mitral valve in children, congenital malformations of: pathology and surgical treatment (Carpentier et al.), 854
replacement in infancy: case report (Klint et al.), 89
Morphine and ketamine studied in canine cardiac muscle, comparison of inotropic action of (Urthaler et al.), 142
Muscle, cardiac, canine, comparison of inotropic action of morphine and ketamine studied in (Urthaler et al.), 142
Mustard procedure, transient protein-losing enteropathy secondary to elevated caval pressures and caval obstruction after (Moodie et al.), 379
Myocardial cell membrane and reduction of edema in experimental acute myocardial ischemia, glucocorticoid protection of (Feola et al.), 631
depression, hypocalcemic, clinical, acute, during rapid blood transfusion and postoperative hemodialysis: preventable complication (Olinger et al.), 503
infarction, prolonged epicardial mapping of: effects of propranolol and intra-aortic balloon pumping following coronary artery occlusion (Ergin et al.), 892
metabolism and coronary perfusion during open-heart surgery in man (Barratt-Boyes et al.), 133
preservation for aortic valve replacement, evaluating techniques of: operative risk (Karp and Lell), 206
mystique of (Effler), 468 (Edit.)
protection during bypass and arrest: possible hazard with lactate-containing infusates (Hearse et al.), 880

Myocardial—Cont'd
revascularization, experience with fifty repeat procedures for (Stiles et al.), 849
surgery since 1945 A.D.: its evolution and its impact (Effler), 823 (Honored Speaker's Address)
Myocardium with intra-aortic balloon counterpulsation following cardiopulmonary bypass, support of (Stewart et al.), 109
Myxoma, atrial, malignant, chondrosarcoma simulating (Hammond et al.), 575

N

Neonate, Waterston anastomosis with no deaths in (Stewart et al.), 588
Neoplasm, pulmonary, with solitary cerebral metastasis: results of combined excision (Magilligan et al.), 690
Nerve, phrenic, following long-term electrical stimulation, histopathological changes in: diaphragm pacing (Kim et al.), 602
Nitroglycerin following aorta-coronary saphenous vein grafting in dogs, coronary vascular responses to (Pennington et al.), 885

O

Obstruction, caval, and elevated caval pressures after Mustard procedure, transient protein-losing enteropathy secondary to (Moodie et al.), 379
coronary, and left ventricular function as predictors of survival following aorta-coronary bypass (Brymer et al.), 73
homograft, aortic (Moodie et al.), 553
of left main coronary artery, aneurysm of sinus of Valsalva producing (Garcia-Rinaldi et al.), 123
trunk or equivalent coronary artery, associated with obstructed or nondominant right coronary artery, experience in 18 consecutive patients with: surgical management of life-threatening coronary artery disease (Garcia et al.), 593
malignant, of gastroesophageal junction, palliative push-through intubation for (Kalloor and Collis), 796
outflow tract, left ventricular, after repair of double-outlet right ventricle, late development of (Chaitman et al.), 265
real or potential, of saphenous vein grafts, neglected cause of: tension on coronary bypass conduits (Spray and Roberts), 282
Occlusion, artery, coronary, effects of propranolol and intra-aortic balloon pumping following: prolonged epicardial mapping of myocardial infarction (Ergin et al.), 892
Occlusive disease, concomitant, of carotid and coronary arteries, management of (Urschel et al.), 829
Ochronosis, cardiac manifestations of (Gould et al.), 788
Open-heart operations, measurement of cardiac output by thermodilution in infants and children after (Mathur et al.), 221
surgery, alternative approach to closure of Blalock-Taussig anastomosis at (Poirier and McGoon), 792
in man, coronary perfusion and myocardial metabolism during (Barratt-Boyes et al.), 133
potentially lethal complication of: late cardiac tamponade (Merrill et al.), 929
rapid overdrive pacing for refractory tachyarrhythmias in patients after (Lurie et al.), 458
sternal and costochondral infections following: review of 2,594 cases (Culliford et al.), 714
Origin, anomalous, of left coronary artery, definitive surgical treatment of: new technical approach used successfully in seven-month-old male infant (Matsumoto et al.), 249
of right coronary artery from pulmonary artery (Bregman et al.), 626
Ostial stenosis, coronary, postperfusion: incidence and significance (Midell et al.), 80
Outflow tract obstruction, left ventricular, after repair of double-outlet right ventricle, late development of (Chaitman et al.), 265
Output, cardiac, by thermodilution in infants and children after open-heart operations, measurement of (Mathur et al.), 221
Overdrive pacing, rapid, for refractory tachyarrhythmias in patients after open-heart surgery (Lurie et al.), 458
Oxygen-helium mixture in continuous positive airway pressure for early weaning from mechanical ventilation after cardiovascular surgery in infants, therapeutic use of (Tatsuno et al.), 119

P

Pacemaker(s), implanted, delayed timing of heart and arterial sounds in patients with (Hasegawa and Rodbard), 62
mercury cell, hermetically sealed: advantages and early clinical results (Grunkemeier et al.), 562
Pacing, demand, unfulfilled promise of (Tyers and Brownlee), 813 (Letter); Reply (Wise), 814
diaphragm: histopathological changes in phrenic nerve following long-term electrical stimulation (Kim et al.), 602
overdrive, rapid, for refractory tachyarrhythmias in patients after open-heart surgery (Lurie et al.), 458
and sensing, atrial, pervenous, permanent, with new J-shaped lead (Smyth et al.), 565
ventricular, with epigastric transdiaphragmatic electrodes: long-term follow-up and comparison with other implantation methods (Buffle), 226
Palliative push-through intubation for malignant obstruction of gastroesophageal junction (Kalloor and Collis), 796
Paratracheal mass, right, in adult, aberrant left pulmonary artery presenting as (Mayer et al.), 571
Patch aortoplasty for insertion of porcine heterograft (Lamberti), 86
Dacron, advantages of transaortic closure with: management of aortopulmonary window (Clarke and Richardson), 48
Patency of aorta-coronary bypass and function of left ventricle after operation, assessment of: study of systolic time intervals (Haraphongse et al.), 269
graft, bypass, aorta-coronary, preoperative risk factors and (Blumlein et al.), 778
Patent ductus arteriosus, recurrent, safe technique for closure of (Lam), 232
Pathology, esophageal, preoperative assessment of (Henderson and Pearson), 512
Peptic, acid-, esophageal strictures, management of (Toledo-Pereyra et al.), 518
Perfused, xenogenic, isolated lungs, hemodynamic and functional changes in (Kusajima et al.), 115
Perfusion, coronary, and myocardial metabolism during open-heart surgery in man (Barratt-Boyes et al.), 133
pulsatile and nonpulsatile, on performance of canine left ventricle, effects of (Habal et al.), 742
heart, lamb, at 13° C., fresh platelet-rich plasma from flow-through centrifuge for: protective effect of added erythrocytes (Suaudeau and Kolobow), 769

Perfusion—Cont'd
lung scan patterns in 100 patients with bronchogenic carcinoma (Macumber and Calvin), 299
post-, coronary ostial stenosis: incidence and significance (Midell et al.), 80
and ventilation, regional, in normal and injured primate lung, effect of positive end-expiratory pressure on (Hammon et al.), 680
Pervenous atrial sensing and pacing, permanent, with new J-shaped lead (Smyth et al.), 565
pH, midmyocardial and subendocardial, in normal and ischemic ventricles, monitoring of (Hicks et al.), 52
Phrenic nerve following long-term electrical stimulation, histopathological changes in: diaphragm pacing (Kim et al.), 602
Plasma levels of cortisol and free cortisol, effect of hemodilution on (Taylor et al.), 57
platelet-rich, fresh, from flow-through centrifuge for lamb heart perfusion at 13° C.: protective effect of added erythrocytes (Suaudeau and Kolobow), 769
Platelet dysfunction with extracorporeal circulation, contribution of anticoagulants to (Wallace et al.), 735
rich plasma, fresh, from flow-through centrifuge for lamb heart perfusion at 13° C.: protective effect of added erythrocytes (Suaudeau and Kolobow), 769
Pleural, intra-, BCG for lung cancer, regional immunotherapy with: surgical considerations (McKneally et al.), 333
Pneumonectomy, post-, empyema in pulmonary carcinoma patients: treatment with antibiotic irrigation and closed-chest drainage (Kärkölä et al.), 319
Polytetrafluoroethylene, expanded, microporous, for construction of aorta-pulmonary shunts, arterial prosthesis of (Gazzaniga et al.), 357
Poppet, valve, prosthetic, embolized, successful surgical correction of: case report (Ansbro et al.), 130
Porcine heterograft, patch aortoplasty for insertion of (Lamberti), 86
Positive end-expiratory pressure on regional ventilation and perfusion in normal and injured primate lung, effect of (Hammon et al.), 680
Postperfusion coronary ostial stenosis: incidence and significance (Midell et al.), 80
Postpneumonectomy empyema in pulmonary carcinoma patients: treatment with antibiotic irrigation and closed-chest drainage (Kärkölä et al.), 319
Preservation, myocardial, for aortic valve replacement, evaluating techniques of: operative risk (Karp and Lell), 206
mystique of (Effler), 468 (Edit.)
and transportation, effective, of lung transplants (Veith et al.), 97
Preserved, freeze-, saphenous vein allografts (Rhodes et al.), 946 (Letter); Reply (Tice), 946
Presidential Address: challenge of progress (Dugan), 1
Pressure(s), airway, positive, continuous, for early weaning from mechanical ventilation after cardiovascular surgery in infants, therapeutic use of helium-oxygen mixture in (Tatsuno et al.), 119
caval, elevated, and caval obstruction after Mustard procedure, transient protein-losing enteropathy secondary to (Moodie et al.), 379
end-expiratory, positive, on regional ventilation and perfusion in normal and injured primate lung, effect of (Hammon et al.), 680
Primary carcinoma of lung and its relation to prognosis, immune reactivity in (Wanebo et al.), 339
results of treatment of: analysis of 3,000 cases (Stanford et al.), 441
Progress, challenge of (Dugan), 1 (Presidential Address)
Prophylaxis of thromboembolic complications in patients with substitute heart valves, aspirin and (Altman et al.), 127
Propranolol and intra-aortic balloon pumping following coronary artery occlusion, effects of: prolonged epicardial mapping of myocardial infarction (Ergin et al.), 892
from serum, persistence of biologic activity after disappearance of (Leaman et al.), 67
Prosthesis(es), arterial, of microporous expanded polytetrafluoroethylene for construction of aorta-pulmonary shunts (Gazzaniga et al.), 357
ball-valve, in descending thoracic aorta, late follow-up of (Hufnagel and Gomes), 900
endocarditis: treatment of case occurring five years after Rastelli-Ross operation (Thompson et al.), 28
valve, cardiac, Lillehei-Kaster, clinical experience with (Mitha et al.), 401
Prosthetic material, Dacron, sarcoma associated with: case report and review of literature (O'Connell et al.), 94
reconstruction of trachea and carina (Neville et al.), 525
valve poppet, embolized, successful surgical correction of: case report (Ansbro et al.), 130
Protection, myocardial, during bypass and arrest: possible hazard with lactate-containing infusates (Hearse et al.), 880
Protein-losing enteropathy, transient, secondary to elevated caval pressures and caval obstruction after Mustard procedure (Moodie et al.), 379
Psychomotor and intellectual development after deep hypothermia and circulatory arrest in early infancy (Messmer et al.), 495
Pulmonary artery, anomalous origin of right coronary artery from (Bregman et al.), 626
conduits in infants younger than six months of age (Ebert et al.), 351
left, aberrant, presenting as right paratracheal mass in adult (Mayer et al.), 571
–right ventricular continuity with valved external conduit, reconstruction of: unusual technical considerations (Stewart), 39
atresia, acquired, and hypoplasia of pulmonary arteries, tetralogy of Fallot with: report of surgical management in infancy (Norwood et al.), 454
complete repair of transposition of great arteries with (Marcelletti et al.), 215
blastoma (Kern and Stiles), 801
blood flow, increased, severe feeding difficulty in infants with (Dobell et al.), 303
cancer, prolonged survival following cerebral metastasis from (Tarnoff et al.), 933
carcinoma patients, postpneumonectomy empyema in: treatment with antibiotic irrigation and closed-chest drainage (Kärkölä et al.), 319
embolism: surgery in hyperbaric chamber (Burr and Trapp), 306
neoplasm with solitary cerebral metastasis: results of combined excision (Magilligan et al.), 690
shunts, aorta-, arterial prosthesis of microporous expanded polytetrafluoroethylene for construction of (Gazzaniga et al.), 357

Pulmonary—Cont'd
stenosis, concordant atrioventricular relation, dextrocardia, and situs inversus, total correction of double-outlet ventricle with (Jung et al.), 291
thromboembolism, massive, chronic, silent, masquerading as bronchogenic carcinoma (Schoenfeld and Budinger), 581
tuberculosis, atypical, surgical treatment of (Elkadi et al.), 435
valve cyst in adult: case report (Raskoff et al.), 450
Pulsatile flow during cardiopulmonary bypass using standard roller pump, new method of producing (Ciardullo et al.), 585
and nonpulsatile coronary perfusion on performance of canine left ventricle, effects of (Habal et al.), 742
Pump, balloon, intra-aortic, in patients requiring cardiac surgery, clinical and hemodynamic criteria for use of (Bolooki et al.), 756
roller, standard, new method of producing pulsatile flow during cardiopulmonary bypass using (Ciardullo et al.), 585
Pumping, balloon, intra-aortic, and propranolol following coronary artery occlusion, effects of: prolonged epicardial mapping of myocardial infarction (Ergin et al.), 892
purpose of (Moulopoulos), 817 (Letter)
Push-through intubation, palliative, for malignant obstruction of gastroesophageal junction (Kalloor and Collis), 796

Q

Quinidine syncope: report of successful treatment with bretylium tosylate (VanderArk et al.), 464

R

Rastelli operation for transposition of great arteries: early and late results (Marcelletti et al.), 427
Ross operation, treatment of case occurring five years after: prosthesis endocarditis (Thompson et al.), 28
Reactivity, immune, in primary carcinoma of lung and its relation to prognosis (Wanebo et al.), 339
Reconstruction, prosthetic, of trachea and carina (Neville et al.), 525
of right ventricular–pulmonary artery continuity with valved external conduit: unusual technical considerations (Stewart), 39
Regurgitation, tricuspid: comparison of nonoperative management, tricuspid annuloplasty, and tricuspid valve replacement (Breyer et al.), 867
Repair, complete, of tetralogy associated with sickle cell anemia and G-6-PD deficiency (Szentpetery et al.), 276
of transposition of great arteries with pulmonary atresia (Marcelletti et al.), 215
of double-outlet right ventricle, late development of left ventricular outflow tract obstruction after (Chaitman et al.), 265
intraventricular, of single ventricle associated with transposition of great arteries (Kawashima et al.), 21
of large ventricular septal defects, optimal age and results in (Blackstone et al.), 661
total, successful, of complicated cardiac anomalies with asplenia syndrome (Ando et al.), 33
transaortic, of double-outlet right ventricle with situs inversus, l-loop, l-malposition (I,L,L), subaortic ventricular septal defect, and associated anomalies (Harlan and Cooley), 547
Replacement with biological aortic valve without plication of atrialized ventricle, total correction of Ebstein's anomaly by (Senoo et al.), 243
graft, surgical removal and: aneurysm of right-sided cervical arch (Cooley et al.), 106
homograft, of trachea using immunosuppression (Neville et al.), 596
valve, aortic, with De Bakey valve (Paton and Pine), 652
evaluating techniques of myocardial preservation for: operative risk (Karp and Lell), 206
with fresh aortic homograft, long-term follow-up of (Anderson and Hancock), 150
mitral, in infancy: case report (Klint et al.), 89
tricuspid, tricuspid annuloplasty, and nonoperative management, comparison of: tricuspid regurgitation (Breyer et al.), 867
valvular, and ventricular function (McGoon), 326 (Edit.)
Republication of illustrations (Stewart), 944 (Letter)
Resection, first case with: leiomyosarcoma of superior vena cava (Davis et al.), 408
Revascularization, coronary, use of augmented ejection fraction to select patients with left ventricular dysfunction for coronary revascularization (Cohn et al.), 835
myocardial, experience with fifty repeat procedures for (Stiles et al.), 849
surgery, myocardial, since 1945 A.D.: its evolution and its impact (Effler), 823 (Honored Speaker's Address)
Roller pump, standard, new method of producing pulsatile flow during cardiopulmonary bypass using (Ciardullo et al.), 585
Root, aortic, dynamic: its role in aortic valve function (Brewer et al.), 413
Rupture, traumatic, of aorta: five-year experience (Turney et al.), 727

S

Samson Thoracic Surgical Society: Announcement of 1977 Annual Meeting, 331, 493, 659, 821, 951
Sarcoma associated with Dacron prosthetic material: case report and review of literature (O'Connell et al.), 94
Scan patterns, lung, perfusion, in 100 patients with bronchogenic carcinoma (Macumber and Calvin), 299
Scanning, gallium-67, for carcinoma of lung (DeMeester et al.), 699
Secundum atrial septal defect(s) associated with congenitally cleft atrioventricular valves (Snow and Ankeney), 925
in infancy (Phillips), 816 (Letter); Reply (Feldt), 817
Sensing and pacing, atrial, pervenous, permanent, with new J-shaped lead (Smyth et al.), 565
Serum, persistence of biologic activity after disappearance of propranolol from (Leaman et al.), 67
Shunt(s), aorta-pulmonary, arterial prosthesis of microporous expanded polytetrafluoroethylene for construction of (Gazzaniga et al.), 357
left-to-right, nonoperative closure of (Mills and King), 371
Shunting technique for treatment of aortic arch aneurysm (Verdant), 947 (Letter); Reply (Chu), 947
Sickle cell anemia and G-6-PD deficiency, complete repair of tetralogy associated with (Szentpetery et al.), 276
Sinus control, carotid, of regional hemodynamics in dog, effect of thoracotomy upon (Bagshaw and Cox), 618
of Valsalva producing obstruction of left main coronary artery, aneurysm of (Garcia-Rinaldi et al.), 123

Situs inversus, concordant atrioventricular relation, dextrocardia, and pulmonary stenosis, total correction of double-outlet ventricle with (Jung et al.), 291
l-loop, l-malposition (I,L,L), subaortic ventricular septal defect, and associated anomalies, transaortic repair of double-outlet right ventricle with (Harlan and Cooley), 547
Skin burns, human, induced by defibrillator default current (Stoner et al.), 157
Sounds, heart and arterial, in patients with implanted pacemakers, delayed timing of (Hasegawa and Rodbard), 62
Stenosis, aortic, congenital: experience with 43 patients (Chiariello et al.), 182
and atresia, tricuspid, anatomic variations in underdeveloped right ventricle related to (Bharati et al.), 383
ostial, coronary, postperfusion: incidence and significance (Midell et al.), 80
pulmonary, concordant atrioventricular relation, dextrocardia, and situs inversus, total correction of double-outlet ventricle with (Jung et al.), 291
Stent for aortic valvular grafts, optimal diameter of. I. Studies on valve function and geometry (Trenkner et al.), 613
Sternal and costochondral infections following open-heart surgery: review of 2,594 cases (Culliford et al.), 714
Stimulation, electrical, long-term, histopathological changes in phrenic nerve following: diaphragm pacing (Kim et al.), 602
Stricture(s), esophageal, acid-peptic, management of (Toledo-Pereyra et al.), 518
progressive, in child, unusual cause of: intramural esophageal hamartoma (Smith et al.), 315
Subclavian–coronary artery anastomosis in infancy for Bland-White-Garland syndrome: three-year and . five-year follow-up (Pinsky et al.), 15
Subendocardial and midmyocardial pH in normal and ischemic ventricles, monitoring of (Hicks et al.), 52
Surgery, arterial, coronary, controversy over: inappropriate controls, inappropriate publicity (Takaro), 944 (Letter); Reply (Ullyot et al.), 945
cardiac, clinical and hemodynamic criteria for use of intra-aortic balloon pump in patients requiring (Bolooki et al.), 756
coronary, and effect on late survival, results of: "bad" left ventricle (Manley et al.), 841
open-heart, alternative approach to closure of Blalock-Taussig anastomosis at (Poirier and McGoon), 792
in man, coronary perfusion and myocardial metabolism during (Barratt-Boyes et al.), 133
potentially lethal complication of: late cardiac tamponade (Merrill et al.), 929
rapid overdrive pacing for refractory tachyarrhythmias in patients after (Lurie et al.), 458
revascularization, myocardial, since 1945 A.D.: its evolution and its impact (Effler), 823 (Honored Speaker's Address)
sternal and costochondral infections following: review of 2,594 cases (Culliford et al.), 714
Surgical management of life-threatening coronary artery disease: experience in 18 consecutive patients with left main trunk or equivalent coronary artery obstruction associated with obstructed or nondominant right coronary artery (Garcia et al.), 593
Surgical—Cont'd
treatment of atypical pulmonary tuberculosis (Elkadi et al.), 435
Suture line, cardiac, after ventricular aneurysmectomy, infection of: report of two cases (Looser et al.), 280
Syncope, quinidine: report of successful treatment with bretylium tosylate (VanderArk et al.), 464
Syndrome, asplenia, successful total repair of complicated cardiac anomalies with (Ando et al.), 33
Bland-White-Garland, subclavian–coronary artery anastomosis in infancy for: three-year and five-year follow-up (Pinsky et al.), 15
embolism, fat, fatal, following cardiopulmonary bypass, case of (Hodge et al.), 202
Systemic air embolism (Lam), 948 (Letter); Reply (Symbas), 948
Systolic time intervals, study of: assessment of function of left ventricle and patency of aorta-coronary bypass after operation (Haraphongse et al.), 269

T

Tachyarrhythmias, refractory, in patients after open-heart surgery, rapid overdrive pacing for (Lurie et al.), 458
Tachycardias and dysrhythmias, induced, performance of abdominal left ventricular assist device during (Naifeh et al.), 175
Tamponade, cardiac, late: potentially lethal complication of open-heart surgery (Merrill et al.), 929
Tension on coronary bypass conduits: neglected cause of real or potential obstruction of saphenous vein grafts (Spray and Roberts), 282
Tetralogy associated with sickle cell anemia and G-6-PD deficiency, complete repair of (Szentpetery et al.), 276
of Fallot with acquired pulmonary atresia and hypoplasia of pulmonary arteries: report of surgical management in infancy (Norwood et al.), 454
Thermodilution in infants and children after open-heart operations, measurement of cardiac output by (Mathur et al.), 221
Thoracentesis, safe method of (Krausz and Manny), 323
Thoracic aorta, descending, late follow-up of ball-valve prostheses in (Hufnagel and Gomes), 900
Thoracotomy upon carotid sinus control of regional hemodynamics in dog, effect of (Bagshaw and Cox), 618
Threshold, low-, non-dislocating endocardial electrode (Lagergren et al.), 259
Thromboembolic complications in patients with substitute heart valves, aspirin and prophylaxis of (Altman et al.), 127
Thromboembolism, pulmonary, massive, chronic, silent, masquerading as bronchogenic carcinoma (Schoenfeld and Budinger), 581
Thrombus of inferior vena cava presenting as right atrial tumor: roentgenographic, phonoechocardiographic, angiographic, and surgical findings (Broadbent et al.), 422
Timing, delayed, or heart and arterial sounds in patients with implanted pacemakers (Hasegawa and Rodbard), 62
Tosylate, bretylium, report of successful treatment with: quinidine syncope (VanderArk et al.), 464
Trachea and carina, prosthetic reconstruction of (Neville et al.), 525
homograft replacement of, using immunosuppression (Neville et al.), 596
Tracheal, para-, mass, right, in adult, aberrant left pulmonary artery presenting as (Mayer et al.), 571
Tract obstruction, outflow, left ventricular, after repair of double-outlet right ventricle, late development of (Chaitman et al.), 265

Transaortic repair of double-outlet right ventricle with situs inversus, l-loop, l-malposition (I,L,L), subaortic ventricular septal defect, and associated anomalies (Harlan and Cooley), 547
Transdiaphragmatic epigastric electrodes, ventricular pacing with: long-term follow-up and comparison with other implantation methods (Buffle), 226
Transfusion, blood, rapid, and postoperative hemodialysis, acute clinical hypocalcemic myocardial depression during: preventable complication (Olinger et al.), 503
Transplants, lung, effective preservation and transportation of (Veith et al.), 97
Transportation and preservation, effective, of lung transplants (Veith et al.), 97
Transposition, complete, regular (d-), simple, with ventricular septal defect, conduction system in (Bharati and Lev), 194
of great arteries, intraventricular repair of single ventricle associated with (Kawashima et al.), 21
with pulmonary atresia, complete repair of (Marcelletti et al.), 215
Rastelli operation for: early and late results (Marcelletti et al.), 427
vessels, anatomic correction of (Jatene et al.), 364
Traumatic rupture of aorta: five-year experience (Turney et al.), 727
Triatriatum, cor: masked by complex congenital cardiac anomalies (Nudel et al.), 644
Tricuspid atresia, different approach for total correction of (Gago et al.), 209
and stenosis, anatomic variations in underdeveloped right ventricle related to (Bharati et al.), 383
regurgitation: comparison of nonoperative management, tricuspid annuloplasty, and tricuspid valve replacement (Breyer et al.), 867
Tuberculosis, pulmonary, atypical, surgical treatment of (Elkadi et al.), 435
Tumor, atrial, right, thrombus of inferior vena cava presenting as: roentgenographic, phonoechocardiographic, angiographic, and surgical findings (Broadbent et al.), 422

U

Ultrasonic flow detection, Doppler, as adjunct in diagnosis of patent ductus arteriosus in premature infants (Feldtman et al.), 288
Umbrella, caval, embolization of: discussion and report of successful removal from right ventricle (Isch and Shumacker), 256
Underdeveloped right ventricle related to tricuspid atresia and stenosis, anatomic variations in (Bharati et al.), 383

V

Valsalva, sinus of, producing obstruction of left main coronary artery, aneurysm of (Garcia-Rinaldi et al.), 123
Valve(s), aortic, biological, without plication of atrialized ventricle, total correction of Ebstein's anomaly by replacement with (Senoo et al.), 243
atrioventricular, congenitally cleft, associated with secundum atrial septal defects (Snow and Ankeney), 925
ball-, prostheses in descending thoracic aorta, late follow-up of (Hufnagel and Gomes), 900
cyst, pulmonary, in adult: case report (Raskoff et al.), 450
function, aortic, its role in: dynamic aortic root (Brewer et al.), 413
Valve(s)—Cont'd
heart, substitute, aspirin and prophylaxis of thromboembolic complications in patients with (Altman et al.), 127
mitral, in children, congenital malformations of: pathology and surgical treatment (Carpentier et al.), 854
poppet, prosthetic, embolized, successful surgical correction of: case report (Ansbro et al.), 130
prosthesis, cardiac, Lillehei-Kaster, clinical experience with (Mitha et al.), 401
replacement, aortic, with De Bakey valve (Paton and Pine), 652
evaluating techniques of myocardial preservation for: operative risk (Karp and Lell), 206
with fresh aortic homograft, long-term follow-up of (Anderson and Hancock), 150
mitral, in infancy: case report (Klint et al.), 89
tricuspid, tricuspid annuloplasty, and nonoperative management, comparison of: tricuspid regurgitation (Breyer et al.), 867
substitutes, heart, artificial, for use in infants and small children, considerations in development of (Braunwald et al.), 539
Valved external conduit, reconstruction of right ventricular–pulmonary artery continuity with: unusual technical considerations (Stewart), 39
Valvular grafts, aortic, optimal diameter of stent for. I. Studies on valve function and geometry (Trenkner et al.), 613
replacement and ventricular function (McGoon), 326 (Edit.)
Vascular responses, coronary, to nitroglycerin following aorta-coronary saphenous vein grafting in dogs (Pennington et al.), 885
Vena cava, inferior, presenting as right atrial tumor, thrombus of: roentgenographic, phonoechocardiographic, angiographic, and surgical findings (Broadbent et al.), 422
superior, leiomyosarcoma of: first case with resection (Davis et al.), 408
caval cannula, balloon-tipped (Phillips), 947 (Letter); Reply (Bailey), 948
Ventilation, assisted, on echocardiographic findings in two infants with patent ductus arteriosus, effects of (Purohit et al.), 294
mechanical, after cardiovascular surgery in infants, therapeutic use of helium-oxygen mixture in continuous positive airway pressure for early weaning from (Tatsuno et al.), 119
and perfusion, regional, in normal and injured primate lung, effect of positive end-expiratory pressure on (Hammon et al.), 680
Ventricle(s), atrialized, total correction of Ebstein's anomaly by replacement with biological aortic valve without plication of (Senoo et al.), 243
double-outlet, with concordant atrioventricular relation, dextrocardia, pulmonary stenosis, and situs inversus, total correction of (Jung et al.), 291
left, "bad": results of coronary surgery and effect on late survival (Manley et al.), 841
canine, effects of pulsatile and nonpulsatile coronary perfusion on performance of (Habal et al.), 742
function of, and patency of aorta-coronary bypass after operation, assessment of: study of systolic time intervals (Haraphongse et al.), 269
normal and ischemic, monitoring of midmyocardial and subendocardial pH in (Hicks et al.), 52

Ventricle(s)—Cont'd
right, discussion and report of successful removal from: embolization of caval umbrella (Isch and Shumacker), 256
double-outlet, late development of left ventricular outflow tract obstruction after repair of (Chaitman et al.), 265
with situs inversus, l-loop, l-malposition (I,L,L), subaortic ventricular septal defect, and associated anomalies, transaortic repair of (Harlan and Cooley), 547
underdeveloped, related to tricuspid atresia and stenosis, anatomic variations in (Bharati et al.), 383
single, associated with transposition of great arteries, intraventricular repair of (Kawashima et al.), 21
Ventricular aneurysmectomy, infection of cardiac suture line after: report of two cases (Looser et al.), 280
assist device, left, abdominal, during induced tachycardias and dysrhythmias, performance of (Naifeh et al.), 175
dysfunction, left, for coronary revascularization, use of augmented ejection fraction to select patients with (Cohn et al.), 835
function, left, and coronary obstruction as predictors of survival following aorta-coronary bypass (Brymer et al.), 73
valvular replacement and (McGoon), 326 (Edit.)
left, and biventricular extracardiac conduits (McGoon), 7
pacing with epigastric transdiaphragmatic electrodes: long-term follow-up and comparison with other implantation methods (Buffle), 226
Ventricular—Cont'd
–pulmonary artery continuity, right, with valved external conduit, reconstruction of: unusual technical considerations (Stewart), 39
septal defect(s), conduction system in simple, regular (d-), complete transposition with (Bharati and Lev), 194
large, optimal age and results in repair of (Blackstone et al.), 661
Vessels, great, transposition of, anatomic correction of (Jatene et al.), 364

W

Waterston anastomosis with no deaths in neonate (Stewart et al.), 588
Window, aortopulmonary, management of: advantages of transaortic closure with Dacron patch (Clarke and Richardson), 48
Wound(s), gunshot, of esophagus (Popovsky et al.), 609
of lung, fatal air embolism following (Smith et al.), 296

X

Xenogenic, perfused, isolated lungs, hemodynamic and functional changes in (Kusajima et al.), 115